



FOLDING CHAIRS & STOOLS

PRICE LIST

EFFECTIVE SEPTEMBER 3, 2025
800.424.2432




Ordering Customer's Own Material (C.O.M.) Upholstery		
Information		3
Intellectual Property Authorization		
		4
600 Series Folding Chairs		
General Information		9
600 Series		
Product Color Options		10
Folding Chairs (Delivered Pricing)		11
Folding Chairs (Freight Excluded Pricing)		12
ValueLite®		
General Information		13
Folding Chairs (Delivered Pricing)		14
Folding Chairs (Freight Excluded Pricing)		15
Industrial Adjustable Stools		
Technical Specifications		16
Product Color Options		18
600 Series		
Industrial Stools (Delivered Pricing)		19
Industrial Stools (Freight Excluded Pricing)		20
Industrial Stools (Delivered Pricing)		21
Industrial Stools (Freight Excluded Pricing)		22
Industrial Stools (Delivered Pricing)		23
Industrial Stools (Freight Excluded Pricing)		24
Folding Chair Storage and Accessories		
General Information		25
Product Color Options		26
Folding Chairs (Delivered Pricing)		27
Folding Chairs (Freight Excluded Pricing)		28
Folding Chairs (Delivered Pricing)		29
Folding Chairs (Freight Excluded Pricing)		30
Folding Chair and Stool Accessories		
Folding Chairs and Stools (Delivered Pricing)		31
Folding Chairs and Stools (Freight Excluded Pricing)		32



How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor’s website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer’s upholstery must be approved prior to acceptance for production.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer’s responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION

Architectural Walls	
Evoke.....	MN
Genius.....	MN

Casegoods	
Aristotle.....	MN
Likha.....	MN

Classroom Furniture	
Cogni	GB
Intellect Wave	GB
Learn2.....	GB
Ruckus.....	GB

Desking	
700 Series	KP
Balance	MN
Genesis	MN
True	KP
Universal	MN
WorkZone	MN

Files & Storage	
700 Series.....	GB
Connection	BW
U-Series.....	GB
Tattoo.....	BW

Fixed Seating	
Concerto.....	BW
Single Pedestal	GB
Jury Base	GB
Lancaster.....	BW
Sequence	GB
University	GB

Panel Systems	
All Terrain.....	KP
Balance	MN
Universal	MN
Wireworks	MN
Unite.....	MN

Residence Hall Furniture	
RoomScape.....	MN

Screens	
All Terrain.....	KP
Connection Zone.....	BW
Tributaire.....	BW
True/Volition	KP
Genesis.....	KP
Tattoo.....	MN
Universal.....	BW

Seating	
600 Series.....	BW
Affina	HN
Altus	GB
Apply	GB
Calida	HN
Cascha	VT
Civara	VT
Clamber	HN
Cogni	GB
Diem	OM
Doni	GB
Gladly	VQ
Grazie	GB
Hub	HN
Impress	OM

Impress Ultra	OM
Intellect Wave	GB
Jessa	HN
Jubilee	VQ
Katera.....	GB
Kurv Benches.....	HN
Learn2.....	GB
LimeLite.....	GB
Lyra	HN
Medical & Laboratory Stools.....	OM
MyPlace	HN
MyWay	HN
Oath	GB
Opt4	GB
Pilot	OM
Promenade.....	BW
Ruckus.....	GB
Sela	HN
Sift	GB
Signia.....	OM
Soltice Metal	HN
Soltice.....	HN
Sonrisa	HN
Strive	GB
Sway	BW
Tattoo.....	HN
Torsion-on-the-Go!	GB
Torsion Air	GB
Zeker	HN
Zentori	VT
Zoetry	HN

KI C.O.M. Manufacturing Site Addresses:

BW
KI Bonduel
Attn: COM Storage
204 West South St.
Bonduel, WI 54107

HN
KI High Point
Attn: COM Storage
217 Feld Avenue
High Point, NC 27263

MN
KI Manitowoc
Attn: COM Storage
1400 S. 41st St.
Manitowoc, WI 54220

VQ
KI
Attn: COM Fabrics
6892 Marlin Circle
La Palma, CA 90623

GB
KI Green Bay
Attn: COM Storage
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

KP
KI Pembroke
Attn: COM Storage
1000 Olympic Dr.
Pembroke, Ontario K8A6X7

OM
KI
Attn: COM Storage
1110 S. Mildred Ave.
Ontario, CA 91761

VT
KI
Attn: COM Storage
2803 South Taylor Drive
Sheboygan, WI 53081



Copyright/Logo/Trademark Release Form
(Intellectual Property)

I, _____, am the owner of the entire rights, title, and interests in the Intellectual Property identified in “Exhibit A” attached and grant Krueger International, Inc. (“KI”) the right to use and display Intellectual Property on products produced and manufactured by KI.

I warrant and represent that I am the owner of the Intellectual Property in Exhibit A and have the necessary legal rights and permissions to use said materials and/or convey their use to others.

I agree that I will not infringe or violate the Intellectual Property Rights of any party. I agree to indemnify, defend, and hold KI harmless against any claims, actions, judgements, losses, and/or damages (including, but not limited to, reasonable attorney’s fees) which may arise from any claims by any third party of an alleged or actual infringement out of the use and display of Intellectual Property on products.

I warrant I am of full legal age and have a right to contract in my name for the attached Intellectual Property. I have read the above authorization and release, before its execution, and I am familiar with the contents thereof. This authorization and release shall be binding upon me, my heirs, legal representatives, and/or assignees.

PRINT NAME

SIGNATURE

COMPANY/ORGANIZATION

ADDRESS

PHONE

EMAIL



“EXHIBIT A”

INTELLECTUAL PROPERTY

Trademarks:

Copyrights:

Logos:

PRODUCTS

(KI product name(s) to be applied with the logo)



PRODUCT SPECIFICATIONS

600 Series Folding Chair

March 2023

TECHNICAL SPECIFICATIONS

The KI 600 Series Folding Chairs deliver optimum quality at a minimum price.

- KI Model 601 - no upholstery
- KI Model 604 - upholstered seat and backrest

600 Series Frames

Frames are electrically seam-welded 19-gauge, 7/8" O.D. tubular steel. The two leg braces are 19-gauge, 5/8" O.D. tubular steel.

Steel Backrests

Backrests are 7 1/2" deep, pitched for proper posture support. Panel is curved 24-gauge cold-rolled steel with fully curled edge and spot-welded to frame.

604 Upholstered Backrest

Vinyl or fabric upholstered backrest panel of 1/2" polyfoam is stapled to plastic base. Attached to backrest by rivets. Backrests are not field replaceable.

601 Steel Seat

One piece 21-gauge cold-rolled drawn and shaped steel. Seat pivots on 1/4" tempered steel rivets.

604 Upholstered Seats

20-gauge recessed steel seat pan. 1.25" polyfoam stapled to hardboard panel attached by rivets. Upholstered Seats are not field replaceable.


Feet

Replaceable non-marring linear polypropylene.

Frame Finish

Chair frames are finished with baked-on, electrostatically-applied epoxy powder-coat paint.


DIMENSIONS



600 Series Folding Chair



DIMENSIONS




600 Series Upholstered Folding Chair

STATEMENT OF LINE



601FC



604FC



Frame Color

Azure Grey	AGM
Beige	BE
Black	BL
Blue Grey	GR
Brown	BR
Cayenne	CY
Earthen Clay	EY
Nordic	ND
Sand	SA
Warm Grey	WG

Feet/Bumper Color

Beige feet/bumpers	BEF
Black feet/bumpers	BLF
Grey feet/bumpers	GRF

Finish Cards

View color swatches for items listed within this document.

Paints

Plastics/Poly

Wood/Veneer

Laminates

Molded Edges

Edge Styles

Hard Plastics

Glass

Certain options referenced may not be available on GSA Schedule.

600 Series

Folding Chairs (Delivered Pricing)



600 Series

Folding Chairs (Delivered Pricing)

			MODEL NUMBER								
MODEL	Features		Basic Model	Frame Color	Fire Code	Upholstery Color	Feet/ Bumper Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Vinyl Group 1
	Steel	Unupholstered	601FC	□□□			□□□	9.50#	\$ 91		
	• Double hinge										
	• Seam-welded tubular steel frame										
	• Heavy-duty steel seat and backrest										
	• 2 double riveted crossbraces--front and rear										
FC6											
	Upholstered Seat and Back	Upholstered	604FC	□□□	□□□	□□□□	□□□	12.00#	N/A	\$ 154	\$ 154
	• Double hinge										
	• Seam-welded tubular steel frame										
	• Heavy-duty steel seat and backrest										
	• 2 double riveted crossbraces--front and rear										
	• 1-1/4" polyfoam seat pad										
• 1/2" polyfoam backrest											
FC6U											
			A	B	C	D	E				

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select fire code.

NFR- Compliance to TB 117-2013

FR- Compliance to TB 133

See Options for TB133 upcharge.
- D**Select upholstery grade/color.
Refer to [ki.com/fabrics](#)
- E**Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = 604FC
Added Lead Time-1 Week
Added List Price=\$11

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.

600 Series

Folding Chairs (Freight Excluded Pricing)



600 Series

Folding Chairs (Freight Excluded Pricing)

			MODEL NUMBER								
			Basic Model	Frame Color	Fire Code	Upholstery Color	Feet/ Bumper Color				
MODEL	Features							Approx. Packaged Weight	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Fabric Grade 1 & C.O.M.	Freight Excluded Pricing Vinyl Group 1
	Steel	Unupholstered	601FC	□□□			□□□	9.50#	\$ 80		
	• Double hinge										
	• Seam-welded tubular steel frame										
	• Heavy-duty steel seat and backrest										
	• 2 double riveted crossbraces--front and rear										
FC6											
	Upholstered Seat and Back	Upholstered	604FC	□□□	□□□	□□□□	□□□	12.00#	N/A	\$ 133	\$ 133
	• Double hinge										
	• Seam-welded tubular steel frame										
	• Heavy-duty steel seat and backrest										
	• 2 double riveted crossbraces--front and rear										
	• 1-1/4" polyfoam seat pad										
• 1/2" polyfoam backrest											
FC6U											
			A	B	C	D	E				

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133

See Options for TB133 upcharge.
- D**Select upholstery grade/color.
Refer to [ki.com/fabrics](#)
- E**Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = 604FC
Added Lead Time-1 Week
Added List Price=\$11

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight excluded.** Freight class 85.

Specifications and prices are subject to change without prior notice.



ValueLite Single Hinge Chair (VL.100)

Features		
Seam-welded tubular steel frame		•
Single hinge		•
Wallsaver design		•
General Dimensions		
Seat height	17-3/4"	
Overall width	18-1/2"	
Overall depth	21-1/8"	
Overall height	33-3/8"	
Folded depth	3"	

SPECIFICATIONS

Frame
Electrically seam-welded 17-gauge x 1-1/8" o.d. tubular steel. 13-gauge "ribbed" linkage, 2-1/4" 11-gauge under seat support brace, 13-gauge side seat support 3/4" arched welded crossbraces.

Seat and Backrest
1-1/4" thick high-density polyethylene plastic.

INFORMATION

Warranty
Refer to KI Terms & Conditions document or visit ki.com



MODEL	MODEL NUMBER			
	Basic Model	Approx. Packaged Weight	Delivered Pricing	
 VLFC	ValueLite Single Hinge Chair • Single hinge • High-density polyethylene seat and back • Front and back arched welded cross-braces • Polyethylene glides • Frame color hammer tone black • Seat and back color speckled white • Sold 4 per carton • Integrated handle in backrest • Seat and back thickness 1-1/4"	VL.100.BL.WH	13.00#	\$ 107

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

Cartoning
Model VL.100 - shipped 4 units per carton

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



MODEL	MODEL NUMBER			
	Basic Model	Approx. Packaged Weight	Freight Excluded Pricing	
 VLFC	ValueLite Single Hinge Chair • Single hinge • High-density polyethylene seat and back • Front and back arched welded cross-braces • Polyethylene glides • Frame color hammer tone black • Seat and back color speckled white • Sold 4 per carton • Integrated handle in backrest • Seat and back thickness 1-1/4"	VL.100.BL.WH	13.00#	\$ 91

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

Cartoning
Model VL.100 - shipped 4 units per carton

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight excluded.** Freight class 85.

Specifications and prices are subject to change without prior notice.



PRODUCT SPECIFICATIONS
600 Series® Industrial Stool

March 2024

TECHNICAL SPECIFICATIONS

Frames

Two leg sections of 18-gauge, 7/8" O.D. seam-welded tubular steel are crossed and welded together. The foot ring and leg frame are welded into a single unit. Foot rings are 18-gauge, 5/8" O.D. and are shaped for an enlarged weld area at point of contact with leg. Equipped with replaceable polyethylene feet.

Seats

Steel Seats

Constructed of 20-gauge die-formed steel pan with fully curled edges for strength and safety, 14" in diameter. Tempered hardboard Masonite inset riveted into seat recess.

Upholstered Seats

Constructed of 20-gauge die-formed steel pan, 14" in diameter. Replaceable 5/8" foam pad mounted to hardboard, fastened into seat recess with mechanical fasteners. Seats are upholstered in vinyl.

Wood Seats

Wood seats are 14" in diameter, 1 1/4" hardwood (Rubberwood) with clear lacquer finish. Wood seats are attached to stool with screws.

Polypropylene Stool Seats

Polypropylene seats are injection-molded thermoplastic with integral rib construction for strength, 13" in diameter. Color permeates throughout the seat. White marks may occur at four spots on the front edge of seat but does not alter the structural integrity of the stool.

Base Spreads

18" high stools have a 14" base spread.
24" high stools have a 15 1/4" base spread.
30" high stools have a 15 1/2" base spread.

Glides


Glides are available on fixed-height or adjustable-height stools.

Frame Finish


Stool frames are finished with baked-on, electrostatically-applied epoxy powder-coat paint.

DIMENSIONS


600 Series Industrial - 18" Fixed-Height



600 Series Industrial - 24" Fixed-Height




600 Series Industrial - 30" Fixed-Height






DIMENSIONS

600 Series Industrial - 18” Adjustable-Height



600 Series Industrial - 24” Adjustable-Height




STATEMENT OF LINE

600 Series Industrial Stools - Fixed-Height



600 Series Industrial Stools - Adjustable-Height



Industrial Adjustable Stools

Product Color Options



Industrial Adjustable Stools

Product Color Options

Frame Color		Rainforest	PRQ
Black	BL	Raw Jasper	PRJ
Blue Grey	GR	Rubber Ducky	PRK
Bronze Metallic	ZM	Sand	PSA
Cayenne	CY	Sky Blue	PSK
Champagne Metallic	CM	Surf's Up	PSP
Cool Grey	CG	Tarragon	PTQ
Cottonwood	CO	Twilight Shadow	PTI
Earthen Clay	EY	Ultra Blue	PUB
Espresso Metallic	EX	Warm Grey	PWG
Everglade Shade	EV	Zesty Lime	PZL
Flannel	FN		
Glitz Metallic	GZ		
Hazy Jade	HJ		
Honey Bee	HY		
Light Tone	LG		
Mardi Gras	MG		
Misty Brown	MY		
Nemo	NE		
Nordic	ND		
Poppy Red	PR		
Purple Haze	PH		
Rainforest	RQ		
Raw Jasper	RJ		
Rubber Ducky	RK		
Sand	SA		
Sky Blue	SK		
Starlight Silver Metallic	SX		
Surf's Up	SP		
Tarragon	TQ		
Twilight Shadow	TI		
Ultra Blue	UB		
Warm Grey	WG		
Zesty Lime	ZL		
Feet/Bumper Color			
Beige	BEF		
Black	BLF		
Grey	GRF		
Seat Color - Polypropylene			
Black	PBL		
Blue Grey	PGR		
Cayenne	PCY		
Cool Grey	PCG		
Cottonwood	PCO		
Earthen Clay	PEY		
Everglade Shade	PEV		
Flannel	PFN		
Hazy Jade	PHJ		
Honey Bee	PHY		
Light Tone	PLG		
Mardi Gras	PMG		
Misty Brown	PMY		
Nemo	PNE		
Nordic	PND		
Poppy Red	PPR		
Purple Haze	PPH		

Finish Cards

View color swatches for items listed within this document.

Paints

Wood/Veneer

Molded Edges

Hard Plastics

Plastics/Poly

Laminates

Edge Styles

Glass

Certain options referenced may not be available on GSA Schedule.

600 Series
Industrial Stools (Delivered Pricing)



600 Series
Industrial Stools (Delivered Pricing)

			MODEL NUMBER							
MODEL		Features	Basic Model	Frame Color	Fire Code	Upholstery Color	Feet/ Bumper Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Vinyl Group 1 & C.O.V.
 600	Steel Rimmed Seat Stool - Seam-welded tubular steel frame with steel seat pan - Fixed leg or adjustable height leg models available - Fixed legs have polyethylene feet - Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides - Nickel-plated telescoping leg section locks with set screws 14" diameter steel seat with tempered hardboard Masonite inset	Fixed Height, 18"H	618	□□□			□□□	8.00#	\$ 153	
		Adjustable Height, 19"-27"H	618A	□□□				11.00#	192	
		Fixed Height, 24"H	624	□□□			□□□	10.00#	168	
		Adjustable Height, 25"-33"H	624A	□□□				12.00#	207	
		Fixed Height, 30"H	630	□□□			□□□	11.00#	180	
 600U	Upholstered Seat Stool - Seam-welded tubular steel frame with steel seat pan - Fixed leg or adjustable height leg models available - Fixed legs have polyethylene feet - Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides - Nickel-plated telescoping leg section locks with set screws 14" diameter steel seat with upholstered seat pad	Fixed Height, 18"H	618U	□□□	□□□	□□□□□	□□□	8.00#	N/A	\$ 213
		Adjustable Height, 19"-27"H	618UA	□□□	□□□	□□□□□		11.00#	N/A	269
		Fixed Height, 24"H	624U	□□□	□□□	□□□□□	□□□	10.00#	N/A	232
		Adjustable Height, 25"-33"H	624UA	□□□	□□□	□□□□□		12.00#	N/A	283
		Fixed Height, 30"H	630U	□□□	□□□	□□□□□	□□□	11.00#	N/A	248
		Adjustable Height, 31"-39"H	630UA	□□□	□□□	□□□□□		13.00#	N/A	294
			A	B	C	D	E			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select fire code.
NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Options for TB133 upcharge.
- D** Select upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- E** Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = Upholstered
Added Lead Time-1 Week
Added List Price=\$18

Nonstandard Steel Stool Seat Height
Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$20 each

Steel Stool Adjustable Leg Components
600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify #13.0700.x \$34/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid**. Freight class 125. Adjustable legs and back require assembly.

Specifications and prices are subject to change without prior notice.

600 Series

Industrial Stools (Freight Excluded Pricing)



600 Series

Industrial Stools (Freight Excluded Pricing)

			MODEL NUMBER							
MODEL		Features	Basic Model	Frame Color	Fire Code	Upholstery Color	Feet/ Bumper Color	Approx. Packaged Weight	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Vinyl Group 1 & C.O.V.
 600	Steel Rimmed Seat Stool - Seam-welded tubular steel frame with steel seat pan - Fixed leg or adjustable height leg models available - Fixed legs have polyethylene feet - Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides - Nickel-plated telescoping leg section locks with set screws 14" diameter steel seat with tempered hardboard Masonite inset	Fixed Height, 18"H	618	□□□			□□□	8.00#	\$ 131	
		Adjustable Height, 19"-27"H	618A	□□□				11.00#	170	
		Fixed Height, 24"H	624	□□□			□□□	10.00#	145	
		Adjustable Height, 25"-33"H	624A	□□□				12.00#	184	
		Fixed Height, 30"H	630	□□□			□□□	11.00#	156	
 600U	Upholstered Seat Stool - Seam-welded tubular steel frame with steel seat pan - Fixed leg or adjustable height leg models available - Fixed legs have polyethylene feet - Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides - Nickel-plated telescoping leg section locks with set screws 14" diameter steel seat with upholstered seat pad	Fixed Height, 18"H	618U	□□□	□□□	□□□□□	□□□	8.00#	N/A	\$ 191
		Adjustable Height, 19"-27"H	618UA	□□□	□□□	□□□□□		11.00#	N/A	247
		Fixed Height, 24"H	624U	□□□	□□□	□□□□□	□□□	10.00#	N/A	208
		Adjustable Height, 25"-33"H	624UA	□□□	□□□	□□□□□		12.00#	N/A	260
		Fixed Height, 30"H	630U	□□□	□□□	□□□□□	□□□	11.00#	N/A	224
		Adjustable Height, 31"-39"H	630UA	□□□	□□□	□□□□□		13.00#	N/A	270
			A	B	C	D	E			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select fire code.
NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Options for TB133 upcharge.
- D** Select upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- E** Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = Upholstered
Added Lead Time-1 Week
Added List Price=\$18

Nonstandard Steel Stool Seat Height
Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$20 each

Steel Stool Adjustable Leg Components
600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify #13.0700.x \$34/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight excluded**. Freight class 125. Adjustable legs and back require assembly.

Specifications and prices are subject to change without prior notice.

600 Series

Industrial Stools (Delivered Pricing)



600 Series

Industrial Stools (Delivered Pricing)

		MODEL NUMBER				
		Basic Model	Frame Color	Feet/ Bumper Color		
 600	MODEL	Features			Approx. Packaged Weight	Delivered Pricing Unupholstered
	Wood Seat	Fixed Height, 18”H			16.0#	\$ 220
	• Seam-welded tubular steel frame with steel seat pan	Adjustable Height, 19”-27”H			18.0#	266
	• Fixed legs have polyethylene feet	Fixed Height, 24”H			17.0#	236
	• Optional adjustable height legs have 8” range in 1” increments and have self-leveling glides	Adjustable Height, 25”-33”H			19.0#	272
	• Nickel-plated telescoping leg section locks with set screws	Fixed Height, 30”H			18.0#	250
	• 14” diameter, 1-1/4” rubberwood seat with clear lacquer finish	Adjustable Height, 31”-39”H			20.0#	294
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = Upholstered
Added Lead Time-1 Week
Added List Price=\$18

Nonstandard Steel Stool Seat Height
Minimum order of 10 stools. Minimum height is 15”. Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$20 each

Steel Stool Adjustable Leg Components
600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify #13.0700.x \$34/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid**. Freight class 125. Adjustable legs and back require assembly.

Specifications and prices are subject to change without prior notice.

600 Series

Industrial Stools (Freight Excluded Pricing)



600 Series

Industrial Stools (Freight Excluded Pricing)

 600	MODEL	Features	MODEL NUMBER			Approx. Packaged Weight	Freight Excluded Pricing Unupholstered
			Basic Model	Frame Color	Feet/ Bumper Color		
	Wood Seat - Seam-welded tubular steel frame with steel seat pan - Fixed legs have polyethylene feet - Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides - Nickel-plated telescoping leg section locks with set screws 14" diameter, 1-1/4" rubberwood seat with clear lacquer finish	Fixed Height, 18"H	618W	☐ ☐ ☐	☐ ☐ ☐	16.0#	\$ 198
		Adjustable Height, 19"-27"H	618WA	☐ ☐ ☐		18.0#	244
		Fixed Height, 24"H	624W	☐ ☐ ☐	☐ ☐ ☐	17.0#	213
		Adjustable Height, 25"-33"H	624WA	☐ ☐ ☐		19.0#	249
		Fixed Height, 30"H	630W	☐ ☐ ☐	☐ ☐ ☐	18.0#	226
		Adjustable Height, 31"-39"H	630WA	☐ ☐ ☐		20.0#	270

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select frame color.
Refer to the **Product Color Options** page in this price list.

C Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant

models, add the following upcharge:

Model = Upholstered

Added Lead Time-1 Week

Added List Price=\$18

Nonstandard Steel Stool Seat Height

Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$20 each

Steel Stool Adjustable Leg Components

600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.

Specify #13.0700.x \$34/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight excluded. Freight class 125. Adjustable legs and back require assembly.

Specifications and prices are subject to change without prior notice.

600 Series

Industrial Stools (Delivered Pricing)



600 Series

Industrial Stools (Delivered Pricing)

			MODEL NUMBER						
			Basic Model	Frame Color	Seat Color	Feet/ Bumper Color			
MODEL			Features				Approx. Packaged Weight	Delivered Pricing	
	Polypropylene Seat - Seam-welded tubular steel frame with steel seat pan - Enamel frame - Fixed legs have polyethylene feet - Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides - Nickel-plated telescoping leg section locks with set screws 13" diameter polypropylene seat attaches to steel mounting plate which is welded to legs	Fixed Height, 18"H	618P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	16.0#	\$ 191	
		Adjustable Height, 19"-27"H	618PA	☐ ☐ ☐	☐ ☐ ☐			18.0#	238
		Fixed Height, 24"H	624P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		17.0#	203
		Adjustable Height, 25"-33"H	624PA	☐ ☐ ☐	☐ ☐ ☐			19.0#	248
		Fixed Height, 30"H	630P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		18.0#	212
		Adjustable Height, 31"-39"H	630PA	☐ ☐ ☐	☐ ☐ ☐			20.0#	275
			A	B	C	D			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select seat color.
Refer to the **Product Color Options** page in this price list.
- D** Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = Upholstered
Added Lead Time-1 Week
Added List Price=\$18

Nonstandard Steel Stool Seat Height
Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$20 each

Steel Stool Adjustable Leg Components
600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached. Specify #13.0700.x \$34/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid**. Freight class 125. Adjustable legs and back require assembly.

Specifications and prices are subject to change without prior notice.

600 Series

Industrial Stools (Freight Excluded Pricing)



600 Series

Industrial Stools (Freight Excluded Pricing)

			MODEL NUMBER						
			Basic Model	Frame Color	Seat Color	Feet/ Bumper Color			
MODEL			Features				Approx. Packaged Weight	Freight Excluded Pricing	
 600	Polypropylene Seat - Seam-welded tubular steel frame with steel seat pan - Enamel frame - Fixed legs have polyethylene feet - Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides - Nickel-plated telescoping leg section locks with set screws 13" diameter polypropylene seat attaches to steel mounting plate which is welded to legs	Fixed Height, 18"H	618P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	16.0#	\$ 169	
		Adjustable Height, 19"-27"H	618PA	☐ ☐ ☐	☐ ☐ ☐			18.0#	217
		Fixed Height, 24"H	624P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		17.0#	180
		Adjustable Height, 25"-33"H	624PA	☐ ☐ ☐	☐ ☐ ☐			19.0#	225
		Fixed Height, 30"H	630P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		18.0#	187
		Adjustable Height, 31"-39"H	630PA	☐ ☐ ☐	☐ ☐ ☐			20.0#	251
			A	B	C	D			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select seat color.
Refer to the **Product Color Options** page in this price list.
- D** Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

Nonstandard Steel Stool Seat Height
Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$20 each

Steel Stool Adjustable Leg Components
600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached. Specify #13.0700.x \$34/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight excluded**. Freight class 125. Adjustable legs and back require assembly.

Specifications and prices are subject to change without prior notice.

Folding Chair Storage and Accessories

General Information



Folding Chair Storage and Accessories

General Information



Vertical Storage Caddy
KV25

KV35

KV50

Features (Capacity)			
VL100 (Value Lite)	21 Chairs	30 Chairs	42 Chairs
400	25 Chairs	35 Chairs	50 Chairs
600	25 Chairs	35 Chairs	50 Chairs
General Dimensions			
Length	56-1/2"	80-1/2"	106-1/2"
Width	20-7/8"	20-7/8"	20-7/8"
Height from floor	30"	30"	30"
Casters on center	15-1/2"	15-1/2"	15-1/2"



Horizontal Storage Caddy
KH50

KH51



Double-Tier Storage Caddy
KDT84

Features (Capacity)			
400	50 Chairs	50 Chairs	84 Chairs
600	50 Chairs	50 Chairs	84 Chairs
General Dimensions			
Length	106-1/2"	106-1/2"	62-1/4"
Width	35-3/8"	33-3/8"	34-1/4"
Height from floor	22"	22"	67-5/8"
Casters on center	15-1/2"	15-1/2"	30"

SPECIFICATIONS

The capacity listed in the above chart is for non-tablet arm chairs. Tablet arm chairs require double the space. Replacement feet and bumpers are available.

KV Series Vertical Storage Caddy

One-piece bed of 16-gauge steel with sides channelled to 1-1/2" high. To each end, a 4-1/2" x 1-1/2" angle steel member is electrically welded. To each outside corner of the bed is welded a 14-gauge, 1-1/4" o.d. end post socket to support removable 1-1/8" o.d., 18-gauge end posts. Loading stops are stamped into the bed. 4" high x 1-1/4" wide roller-bearing wheels.

Optional adjustable end post sockets are constructed of welded steel. Sockets and removable end post are positioned against partial loads to eliminate load from shifting.

KH Series Horizontal Storage Caddy

One-piece bed of 16-gauge steel with sides channelled to 1-1/2" high. Side rails are fitted into sockets welded to end posts. Distance between

side rails is equal to folded height of chairs from top to bottom crossbrace for snug storage. 4" high x 1-1/4" wide roller-bearing wheels.

KDT84 Caddy

Legs, uprights and crossbrace are fabricated of 11-gauge, 1" x 2" tubular steel. Legs are welded to uprights; crossbraces are bolted. Open tubing ends are covered with plastic end caps. Chair suspension tines of 14-gauge, 1" o.d. round tubing. 5" high x 1-3/8" wide roller bearing wheels.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



Storage

Frame Color

Black

BL

Finish Cards

View color swatches for items listed within this document.

Paints

Wood/Veneer

Molded Edges

Hard Plastics

Plastics/Poly

Laminates

Edge Styles

Glass

Certain options referenced may not be available on GSA Schedule.



Folding Chair Storage and Accessories

Folding Chairs (Delivered Pricing)



Folding Chair Storage and Accessories

Folding Chairs (Delivered Pricing)

		MODEL NUMBER					
		Basic Model	Frame Color	Base			
MODEL		Features			Approx. Packaged Weight	Delivered Pricing	
	Vertical Storage Caddy • One-piece solid bed design • All steel construction • 4" wheels: 2 fixed, 3 swivel (on models KV25/A and KV50/A) or 2 fixed, 2 swivel (on models KV35/A) • 50 chair caddies have swivel wheel in bed center • Black finish standard (other colors available at an upcharge) • 30" high from floor-empty; 44" high-loaded CONSULT GENERAL INFORMATION PAGE FOR APPROPRIATE CADDY FOR SELECTED CHAIRS.	Adjustable Middle Post	KV25	BL	☐ ☐	44.00#	\$ 712
			KV25A	BL	☐ ☐	54.00#	786
			KV35	BL	☐ ☐	52.00#	793
		Adjustable Middle Post	KV35A	BL	☐ ☐	62.00#	869
			KV50	BL	☐ ☐	63.00#	933
		Adjustable Middle Post	KV50A	BL	☐ ☐	73.00#	1007
	Horizontal Storage Caddy • One-piece solid bed design • All steel construction • 4" wheels: 2 fixed, 3 swivel • Swivel wheel in bed center • Models for #100, #300 and #700 chairs • Black finish standard (others available at an upcharge) • 22" high from floor-empty; 24-1/2" high-loaded; 40-1/8" wide loaded CONSULT GENERAL INFORMATION PAGE FOR APPROPRIATE CADDY FOR SELECTED CHAIRS.	Adjustable End Post	KH50	BL	☐ ☐	68.00#	\$ 1099
			KH50A	BL	☐ ☐	78.00#	1172
			KH51	BL	☐ ☐	76.00#	1099
		Adjustable End Post	KH51A	BL	☐ ☐	86.00#	1172

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select frame color.
Refer to the **Product Color Options** page in this price list.
- C

Select base option.

C

- Standard swivel/fixed wheels

SC

- All swivel wheels; add \$34

OPTIONS

Adjustable End post and Sockets
Adapts to KV, KH50 and KH51 series chair caddies. Allows end posts to be repositioned to prevent partial loads from shifting. Speciality #86.5002 for a KV caddy, and #86.5003 for a KH caddy; for field-installable parts. Add #10 weight. Upcharge is \$63

Folding Chair Caddy Brake Kits
KV and KH folding chair caddies only. Kit adapts to swivel wheels only; for two wheels. Specify #09.0050
Upcharge is \$12

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Folding Chair Storage and Accessories

Folding Chairs (Freight Excluded Pricing)



Folding Chair Storage and Accessories

Folding Chairs (Freight Excluded Pricing)

		MODEL NUMBER				
		Basic Model	Frame Color	Base		
 CCAD	MODEL					
	Features					
	Vertical Storage Caddy - One-piece solid bed design - All steel construction 4" wheels: 2 fixed, 3 swivel (on models KV25/A and KV50/A) or 2 fixed, 2 swivel (on models KV35/A) 50 chair caddies have swivel wheel in bed center - Black finish standard (other colors available at an upcharge) 30" high from floor-empty; 44" high-loaded	KV25	BL	☐ ☐	44.00#	\$ 562
	Adjustable Middle Post	KV25A	BL	☐ ☐	54.00#	637
		KV35	BL	☐ ☐	52.00#	628
	Adjustable Middle Post	KV35A	BL	☐ ☐	62.00#	701
		KV50	BL	☐ ☐	63.00#	732
	Adjustable Middle Post	KV50A	BL	☐ ☐	73.00#	805
	CONSULT GENERAL INFORMATION PAGE FOR APPROPRIATE CADDY FOR SELECTED CHAIRS.					
 CCAD	MODEL					
	Features					
	Horizontal Storage Caddy - One-piece solid bed design - All steel construction 4" wheels: 2 fixed, 3 swivel - Swivel wheel in bed center - Models for #100, #300 and #700 chairs - Black finish standard (others available at an upcharge) 22" high from floor-empty; 24-1/2" high-loaded; 40-1/8" wide loaded	KH50	BL	☐ ☐	68.00#	\$ 862
	Adjustable End Post	KH50A	BL	☐ ☐	78.00#	937
		KH51	BL	☐ ☐	76.00#	862
	Adjustable End Post	KH51A	BL	☐ ☐	86.00#	937
	CONSULT GENERAL INFORMATION PAGE FOR APPROPRIATE CADDY FOR SELECTED CHAIRS.					
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select base option.
- | | |
|-----------|-------------------------------|
| C | - Standard swivel/fixe wheels |
| SC | - All swivel wheels; add \$34 |

OPTIONS

Adjustable End post and Sockets
Adapts to KV, KH50 and KH51 series chair caddies. Allows end posts to be repositioned to prevent partial loads from shifting. Speciality #86.5002 for a KV caddy, and #86.5003 for a KH caddy; for field-installable parts. Add #10 weight. Upcharge is \$63

Folding Chair Caddy Brake Kits
KV and KH folding chair caddies only. Kit adapts to swivel wheels only; for two wheels. Specify #09.0050
Upcharge is \$12

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight excluded.** Freight class 85.

Specifications and prices are subject to change without prior notice.

Folding Chair Storage and Accessories

Folding Chairs (Delivered Pricing)



Folding Chair Storage and Accessories

Folding Chairs (Delivered Pricing)

		MODEL NUMBER				
		Basic Model	Frame Color	Base		
MODEL	Features				Approx. Packaged Weight	Delivered Pricing
 CCAD	Double-Tier Storage Caddy - Rectangular and square tubular steel construction - Chairs suspended from tines 5" wheels: 2 fixed, 2 swivel - Black finish standard (other colors available at an upcharge) 67-7/8" high from floor, empty	KDT84	BL	☐ ☐	100.0#	\$ 2558
	CONSULT GENERAL INFORMATION PAGE FOR APPROPRIATE CADDY FOR SELECTED CHAIRS.					
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select base option.
- | | |
|-----------|--------------------------------|
| C | - Standard swivel/fixed wheels |
| SC | - All swivel wheels; add \$34 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Folding Chair Storage and Accessories

Folding Chairs (Freight Excluded Pricing)



Folding Chair Storage and Accessories

Folding Chairs (Freight Excluded Pricing)

		MODEL NUMBER				
		Basic Model	Frame Color	Base		
MODEL	Features				Approx. Packaged Weight	Freight Excluded Pricing
 CCAD	Double-Tier Storage Caddy - Rectangular and square tubular steel construction - Chairs suspended from tines 5" wheels: 2 fixed, 2 swivel - Black finish standard (other colors available at an upcharge) 67-7/8" high from floor, empty	KDT84	BL	☐ ☐	100.0#	\$ 2014
	CONSULT GENERAL INFORMATION PAGE FOR APPROPRIATE CADDY FOR SELECTED CHAIRS.					
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select base option.
- | | |
|-----------|--------------------------------|
| C | - Standard swivel/fixed wheels |
| SC | - All swivel wheels; add \$34 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight excluded**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Folding Chair and Stool Accessories

Folding Chairs and Stools (Delivered Pricing)



Folding Chair and Stool Accessories

Folding Chairs and Stools (Delivered Pricing)

		MODEL NUMBER			
		Basic Model			
MODEL	Features		Approx. Packaged Weight	Delivered Pricing	
 FCA01	Chair and Stool Replacement Feet High-impact polypropylene	400, 600 Chairs; 600, 800 Stools	53.6152.BE.I.WY	0.00#	\$ 1
		400, 600 Chairs; 600, 800 Stools	53.6152.BL.I.WY	0.00#	1
		400, 600 Chairs; 600, 800 Stools	53.6152.GR.I.WY	0.00#	1
 FCA02	Chair Replacement Bumpers (Cap) Plastic bumper fits into top end of rear leg above hinge	400, 600 Chairs	53.6154.BE.I.WY	0.00#	\$ 1
		400, 600 Chairs	53.6154.BL.I.WY	0.00#	1
		400, 600 Chairs	53.6154.GR.I.WY	0.00#	1

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Folding Chair and Stool Accessories

Folding Chairs and Stools (Freight Excluded Pricing)



Folding Chair and Stool Accessories

Folding Chairs and Stools (Freight Excluded Pricing)

		MODEL NUMBER			
		Basic Model			
MODEL	Features		Approx. Packaged Weight	Freight Excluded Pricing	
 FCA01	Chair and Stool Replacement Feet High-impact polypropylene	400, 600 Chairs; 600, 800 Stools	53.6152.BE.I.WY	0.00#	\$ 1
		400, 600 Chairs; 600, 800 Stools	53.6152.BL.I.WY	0.00#	1
		400, 600 Chairs; 600, 800 Stools	53.6152.GR.I.WY	0.00#	1
 FCA02	Chair Replacement Bumpers (Cap) Plastic bumper fits into top end of rear leg above hinge	400, 600 Chairs	53.6154.BE.I.WY	0.00#	\$ 1
		400, 600 Chairs	53.6154.BL.I.WY	0.00#	1
		400, 600 Chairs	53.6154.GR.I.WY	0.00#	1

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled**, **FOB Bonduel, WI 54107**, **freight excluded**. Freight class 70.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2024 Krueger International, Inc. All Rights Reserved.