

STRIVE[®] SEATING

PRICE LIST

EFFECTIVE FEBRUARY 2, 2024 800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.




Ordering Customer's Own Material (C.O.M.) Upholstery Information	3
Strive® Stack Seating General Information	4
Product Color Options Stack Chairs	10 11
Stack/Nesting Strive® Dolly	21
Strive® Stack Seating Cafe Stool	22
Strive® High Density General Information	23
Product Color Options	26
Stack Chair and Dolly	27
Stack Stools	28
Strive® Nesting	
General Information Product Color Options	29 31
Chairs	32
Strive® Nesting Chairs	33
Strive® Tandem Seating	
General Information Product Color Options	34 35
36	33
Strive® Task Seating	
General Information	41
Product Color Options	45
Chairs Stools	46 49
Situlis	49



How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer's upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION



Architectural Walls	System 3000	MN
EvokeMN	Universal Overheads	MN
Genius WallsMN	Wireworks	MN
	Unite	MN
Casegoods		
Aristotle TackboardsMN	Residence Hall Furniture	
Likha TackboardsMN	RoomScape Furniture	MN
Classroom Furniture	Screens	
Intellect Wave ChairsGB	All Terrain	
Learn2GB	Connection Zone	BW
RuckusGB	True/Volition	KP
	Genesis	KP
Desking	Tattoo	MN
700 Series DeskingKP	Universal	BW
Balance OverheadsMN		
Genesis DeskingMN	Seating	
True DeskingKP	400 Series Folding Chairs	BW
Universal OverheadsMN	600 Series Folding Chairs	
WorkZone DeskingMN	600 Series Stools	
	Affina Collection	HN
Files & Storage	Altus Task Chairs	GB
700 Series Pedestal CushionGB	Apply Stack Chairs	GB
Connection Zone PadsBW	Calida Lounge Seating	HN
U-Series Pedestal CushionGB	Diem Task Chairs	OM
TattooBW	Doni Collection	
	Gladly Lounge Seating	VQ
Fixed Seating	Grazie Seating	
Concerto Auditorium SeatingBW	Hub Modular Lounge Seating	
Single Pedestal SeatingGB	Impress Task Chairs	
Jury Base SeatingGB	Impress Ultra Task Chairs	
Lancaster Auditorium SeatingBW	Jessa Lounge Seating	
Sequence SeatingGB	Jubilee Lounge Seating	
University SeatingGB	Katera Guest Chair	
	Kurv Benches	
Panel Systems	LaResta Day Beds	
All TerrainKP	LimeLite	
Balance OverheadsMN	Lyra Lounge Seating	HN

Maestro Stack Chairs	.GB
Medical & Laboratory Stools	ОМ
MyPlace Lounge Seating	.HN
MyWay Seating	.HN
Oath Task Chairs and Stools	. GB
Opt4	. GB
Pilot Task Chairs	ОМ
Promenade Seating System	.BW
Ruckus	. GB
Sela Lounge Seating	.HN
Sift Task Chairs	.GB
Signia Task Chairs and Stools	MO.
Soltice Metal Collection	.HN
Soltice Multiple, Healthcare & Guest	.HN
Soltice II Healthcare Seating	.HN
Sonrisa	.HN
Strive Multiple, Stack & Task	.GB
Sway	.BW
Tattoo	.HN
Torsion-on-the-Go! Nesting Chairs	.GB
Torsion Air Stack and Task Seating	.GB
→ .	

KI C.O.M. Manufacturing Site Addresses:

KI Bonduel Attn: COM Storage Bonduel, WI 54107

1687 Westminster Drive - Gate 3

KI Green Bay

Attn: COM Storage

Green Bay, WI 54302

High Point, NC 27263 KI Pembroke

KI High Point

Attn: COM Storage

217 Feld Avenue

Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7

KI Manitowoo

<u>OM</u>

1400 S. 41st St.

Attn: COM Storage

Attn: COM Storage

1110 S. Mildred Ave

Ontario, CA 91761

Manitowoc, WI 54220

<u>VQ</u>

Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623





Armless Four-Leg Chair





Four-Leg Cantilever Arm Chair

Four-Leg Loop Arm Chair

	(SLNAU)	(SLCAP)	(SLLAU)
Features			
Stackable	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•
Flex back	•	•	•
General Dimensions			
Seat width	18"	18"	18"
Seat depth	18"	18"	18"
Seat height (upholstered add 1")	18"	18"	18"
Overall Dimensions			
Width	20-3/4"	25"	25"
Depth	21-3/4"	21-3/4"	21-3/4"
Height	32-1/2"	32-1/2"	32-1/2"
Arms to floor		26-1/4"	26-1/4"
Stacking on Dolly			
Overall width	24"	25"	25"
Overall depth - poly	40"	40"	40"
Quantity/height - poly 15	Chairs/61" High	15 Chairs/62" High	15 Chairs/63" High
Overall depth - upholstered	45"	45"	45"
Quantity/height - upholstered 8 0	Chairs/50" High	8 Chairs/51" High	8 Chairs/51" High
Stacking on Floor			
Width	20-3/4"	25"	25"
Depth	27-1/2"	27-1/2"	27-1/2"
Quantity/height 4 (Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High

INFORMATION

C.O.M. Testing and Production Require-

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

Stacking Vinyl, Polyurethane, and Imitation **Leather Upholstered Chairs**

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.









			6 6	~			
	Armless Four-Leg Chair with Casters (SLNAPC)	Four-Leg Cantilever Arm Chair with Casters (SLCAUC)	Four-Leg Loop Arm Chair with Casters (SLLAUC)	Armless Sled Base Chair (SSNAP)	Sled Base Cantilever Arm Chair (SSCAU)		
Features							
Stackable	•	•	•	•	•		
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	•		
Flex back	•	•	•	•	•		
General Dimensions							
Seat width	18"	18"	18"	18"	18"		
Seat depth	18"	18"	18"	18"	18"		
Seat height (upholstered add 1")	18-1/4"	18-1/4"	18-1/4"	18-1/4"	18-1/4"		
Tablet to chair back clearance							
Overall Dimensions							
Width	21-1/4"	25"	25"	20-3/4"	25"		
Depth	22-1/2"	22-1/2"	22-1/2"	21-3/4"	21-3/4"		
Height	32-1/2"	32-1/2"	32-1/2"	32-1/2"	32-1/2"		
Arms to floor		26-1/2"	26-1/2"		26-1/2"		
Stacking on Dolly							
Width				24"	25"		
Depth - poly				48"	48"		
Quantity/height - poly				15 Chairs/64" High	15 Chairs/64" High		
Depth - upholstered				48"	48"		
Quantity/height - upholstered				8 Chairs/50" High	8 Chairs/50" High		
Stacking on Floor							
Width	20-3/4"	25"	25"	20-3/4"	25"		
Depth	27-1/2"	27-1/2"	27-1/2"	27-1/2"	27-1/2"		
Quantity/height	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High		

INFORMATION

Warranty








Four-Leg Wallsaver Cantilever Arm Chair

















	The state of the s		No.	
	Four-Leg Armless Cafe Stool - 24" or 30" Seat Height (SLSNAU)	Four-Leg Loop Arm Cafe Stool - 24" or 30" Seat Height (SLSLAP)	Four-Leg Cantilever Arm Cafe Stool - 24" or 30" Seat Height (SLSCAUB)	Transport Dolly (SCDA.BL)
Features				
Stackable	•	•	•	
Poly, upholstered seat, or upholstered seat/back	•	•	•	
Flex back	•	•	•	
General Dimensions				
Seat width	18"	18"	18"	
Seat depth	18"	18"	18"	
Seat height (upholstered add 1")	24" / 30"	24" / 30"	24" / 30'	
Overall Dimensions				
Width	25"	25"	25"	24"
Depth	23-1/2" / 25"	23-1/2" / 25"	23-1/2 / 25"	29"
Height	39-1/4" / 45-1/4"	39-1/4" / 45-1/4"	39-1/4" / 45-1/4"	16-1/2"
Arms to floor	32-1/2" / 38-1/2"	32-1/2" / 38-1/2"	32-1/2" / 38-1/2"	
Stacking on Floor				
Width	25-7/8"	25-7/8"	25-7/8"	
Depth	28"	28"	28"	
Quantity/height	4 Chairs/48" or 54" High	4 Chairs/48" or 54" High	4 Chairs/48" or 54" High	

INFORMATION

C.O.M. Testing and Production Require-

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

Stacking Vinyl, Polyurethane, and Imitation **Leather Upholstered Chairs**

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

INFORMATION

Warranty



















Four-Leg ChangeUp Tablet Arm Chair with Glides

Four-Leg ChangeUp Tablet Arm Chair with Casters

Sled Base ChangeUp Tablet Arm Chair

	Four-Leg Tablet Arm Chair (SLTAPRH)	Four-Leg Oversize Tablet Arm Chair (SLOVTAURH)	Sled Base Tablet Arm Chair (SSTAPRH)	Sled Base Oversize Tablet Arm Chair (SLOVTAPRH)
Features				
Stackable				
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
Flex back	•	•	•	•
General Dimensions				
Seat width	18"	18"	18"	18"
Seat depth	18"	18"	18"	18"
Seat height (upholstered add 1")	18"	18"	18"	18"
Tablet to chair back clearance	14"	14"	14"	14"
Overall Dimensions				
Width (Use Position)	24"	24"	24"	24"
Depth (Use Position)	27-3/4"	31"	27-3/4"	31"
Height	33"	33"	33-1/4"	33-1/4"
Arms to floor	28-1/2"	28-1/2"	28-1/2"	28-1/2"

Features
Stackable
Poly, upholstered se upholstered seat/ba
Flex back
General Dimensions
Seat width
Seat depth
Seat height (upholst
Tablet to chair back
Overall Dimensions
Width (Use Position
Depth (Use Position
Height
Arms to floor

Features			
Stackable			
Poly, upholstered seat, or upholstered seat/back	•	•	•
Flex back			
General Dimensions			
Seat width	18"	18"	18"
Seat depth	18"	18"	18"
Seat height (upholstered add 1")	18"	18"	18"
Tablet to chair back clearance	16-1/4"	16-1/4"	16-1/4"
Overall Dimensions			
Width (Use Position)	26-1/2"	26-1/2"	26"
Depth (Use Position)	28" - 33-1/2"	28" - 33-1/2"	28" - 33-1/2"
Height	33"	33-1/4"	33-1/4"
Arms to floor	27-3/4"	27-3/4"	27-3/4"

INFORMATION

C.O.M. Testing and Production Require-

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

INFORMATION

Warranty

General Information



TECHNICAL SPECIFICATIONS

Backrest

Injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5 mm diameter chrome silicon valve spring wire.

Seat and Shroud

Injection-molded polypropylene.

Optional Upholstered Seat

Molded urethane foam is attached to an injection-molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners. Note: upholstered seat is required with translucent poly backs.

Optional Upholstered Back

A 1/2" thick ure than e foam is attached to an injection-molded polypropylene back board, then upholstered using a draw-string process. The assembled back pad is attached to the back by means of fasteners which are exposed and are color matched to the polypropylene.

Frames

Legs are $^{7}/_{8}$ " O.D. by 13-gauge tubular steel. Cross members are 1" O.D. by 14-gauge tubular steel and $^{7}/_{16}$ " diameter solid steel. All joints are welded. Frames are available in 4-leg or sled base configurations. Standard 4-leg rear legs angle 14° from vertical. Wallsaver rear legs angle 23° from vertical.

Frame Finishes

Frames are finished in either baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint, or bright nickel-chrome plating.

Arms

Optional cantilever arms or loop arms are available. When equipped with arms, the supporting structure is a continuation of the rear leg finished to match the frame color. The armcaps are injection-molded glass filled polypropylene matching the frame finish (when frame finish is Chrome, hammertones, or Starlight Silver metallic, armcaps match the seat and back color; when back is Diamond translucent, armcaps are Light Tone; when back is Pewter translucent, armcaps are Flannel; when back is Bronze translucent, armcaps are Chocolate). The armcaps are attached to the steel structure by means of screws.

Glides

Upper and lower ends of leg tubes are capped with polypropylene end caps matching leg color (chrome frames and hammertone frames match the seat and back color). Three optional glide types are available for leg chairs: swivel poly/nylon, swivel steel and swivel felt glides. The swivel function allows the bottom of the glide to correctly match un-even floor conditions, resulting in less wear. Poly/nylon and felt glides are interchangeable and have easy-on/easy-off replaceable glide caps, which makes field replacement easy and efficient. Swivel poly glides are available in Stone color only. Optional glides for the sled base are co-extruded to provide a softer (non-skid) surface to protect the floor, but do not glide. Sled base chairs are also available with black nylon (plastic) glides and stainless steel glides.

Casters

4-leg chairs may be ordered with carpet casters instead of glides (does not apply to café stools). Casters are double-wheel (60 mm) high-impact thermoplastic and are available in black only.

Tablet Arm

Tablet support loop is a continuation of the rear leg and is available in left- or right-handed models. A formed steel hinge is welded to the top of the support structure, and secured with screws to the underside of the writing surface. Writing surface is $9^{1}/_{2}$ " x $20^{3}/_{4}$ " x $12^{1}/_{2}$ " plywood care of $5^{1}/_{8}$ " thick, I I-ply hardwood, surfaced with .030" high-pressure laminate top and plain backer undersurface. Edges are lacquered and sealed.

4-Leg Café Stool

4-leg models on glides are available in 24" and 30" seat heights. Stool-height units are equipped with a reinforcing foot ring made of a $\frac{1}{2}$ " diameter wire ring, which is open in the back to allow stacking of armless and cantilever arm stools.

Transport Dolly

Frame construction is welded tubular steel with a black powder-coated finish and 5" wheels (two swivel and two fixed). The dolly fits 4-leg or sled base chairs and has a capacity of fifteen poly chairs or eight upholstered chairs.

ChangeUp[™] Tablet Arm

ChangeUp tablet support is integral to the chair frame and consists of a $^{7}/_{8}$ " diameter solid steel rod welded to the front and rear support tubes. A three-piece molded plastic armrest is included and attached to the chair frame using a $\#10 \times 2^{1}/_{2}$ " Phillips pan head tapping screw.

The tablet mechanism consists a die-cast aluminum housing, upper and lower plastic bearings, and I I-gauge steel clamp and tablet board support plates. The tablet mechanism is clamped onto the chair frame over two plastic bushing halves and a $^5/_{16}$ " diameter by $1^3/_4$ " hardened steel pin with a die-cast aluminum cap secured with two $^1/_4$ -20 x $^3/_4$ " button socket head cap screws. The pin creates a solid 90° up/down pivot stop and the bushings provide a smooth, quiet operation. In the use position, the tablet mechanism rotates outward from the chair back an additional 20° and permits approximately $3^1/_2$ " of adjustment for ingress/egress without stowing the tablet.

The tablet worksurface is 21" wide by $13^{1}/2$ " deep (235 square inches) is secured to the tablet board support plate with twelve $\#12 \times {}^{5}/_{8}$ " Phillips flat head tapping screws. The tablet board is made of 18 mm Baltic Birch plywood with .040" high-pressure laminate top surface and .02" thick phenolic backer surface for an overall board thickness of approximately ${}^{3}/_{4}$ ". Edges are lacquered with a clear finish and sealed. The factory installed tablet assembly is not field installable and may not be removed.

Compliance

Support frame, mechanism and worksurface passes KI's internal testing for 250-pound weight capacity.

Strive® Stack Seating General Information


STATEMENT OF LINE

SLSNAP

SLSCAP

SLSLAP


All models are available in polypropylene seat/backrest, upholstered seat/polypropylene backrest, or upholstered seat/backrest.






DIMENSIONS


Strive Armless 4-Leg Chair




Strive 4-Leg Cantilever Armchair




Strive Armless 4-Leg Chair with Casters






Strive Armless Sled Base Chair




Strive Armless Sled Base Chair


Strive 4-Leg Loop Armchair




Strive 4-Leg Tablet Armchair




Strive Armless 4-Leg Café Stool




Strive 4-Leg Arm Café Stool




Strive 4-Leg Oversized Tablet Armchair




Strive 4-Leg Cantilever Arm Café Stool





Strive Armless 4-Leg Café Stool





Strive 4-Leg ChangeUp Tablet Armchair











Strive® Stack Seating Product Color Options



Strive® Stack Seating
Product Color Options

rame Color		Seat and Back Color - Polypropylene	
Black	BL	Non Flame-Retardant	
Blue Grey	GR	Black	PB
Bronze Metallic	ZM	Blue Grey	PGI
Cayenne	CY	Cayenne	PC
Champagne Metallic	CM	Cool Grey	PC
Chrome	CH	Cottonwood	PC
Cool Grey	CG	Diamond Translucent*	PD
Cottonwood	CO	Earthen Clay	PE
Earthen Clay	EY	Everglade Shade	PE
Espresso Metallic	EX	Flannel	PF
Everglade Shade	EV	Hazy Jade	PH
Flannel	FN	Honey Bee	PH
Glitz Metallic	GZ	Light Tone	PL
Hazy Jade	HJ	Mardi Gras	PM
Honey Bee	HY	Misty Brown	PM
Light Tone	LG	Nemo	PN
Mardi Gras	MG	Nordic	PN
Misty Brown	MY	Pewter Translucent*	PF
Nemo	NE	Poppy Red	PP
Nordic	ND	Purple Haze	PP
Poppy Red	PR	Rainforest	PR
Purple Haze	PH	Raw Jasper	PF
Rainforest	RQ	Rubber Ducky	PR
Raw Jasper	RJ	Sand	PS
Rubber Ducky	RK	Sky Blue	PS
Sand	SA	Surf's Up	PS
Sky Blue	SK	Tarragon	PT
Starlight Silver Metallic	SX	Twilight Shadow	P ⁻
Surf's Up	SP	Ultra Blue	PU
Tarragon	TQ	Warm Grey	PW
Twilight Shadow	TI	Zesty Lime	PZ
Ultra Blue	UB		
Warm Grey	WG	*Diamond Translucent and Pewter Translucent are o upholstered seat models.	nly available o
Zesty Lime	ZL	מאווטופנטוטע פרפנ וווטערופ.	
•		Seat and Back Color - Polypropylene	
rmcaps and glides match the frame color with the follo	owing	Flame-Retardant	
xceptions: When frame color is chrome or metallic, the armcaps a ill match polycolor	nd glides	Black	PB

will match poly color.
-When back is diamond t
-When back is pewter tra

Casters for four-leg chair


		Seat and Back Color - Polypropylend)	Tablet Arm Color - Laminate	
	BL	Non Flame-Retardant		Beigewood	LBZ
	GR	Black	PBL	Belair	LBQ
	ZM	Blue Grey	PGR	Biltmore Cherry	LBT
	CY	Cayenne	PCY	Black	LBK
ic	CM	Cool Grey	PCG	Brighton Walnut	LBW
	CH	Cottonwood	PCO	Canyon Zephyr	LCA
	CG	Diamond Translucent*	PDT	Castle Oak	LC0
	CO	Earthen Clay	PEY	Casual Linen	LCU
	EY	Everglade Shade	PEV	Cherry Storm	LCX
	EX	Flannel	PFN	Classic Linen	LCI
	EV	Hazy Jade	PHJ	Cloud Zephyr	LCL
	FN	Honey Bee	PHY	Cocobala	LCC
	GZ	Light Tone	PLG	Crisp Linen	LRI
	HJ	Mardi Gras	PMG	Desert Zephyr	LDZ
	HY	Misty Brown	PMY	Designer White	LDR
	LG	Nemo	PNE	Dove Grey	LDG
	MG	Nordic	PND	Flax Linen	LXF
	MY	Pewter Translucent*	PPT	Florence Walnut	LFC
	NE	Poppy Red	PPR	Forged Steel	LOL
	ND	Purple Haze	PPH	Friston Ash	LFH
	PR	Rainforest	PRQ	Frosty White	LFW
	PH	Raw Jasper	PRJ	Graphite Nebula	LGN
	RQ	Rubber Ducky	PRK	Grey	LGE
	RJ	Sand	PSA	High Rise	LHE
	RK	Sky Blue	PSK	Hollyberry	LHY
	SA	Surf's Up	PSP	Island	LID
	SK	Tarragon	PTQ	Italian Silver Ash	LIT
tallic	SX	Twilight Shadow	PTI	Kensington Maple	LKM
	SP	Ultra Blue	PUB	Lapis Blue	LLB
	TQ	Warm Grey	PWG	Markerboard White	LMK
	TI	Zesty Lime	PZL	Misted Zephyr	LMR
	UB	•		Monticello Maple	LMT
	WG	*Diamond Translucent and Pewter Translu	cent are only available on	North Sea	LNA
	ZL	upholstered seat models.		Ocean	LON
natch the frame color with the followin		Seat and Back Color - Polypropylend Flame-Retardant	9	Pearl Bisque Pinnacle Walnut	LPB LPW
obrama ar matallia, the armoone and	alidoo	Black	PBL	Pressed Linen	LPR
chrome or metallic, the armcaps and (gildes				
nd translucent, armcaps are light tone.		The above seating product can be manufact		River Cherry	LRY
translucent, armcaps are flannel.		appropriate flame-retardant materials for c Technical Bulletin 133.	omphance to Gamorna	Satin Stainless	LSS
nairs are always black.				Shadow Zephyr	LSR
iano are arwayo biaek.		*NOTE: When ED and alabamain 1 1 1 5	Donaha (blash saha) asa	Silicon evolv	LSV
		*NOTE: When FR upholstery is selected, F be selected. NFR poly is not available with		Sterling Ash	LAZ
		50 00.00.00. With poly 15 not available with	i it apholotory.	Tailored Linen	LTL
				Titanium evolv	LTV
				White Nebula	LWL
				White Sand	LWN

View color swatches for items listed within this document.

Windsor Mahogany

LWY





HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the **Product Color Options** page in this price list.

Select upholstery grade/color. Refer to ki.com/fabrics

Select poly seat and back color. Refer to the **Product Color Options** page in this price list.

• Select casters.

- Carpet casters (black only) - Hard floor casters (black only)

Select glide option.

- Felt Glides - Plastic glides - Steel glides

Select fire code.

NFR - Compliance to TB 117-2013

- Compliance to TB 133

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Strive® Stack Seating

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



Approx.

23.0#

26.0#

26.0#

31.0#

31.0#

Delivered

Pricing

stered

\$ 330

N/A

N/A

N/A

N/A

Packaged Unuphol-

28.0# \$ 379

Delivered

Fabric Grade

414

483

461

532

1 & C.O.M.

Pricing

Delivered

450

519

499

568

Pricing

Delivered

463

535

517

585

Pricing

Fabric Grade Fabric Grade

Delivered

414

483

461

532

Pricing

C.O.V.

Delivered

Vinyl Group

463

535

517

585

Pricing

Delivered

463

535

515

583

Pricing

Delivered

Group P1

514

583

565

633

Pricing

Delivered

Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric

540

609

592

660

Group P2

Pricing

Strive® Stack Seating

Delivered

Group P3

567

638

618

689

Pricing

Delivered

Group P4

592

643

712

660

Pricing

	MODEL NUMBER									
				IOMREK						
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Fire Code	Upholstery Color	
	Four-Leg Cantilever Arm Chair	Polypropylene	SLCAP							
	Flex backStacking	Upholstered Seat	SLCAU							
	Stacking	Upholstered Seat/Back	SLCAUB							
" "										
u										
SLP										
SLU										
SLUB										
	Four-Leg Cantilever Arm Chair with Casters Flex back Stacking (Caution should be used if stacking to prevent casters from damag-	Polypropylene, Casters	SLCAPC							
		Uph. Seat, Casters	SLCAUC							
		Uph. Seat/Back, Casters	SLCAUBC							
ing chair and frame) • Stacking on dollies is NOT recommend										
	Stacking on dollies is NOT recommend- ed									
SLP										
SLU										
SLUB										
			A	3	Θ	0	3	•	Œ	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the Product Color Options page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this price list.

• Select casters.

- Carpet casters (black only) - Hard floor casters (black only)

Select glide option.

- Felt Glides - Plastic glides - Steel glides

Select fire code.

- Compliance to TB 133

- Compliance to TB 117-2013

GSelect upholstery grade/color. Refer to ki.com/fabrics

C.O.M. Upholstery

UPHOLSTERY INFORMATION

(C.O.M) Upholstery." section.

C.O.M. requirement for 10 chairs or less with up-For California Technical Bulletin 133 compliant holstered seat or upholstered seat and back is 3/4 models, add the following upcharge: yard per chair of 54" wide nondirectional fabric. Model=Polypropylene For orders of 11 or more with upholstered seat

and back. For complete information on ordering Added List Price=\$13 C.O.M. see "Ordering Customer's Own Material Model=Upholstered Seat

OPTIONS

Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

California TB133 Fire Safety Code

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.





			MODEL	NUMBER	}																	
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Fire Code	Upholstery Color	Approx. Packaged Weight	Pr Ur	elivered ricing Inuphol- tered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Deliver Pricing Pallas Group
	Four-Leg Loop Arm Chair	Polypropylene	SLLAP							25.0#	\$	348										
	Flex backStacking	Upholstered Seat	SLLAU							27.0#		N/A	427	463	484	427	484	483	532	558	583	6
	• Stacking	Upholstered Seat/Back	SLLAUB							27.0#		N/A	497	535	550	497	550	550	600	625	651	6
LP																						
_U																						
UB																						
	Four-Leg Loop Arm Chair with Casters	Polypropylene, Casters	SLLAPC							30.0#	\$	396										
	Flex backStacking (Caution should be used if	Upholstered Seat, Casters	SLLAUC							32.0#		N/A	478	517	535	478	535	532	579	607	638	65
	Stacking (Caution should be used if stacking to prevent casters from damag-	Uph. Seat/Back, Casters	SLLAUBC							32.0#		N/A	548	585	603	548	603	600	649	676	705	72
	ing chair and trame)																					
	 Stacking on dollies is NOT recommend- ed 																					
us	34																					
P																						
.r .U																						
LUB																						
			_	_	_	_	-	-	•													
			Φ	•	Θ	0	•	•	Œ													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the Product Color Options page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this

OSelect casters.

C - Carpet casters (black only)
S - Hard floor casters (black only)

Select glide option.

- Felt Glides - Plastic glides - Steel glides

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.





			MODEL NUM	IBER																
	MODEL	Features	Basic Model	Frame Color	Seat & G Back G Color O	lide Ar	blet m Fire lor Code	Upholstery Color	Approx. Packagec Weight	Delivere Pricing Unupho stered	Pricing	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Four-Leg Tablet Arm Chair	Polypropylene, Left Hand	SLTAPLH						33.0#	\$ 49	1									
	Flex backNONSTACKING	Polypropylene, Right Hand	SLTAPRH						33.0#	49										
	None Manna	Uph. Seat, Left Hand	SLTAULH						35.0#	N/		609	625	573	625	624	675	701	727	751
		Uph. Seat, Right Hand	SLTAURH						35.0#	N/		609	625	573	625	624	675	701	727	751
		Uph. Seat/Back, Left Hand	SLTAUBLH						35.0#	N/		678	696	643	696	694	744	770	797	821
		Uph. Seat/Back, Right Hand	SLTAUBRH						35.0#	N/	'A 643	678	696	643	696	694	744	770	797	821
SLP																				
SLU																				
SLUB																				
	Four-Leg Oversize Tablet Arm Chair	Polypropylene, Left Hand	SLOVTAPLH						33.0#	\$ 57	3									
	Oversized tabletFlex back	Polypropylene, Right Hand	SLOVTAPRH						33.0#	57	3									
	NONSTACKING	Uph. Seat, Left Hand	SLOVTAULH						35.0#	N/	'A 652	688	704	652	704	703	754	780	806	830
		Uph. Seat, Right Hand	SLOVTAURH						35.0#	N/	'A 652	688	704	652	704	703	754	780	806	830
		Uph. Seat/Back, Left Hand	SLOVTAUBLH						35.0#	N/		757	773	721	773	772	823	849	875	899
, ,		Uph. Seat/Back, Right Hand	SLOVTAUBRH						35.0#	N/	'A 721	757	773	721	773	772	823	849	875	899
0.5																				
SLP																				
SLU SLUB																				
JLUD																				
			A	$oldsymbol{\Theta}$	Θ	O	9 ((

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the Product Color Options page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this

OSelect glide option.

- Felt Glides - Plastic glides - Steel glides

Select tablet arm color. Refer to the **Product Color Options** page in this

Select fire code.

price list.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



Unupholstered

724

N/A

N/A

N/A

N/A

\$ 724

Delivered

1 & C.O.M.

806

806

876

876

Pricing

Delivered Pricing Fabric Grade

Delivered

Fabric Grade

842

842

914

914

Pricing

Delivered

Fabric Grade

860

860

929

929

Pricing

Delivered

Vinyl Group

860

860

929

929

Pricing

Delivered

806

806

876

876

Pricing

C.O.V.

Delivered

Pallas Fabric

855

855

928

928

Pricing

Delivered

Pallas Fabric

943

943

977

977

Pricing

Strive® Stack Seating

Delivered

Group P2

Pallas Fabric

932

932

1003

1003

Pricing

Delivered

Pallas Fabric

960

960

1031

1031

Group P3

Pricing

		MODEL NUMBER								
	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Tablet Arm Color	Fire Code	Upholstery Color	Approx. Packaged Weight	
	Polypropylene, Left Hand	SLCUTAPLH							34.0#	
h1_	Polypropylene, Right Hand	SLCUTAPRH							34.0#	
	Upholstered Seat, Left Hand	SLCUTAULH							36.5#	
	Upholstered Seat, Right Hand	SLCUTAURH							36.5#	
	Upholstered Seat/Back, Left Hand	SLCUTAUBLH							37.7#	
	Upholstered Seat/Back, Right Hand	SLCUTAUBRH							37.7#	
SLP										
SLU										
SLUB										
Four-Leg ChangeUp Tablet Arm Chair with Glides										
Flexing Back										
 Large work surface (21"W x 13.3"D) Work surface flips and folds 										
Work surface hips and folds Work surface has 20 degrees of ingress/egress movement										
Work surface rated to 250 pounds										
Chair rated to 400 pounds										

Δ

3

Θ

0

(3

(3)

Θ

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the Product Color Options page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this price list.

OSelect glide option.

- Felt Glides - Plastic glides - Steel glides

Select tablet arm color.

Refer to the **Product Color Options** page in this price list.

Select fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013 See Upholstery Information for TB133

upcharge.

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

without prior notice.

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Specifications and prices are subject to change



Unupholstered

772

N/A

N/A

N/A

N/A

\$ 772

Delivered

1 & C.O.M.

854

854

924

924

Pricing

Delivered Pricing Fabric Grade

Delivered

Fabric Grade

891

891

960

960

Pricing

Delivered

Fabric Grade

910

910

980

980

Pricing

Delivered

Vinyl Group

910

910

980

980

Pricing

Delivered

854

854

924

924

Pricing

C.O.V.

Delivered

Pallas Fabric

910

910

978

978

Pricing

Delivered

Pallas Fabric

958

958

1028

1028

Pricing

Strive® Stack Seating Stack Chairs

Delivered

Group P2

Pallas Fabric

985

985

1054

1054

Pricing

Delivered

Pallas Fabric

1012

1012

1080

1080

Group P3

Pricing

		MODEL NUMB	ER						
	Features	Basic Model	Frame Color	Seat & Back Color	Caster Type	Tablet Arm Color	Fire Code	Upholstery Color	
	Polypropylene, Left Hand	SLCUTAPCLH							
F 1	Polypropylene, Right Hand	SLCUTAPCRH							
	Upholstered Seat, Left Hand	SLCUTAUCLH							
	Upholstered Seat, Right Hand	SLCUTAUCRH							
AS	Upholstered Seat/Back, Left Hand	SLCUTAUBCLH							
	Upholstered Seat/Back, Right Hand	SLCUTAUBCRH							
SLP									
SLU									
SLUB									
Four-Leg ChangeUp Tablet Arm Chair with Casters									
Flexing Back Large work surface (21"W x 13.3"D) Work surface flips and folds Work surface has 20 degrees of ingress/egress movement Work surface rated to 250 pounds Chair rated to 400 pounds									
		A	3	Θ	0	(3	•	Ө	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

BSelect frame color.

Select poly seat and back color. price list.

- Carpet casters

Select tablet arm color. Refer to the **Product Color Options** page in this price list.

NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

A Select basic model.

Refer to the **Product Color Options** page in this price list.

Refer to ki.com/fabrics

Refer to the **Product Color Options** page in this

• Select casters.

S - Hard floor casters (black only)
C - Carpet casters

Select fire code.

FR - Compliance to TB 133

UPHOLSTERY INFORMATION GSelect upholstery grade/color.

Approx. Packaged

33.0#

33.0#

35.5#

35.5#

36.7#

36.7#

Weight

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES **Special Carton Marking**


With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack Chairs





HOW TO ORDER

SLU SLUB

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select frame color.

Refer to the **Product Color Options** page in this price list.

3

Θ

0

(3)

(3)

Δ

Select seat and back color.

Refer to the **Product Color Options** page in this price list.

• Select glide option.

S - Steel glides

Select fire code.

FR - Compliance to TB 133

NFR - Compliance to TB 117-2013

Title Compilation to 15 1

Select upholstery grade/color. Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES

Special Carton Marking With specially marked information

Shipping Ships assembled, FOB Green Bay, WI 54302,

Ships assembled, FOB Green Bay, WI 54 freight prepaid. Freight class 125.

Strive® Stack Seating



Strive® Stack Seating
Stack Chairs

										•										
			MODEL	NUMBE	R															
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Fire Code	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Sled Base Armless Chair	Polypropylene	SSNAP						22.0#	\$ 289										
	Flex back Charling	Upholstered Seat	SSNAU						25.0#	N/A	370	409	421	370	421	421	471	497	524	548
	• Stacking	Upholstered Seat/Back	SSNAUB						25.0#	N/A	440	474	491	440	491	491	540	567	593	617
•																				
SSP																				
SSU																				
SSUB																				
	Sled Base Cantilever Arm Chair Flex back	Polypropylene	SSCAP						24.0#	\$ 366										
	Stacking	Upholstered Seat	SSCAU						27.0#	N/A	448	484	499	448	499	497	546	575	602	624
	•	Upholstered Seat/Back	SSCAUB						27.0#	N/A	515	550	568	515	568	566	615	644	670	694
SSP																				
SSU																				
SSUB																				
							a	a												
			Α	(:)	(₩	(P)	(3	(3												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the **Product Color Options** page in this price list.

Select poly seat and back color.
Refer to the **Product Color Options** page in this

Select glide option.

NG - No glides - Felt glides GBL - Black plastic glides - Non-skid glides GSS - Stainless steel glide

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Strive® Stack Seating Stack Chairs



Delivered

Fabric Grade

631

631

698

698

712

712

781

781

1 & C.O.M.

Pricing

Delivered

667

667

735

735

748

748

815

815

Pricing

Delivered

686

686

755

755

767

767

836

836

Pricing

Fabric Grade Fabric Grade

Delivered

631

631

698

698

712

712

781

781

Pricing

C.O.V.

Delivered

Vinyl Group

686

686

755

755

767

767

836

836

Pricing

Delivered

680

680

750

750

762

762

833

833

Pricing

Delivered

Group P1

731

731

800

800

811

811

880

880

Pricing

Delivered

Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric

761

761

832

832

840

840

910

910

Group P2

Pricing



Delivered

Group P3

784

784

853

853

866

866

934

934

Pricing

Delivered

Group P4

809

809

878

878

889 889

958

958

Pricing

			MODEL NUM	BER								
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Tablet Arm Color	Fire Code	Upholstery Color	Approx. Packaged Weight	Pric	phol-
	Sled Base Tablet Arm Chair	Polypropylene, Left Hand	SSTAPLH							31.0#	\$	548
	Flex backNONSTACKING	Polypropylene, Right Hand	SSTAPRH							31.0#		548
	• NONSTACKING	Uph. Seat, Left Hand	SSTAULH							33.0#		N/A
		Uph. Seat, Right Hand	SSTAURH							33.0#		N/A
/ / / / /		Upholstered Seat/Back	SSTAUBLH							33.0#		N/A
		Upholstered Seat/Back	SSTAUBRH							33.0#		N/A
3												
	Sled Base Oversize Tablet Arm Chair Oversized tablet	Polypropylene, Left Hand	SSOVTAPLH							31.0#	\$	631
	Flex back	Polypropylene, Right Hand	SSOVTAPRH							31.0#		631
	 NONSTACKING 	Uph. Seat, Left Hand	SSOVTAULH							33.0#		N/A
		Uph. Seat, Right Hand	SSOVTAURH							33.0#		N/A
		Uph. Seat/Back, Left Hand	SSOVTAUBLH							33.0#		N/A
		Uph. Seat/Back, Right Hand	SSOVTAUBRH							33.0#		N/A
SP												
SU												
SUB												
			Q	3	Θ	0	(3	(3	Θ			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the **Product Color Options** page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this

• Select glide option.

NG - No alides - Felt glides - Black plastic glides - Non-skid glides GSS - Stainless steel glide

Select tablet arm color. Refer to the **Product Color Options** page in this price list.

Select fire code.

NFR - Compliance to TB 117-2013

- Compliance to TB 133

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



Approx. Packaged

Weight

35.0#

35.0#

37.5#

37.5#

38.7#

38.7#

Delivered

1 & C.O.M.

840

840

908

908

Pricing

Delivered Pricing Fabric Grade

Unupholstered

759

N/A

N/A

N/A

N/A

\$ 759

Delivered

Fabric Grade

879

879

944

944

Pricing

Delivered

Fabric Grade

891

891

960

960

Pricing

Delivered

Vinyl Group

891

891

960

960

Pricing

Delivered

840

840

908

908

Pricing

C.O.V.

Delivered

Pallas Fabric

891

891

960

960

Pricing

Delivered

Pallas Fabric

941

941

1010

1010

Pricing



Delivered

Group P2

Pallas Fabric

967

967

1037

1037

Pricing

Delivered

Pallas Fabric

994

994

1063

1063

Group P3

Pricing

		MODEL NUM	BER						
	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Tablet Arm Color	Fire Code	Upholstery Color	
	Polypropylene, Left Hand	SSCUTAPLH							
	Polypropylene, Right Hand	SSCUTAPRH							
	Upholstered Seat, Left Hand	SSCUTAULH							
	Upholstered Seat, Right Hand	SSCUTAURH							
	Upholstered Seat/Back, Left Hand	SSCUTAUBLH							
	Upholstered Seat/Back, Right Hand	SSCUTAUBRH							
SSP									
SSU									
SSUB									
Sled Base ChangeUp Tablet Arm Chair									
Flexing Back Large work surface (21"W x 13.3"D) Work surface flips and folds Work surface has 20 degrees of ingress/egress movement Work surface rated to 250 pounds									
 Chair rated to 400 pounds 									

A

0

Θ

0

(3

(3)

Θ

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the Product Color Options page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this

• Select glide option.

NG - No alides - Felt glides - Black plastic glides - Non-skid glides GSS - Stainless steel glide

Select tablet arm color. Refer to the **Product Color Options** page in this price list.

Select fire code.

FR - Compliance to TB 133 NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



Strive® Stack Seating

			•
	MODEL NUMBER		
		Annroy	
	Basic	Approx. Packaned	Delivered
		Weight	Pricing
sport Dolly for 4-Leg and Sled Base	SCDA.BL	31.0#	\$ 559
rs			
sy maneuverability with 5" casters:			
igged weld tubular steel frame			
ack powder-coated finish			
ersal Dolly Handle	UDH.BL	8.0#	\$ 199
eld installable			
g dolly when empty or loaded			
verall dolly height with handle is 37"			
sit is	per port Dolly for 4-Leg and Sied Base is sy maneuverability with 5" casters: o fixed, two swivel gged weld tubular steel frame ck powder-coated finish	sport Dolly for 4-Leg and Sled Base s sy maneuverability with 5" casters: of fixed, two swivel gged weld tubular steel frame ck powder-coated finish ersal Dolly Handle ld installable by ides convenient handle for relocat-	Approx. Packaged Weight SCDA.BL SCDA.BL 31.0# SCDA.BL 31.0# SCDA.BL 31.0# SCDA.BL 31.0# SCDA.BL 31.0#

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



Strive® Stack Seating

			MODEL	NUMBE	R																
											n	Delivered	Delivered	Delivered	Delivered		Delivered	Delivered	Delivered	Delivered	Delivere
						Seat &				Аррі		Pricing	Pricing	Pricing	Pricing	Delivered	Pricing	Pricing	Pricing	Pricing	Pricing
	MODEL	F	Basic	Seat	Frame	Back	Glide		Upholstery	Pack	aged U	Jnuphol-	Fabric Grade	Fabric Grade	Fabric Grade		Vinyl Group		Pallas Fabric	Pallas Fabric	Pallas F
	MODEL	Features	Model	Height			Option	_	Color	Weig		tered	1 & C.O.M.	2	3	C.O.V.	2V	Group P0	Group P1	Group P2	Group
	Four-Leg Armiess Cafe Stool • Flex back	Polypropylene	SLSNAP									379		400							
	Stacking	Upholstered Seat	SLSNAU								3.0#	N/A	461	499	517	461	517	515	565	592	6
	 Two seat heights 	Upholstered Seat/Back	SLSNAUE	3 🗆						3	3.0#	N/A	532	568	585	532	585	583	633	660	6
SLSP																					
SLSU																					
SLSUB																					
	Four-Leg Cantilever Arm Cafe Stool	Polypropylene	SLSCAP							3	3.0# \$	3 458									
	 Flex back 	Upholstered Seat	SLSCAU								5.0#	N/A	538	576	593	538	593	592	642	667	
	StackingTwo seat heights	Upholstered Seat/Back	SLSCAUE	3 🗆						3	5.0#	N/A	607	645	662	607	662	658	710	735	
	- Two seat neights																				
U																					
SLSP																					
SLSU																					
SLSUB																					
	Four-Leg Loop Arm Cafe Stool • Flex back	Polypropylene	SLSLAP								5.0# \$		554	500	000		000	007	050	222	
	 NONSTACKING 	Upholstered Seat	SLSLAU								7.0#	N/A	554	593	609	554	609	607	656	686	
	 Two seat heights 	Upholstered Seat/Back	SLSLAUB	3 🗆						3	7.0#	N/A	624	662	678	624	678	676	725	755	
U																					
SLSP																					
LSU																					
SLSUB																					
			a	•	•	0	•	•	О												
				Ø	G	U	J	J	g												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select seat height.

24 - 24" Seat Height
30 - 30" Seat Height - 30" Seat Height

Select frame color.

Refer to the **Product Color Options** page in this

GSelect upholstery grade/color. Refer to ki.com/fabrics

• Select poly seat and back color.

Refer to the **Product Color Options** page in this

Select glide option.

- Felt Glides - Plastic glides - Steel glides

Select fire code.

FR - Compliance to TB 133

NFR - Compliance to TB 117-2013

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Strive® High Density General Information



Features

Stackable

Flex back

Seat width

Seat depth

Width

Depth

Height

Seat height

Overall Dimensions

Stacking on Dolly

Overall width

Overall depth

Width

Depth

Quantity/height

Stacking on Floor

Quantity/height

Poly or upholstered seat

General Dimensions






High Density Stacking Chair with Poly Seat (SWNA)



High Density Stacking Chair with Uph. Seat Pad (SWNAU)





19-1/2"

6 Stools/43-1/2" High



19-1/2"

5 Stools/47" High



19-1/2"

6 Stools/49-1/2" High



High Density Stacking Stool High Density Stacking Stool High Density Stacking Stool High Density Stacking Stool with Poly Seat, 24" Height with Poly Seat, 30" Height with Uph Seat, 30" Height with Uph Seat, 24" Height (SWSNA/24) (SWSNAU/24) (SWSNA/30) (SWSNAU/30) 17-3/4" 17-3/4" 17-3/4" 17-3/4" 18-1/2" 18-1/2" 18-1/2" 18-1/2" 24" 24" 30" 30" 19-1/2" 19-1/2" 19-1/2" 19-1/2" 23-1/2" 23-1/2" 24-1/2" 24-1/2" 38-1/2" 44-1/2" 44-1/2" 38-1/2" 21" 21" 21" 21" 49-1/2" 52" 51-1/2" 54" 20 Stools/66" High 10 Stools/54-1/2" High 20 Stools/69" High 10 Stools/58" High

INFORMATION

C.O.M. Testing and Production Require-

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

INFORMATION

19-1/2"

32"

5 Stools/53" High

Warranty

Strive® High Density



Strive® High Density



Transport Dolly for Stools (WSSD.BL)

Overall Dimensions		
Width	22-3/8"	21"
Depth	25-5/8"	26-1/2"

TECHNICAL SPECIFICATIONS

Seat

Injection-molded polypropylene seat.

Backrest

Injection molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5 mm diameter chrome silicon valve spring wire. Top of backrest has an integral handle for ease of lifting and stacking.

Chair & Stool Frames & Finishes

⁷/₁₆" solid steel rod, all joints welded. Finished in bright nickel-chrome or with electrostatically-applied epoxy powder-coat paint.

Optional Upholstered Seat

Molded urethane foam (soy based) is attached to an injection-molded polypropylene seat board, the upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners. Note: upholstered seat is required with translucent poly backs.


Transport Dolly

Tubular and plate steel welded together. 5" casters: two fixed, two swivel. Powder-coated finish.


STATEMENT OF LINE

All models are available in polypropylene seat/backrest or upholstered seat/polypropylene backrest.

Strive High-Density Sled Base Stack Chair




Strive High-Density Sled Base Stack Stools







Strive High-Density Sled Base Chair -Polypropylene Seat & Backrest




Strive High-Density Sled Base Chair -Upholstered Seat & Polypropylene Backrest




Strive High-Density 24" Sled Base Stool -Polypropylene Seat & Backrest




Strive High-Density 24" Sled Base Stool -Upholstered Seat & Polypropylene Backrest



Strive High-Density 30" Sled Base Stool -Polypropylene Seat & Backrest



Strive High-Density 30" Sled Base Stool -Upholstered Seat & Polypropylene Backrest



Strive® High Density Product Color Options



Frame Color	
Black	BL
Blue Grey	GR
Bronze Metallic	ZM
Cayenne	CY
Champagne Metallic	CM
Chrome	CH
Cool Grey	CG
Cottonwood	CO
Earthen Clay	EY
Espresso Metallic	EX
Everglade Shade	EV
Flannel	FN
Glitz Metallic	GZ
Hazy Jade	HJ
Honey Bee	HY
Light Tone	LG
Mardi Gras	MG
Misty Brown	MY
Nemo	NE
Nordic	ND
Poppy Red	PR
Purple Haze	PH
Rainforest	RQ
Raw Jasper	RJ
Rubber Ducky	RK
Sand	SA
Sky Blue	SK
Starlight Silver Metallic	SX
Surf's Up	SP
Tarragon	TQ
Twilight Shadow	TI
Ultra Blue	UB
Warm Grey	WG
Zesty Lime	ZL

Armcaps and glides match the frame color with the following

exceptions:
-When frame color is chrome or metallic, the armcaps and glides will match poly color.

-When back is diamond translucent, armcaps are light tone. -When back is pewter translucent, armcaps are flannel.

View color swatches for items listed within this document.

Casters for four-leg chairs are always black.

BL	Seat and Back Color - Polypropylene Non Flame-Retardant	
GR	Black	PBL
ZM	Blue Grey	PGR
CY	Cayenne	PCY
CM	Cool Grey	PCG
СН	Cottonwood	PCO
CG	Diamond Translucent*	PDT
CO	Earthen Clay	PEY
ΕY	Everglade Shade	PEV
EX	Flannel	PFN
EV	Hazy Jade	PHJ
FN	Honey Bee	PHY
GZ	Light Tone	PLG
HJ	Mardi Gras	PMG
ΗY	Misty Brown	PMY
LG	Nemo	PNE
ИG	Nordic	PND
ΜY	Pewter Translucent*	PPT
NE	Poppy Red	PPR
ND	Purple Haze	PPH
PR	Rainforest	PRQ
PH	Raw Jasper	PRJ
RQ	Rubber Ducky	PRK
RJ	Sand	PSA
RK	Sky Blue	PSK
SA	Surf's Up	PSP
SK	Tarragon	PTQ
SX	Twilight Shadow	PTI
SP	Ultra Blue	PUB

*Diamond Translucent and Pewter Translucent are only available on upholstered seat models.

Seat and Back Color - Polypropylene Flame-Retardant

Warm Grey

Zesty Lime

PBL Black

The above seating product can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

*NOTE: When FR upholstery is selected, FR poly (black only) must be selected. NFR poly is not available with FR upholstery.

PWG

PZL

Strive® High Density Stack Chair and Dolly





										•									
MODEL NUMBER																			
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Upholstery Color	Glide Option	Fire Code	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Armless Chair	Polypropylene	SWNA						17.0#	\$ 249									
	Flex back	Upholstered Seat	SWNAU						17.0#	N/A	332	370	384	384	383	431	460	488	512
SWSCP SWSCU																			
	Transport Dolly - Chair		CSD.BL						30.0#	\$ 553									
	 Accomodates up to 30 poly chairs or 15 upholstered chairs Easy maneuverability with 5" casters: two fixed, two swivel Black powder-coated finish 																		
HRDPT																			
	Universal Dolly Handle		UDH.BL						8.0#	\$ 199									
	Field installable Provides convenient handle for relocating dolly when empty or loaded Overall dolly height with handle is 37"		0552						G10 <i>1</i> 1	V 1.00									
	 Overall dolly height with handle is 37" 																		
HRDPT																			
וווטוין ו			•	•	•	•	G	•											
			A	$oldsymbol{\Theta}$	Θ	O	•	•											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the Product Color Options page in this price list.

Select seat and back color. Refer to the **Product Color Options** page in this

• Select upholstery grade/color. Refer to ki.com/fabrics

- Ganging polycarbonate glides - Ganging steel glides
- No glides - Replaceable Felt Glides

- Stainless steel glides

- Polycarbonate glides NS - PVC non-skid glides

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91


SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Strive® High Density Stack Stools





			MODEL NUMBER																		
	MODEL	Features	Basic Model	Seat Height	Frame Color	Seat & Back Color	Upholstery Color	Glide Option	Fire Code	Approx Packag Weight	ged	Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Armless Stool	Polypropylene	SWSNA									\$ 374									
	 Flex Back Two seat heights (24" & 30") 24" H stool specified for use with 36" H tables 30" H stool specified for use with 42" H tables 	Upholstered Seat	SWSNAU							21.0	0#	N/A	456	495	509	509	508	554	584	612	636
SWSSP SWSSU																					
	Transport Dolly - Stool Accomodates up to 20 poly stools or 10 upholstered stools Easy maneuverability with 5" casters: two fixed, two swivel Black powder-coated finish		WSSD.BL							31.0	0#	\$ 559									
HRDPT																					
	Universal Dolly Handle Field installable Provides convenient handle for relocating dolly when empty or loaded Overall dolly height with handle is 37"		UDH.BL							8.6	0# \$	\$ 199									
HRDPT																					
			A	3	Θ	O	•	•	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select seat height.

24 - 24" Seat Height
30 - 30" Seat Height - 30" Seat Height

Select frame color.

Refer to the **Product Color Options** page in this price list.

DSelect seat and back color.

Refer to the **Product Color Options** page in this

Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>

G - Ganging polycarbonate glides

- Ganging steel glides - No glides

- Polycarbonate glides - PVC non-skid glides

GSelect fire code.

FR - Compliance to TB 133 - Compliance to TB 117-2013

S - Stainless steel glides

C.O.M. Upholstery

UPHOLSTERY INFORMATION

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302,

freight prepaid. Freight class 125. Specifications and prices are subject to change

without prior notice.

Strive® Nesting











Cantilever A	rmchair
(SNCAL	J)

Tablet Arm Chair (SNTAURH)

Oversize Tablet Arm Chair

Features				
Poly or upholstered seat	•	•	•	•
Flex back	•	•	•	•
Flip-up seat	•	•	•	•
Integral handle	•	•	•	•
Nesting	•	•	•	•
General Dimensions				
Seat width	17"	17"	17"	17"
Seat depth	18"	18"	18"	18"
Seat height (upholstered add 1")	16-1/2"	16-1/2"	16-1/2"	16-1/2"
Tablet to chair back clearance			14"	14"
Overall Dimensions				
Width	23"	23"	24"	24"
Depth	22-3/4"	22-3/4"	29"	32"
Height	33-3/4"	33-3/4"	33-3/4"	33-3/4"
Top of arm to floor	25-1/2"		28-1/4"	28-1/4"
Nesting (two chairs) (upholstered add 1")	28-1/2"	28-1/2"	34-3/4"	37-3/4"

Nesting - For each additional chair, add 5-3/4" (upholstered add 1")

INFORMATION

C.O.M Testing and Production Require-

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

TECHNICAL SPECIFICATIONS

Seat and Backrest

Seat is two-piece construction of injection-molded polypropylene, reinforced with internal steel channels, and assembled using hidden fasteners. The seat is available in a poly version or upholstered. For the upholstered version, molded urethane foam (1" depth) is applied to the seat board. Fabric is then upholstered over the foam using a drawstring process. Note: upholstered seat is required with

Backrest is injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5 mm diameter chrome silicon valve spring wire. Backrest is available poly only. Backrest has an integral, molded "handle".

Seat flips up to allow chairs to nest for storage and transport.

Seat assembly and backrest are field replaceable.

The legs are 1", 13-gauge high-strength steel tubing. All frame joints are welded.

Frame Finishes

Frames are finished in either baked-on electrostatically-applied 30 gloss epoxy powder-coat paint, or bright nickel chrome plating.

Double wheels (60 mm) of high-impact thermoplastic. High-impact plastic frame. Casters are always black. Carpet or hard floor. Bell glide (2" high) made of high-impact plastic also available, black only.

Optional fixed-position T-arms are available. Arm supports are a continuation of the frame crossmember tube, with injection-molded polypropylene arm caps attached by screws. The armcaps are injection-molded glass filled polypropylene matching the frame finish (when frame finish is Chrome, hammertones, or Starlight Silver metallic, armcaps match the seat and back color; when back is Diamond trnaslucent, armcaps are Light Tone; when back is Pewter translucent, armcaps are Flannel).

Tablet Arm


An optional tablet arm is available on either the right or left-hand side. When so equipped, the tablet arm support structure is a continuation of the frame crossmember tube. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is $9^{1}/2^{2} \times 20^{3}/4^{2} \times 12^{1}/2^{2}$ and oversize tablet is 15¹/₂" x 22¹/₂" x 14" plywood core of ⁵/₈" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Tablet arm flips up for easy access. Edges are lacquered and sealed.

INFORMATION

Warranty

Strive® Nesting
General Information

DIMENSIONS




Nesting Footprint Calculation: Overall Length of a Row = 24.25" (1 chair) + 6.5" (additional chairs)

24.25" (1 chair) + 6.5" (1 chair) = 30.75" Examples: 2 Chairs:


> 16 Chairs: 24.25" (1 chair) + 6.5" (15 chairs) = 121.75"

STATEMENT OF LINE

Strive Nesting Armless Chair



Strive Nesting Cantilever Armchair



STATEMENT OF LINE

Strive Nesting Tablet Arm Chair







Strive® Nesting
General Information



Strive Nesting Oversized Tablet Arm Chair









Strive® Nesting Product Color Options

Frame Color		Seat and Back Color - Polypropylene		Tablet Arm Color - Lamina
Black	BL	Non Flame-Retardant		Beigewood
Blue Grey	GR	Black	PBL	Belair
Bronze Metallic	ZM	Blue Grey	PGR	Biltmore Cherry
Cayenne	CY	Cayenne	PCY	Black
Champagne Metallic	CM	Cool Grey	PCG	Brighton Walnut
Chrome	CH	Cottonwood	PCO	Canyon Zephyr
Cool Grey	CG	Diamond Translucent*	PDT	Castle Oak
Cottonwood	CO	Earthen Clay	PEY	Casual Linen
Earthen Clay	EY	Everglade Shade	PEV	Cherry Storm
Espresso Metallic	EX	Flannel	PFN	Classic Linen
Everglade Shade	EV	Hazy Jade	PHJ	Cloud Zephyr
Flannel	FN	Honey Bee	PHY	Cocobala
Glitz Metallic	GZ	Light Tone	PLG	Crisp Linen
Hazy Jade	HJ	Mardi Gras	PMG	Desert Zephyr
Honey Bee	HY	Misty Brown	PMY	Designer White
Light Tone	LG	Nemo	PNE	Dove Grey
Mardi Gras	MG	Nordic	PND	Flax Linen
Misty Brown	MY	Pewter Translucent*	PPT	Florence Walnut
Nemo	NE	Poppy Red	PPR	Forged Steel
Nordic	ND	Purple Haze	PPH	Friston Ash
Poppy Red	PR	Rainforest	PRQ	Frosty White
Purple Haze	PH	Raw Jasper	PRJ	Graphite Nebula
Rainforest	RQ	Rubber Ducky	PRK	Grey
Raw Jasper	RJ	Sand	PSA	High Rise
Rubber Ducky	RK	Sky Blue	PSK	Hollyberry
Sand	SA	Surf's Up	PSP	Island
Sky Blue	SK	Tarragon	PTQ	Italian Silver Ash
Starlight Silver Metallic	SX	Twilight Shadow	PTI	Kensington Maple
Surf's Up	SP	Ultra Blue	PUB	Lapis Blue
Tarragon	TQ	Warm Grey	PWG	Markerboard White
Twilight Shadow	TI	Zesty Lime	PZL	Misted Zephyr
Ultra Blue	UB	Diamond Translusant and Davider Translusant are an	u available an	Monticello Maple
Warm Grey	WG	Diamond Translucent and Pewter Translucent are onl upholstered seat models.	y available on	North Sea
Zesty Lime	ZL	apriorior ou dout moudio.		Ocean
		Seat and Back Color - Polypropylene		Pearl Bisque
rmcaps and glides match the frame color with t	the following	Flame-Retardant		Pinnacle Walnut
xceptions: When frame color is chrome or metallic, the arr	ncaps and alides	Black	PBL	Pressed Linen
vill match poly color.	,	The above seating product can be manufactured using	- 4h-	River Cherry

Idilie Guiui		Seat and back Color - Polypropyrene		Tablet Alli Gului - Lallillate	
Black	BL	Non Flame-Retardant		Beigewood	LBZ
Blue Grey	GR	Black	PBL	Belair	LBQ
Bronze Metallic	ZM	Blue Grey	PGR	Biltmore Cherry	LBT
Cayenne	CY	Cayenne	PCY	Black	LBK
Champagne Metallic	CM	Cool Grey	PCG	Brighton Walnut	LBW
Chrome	CH	Cottonwood	PC0	Canyon Zephyr	LCA
Cool Grey	CG	Diamond Translucent*	PDT	Castle Oak	LCO
Cottonwood	CO	Earthen Clay	PEY	Casual Linen	LCU
Earthen Clay	EY	Everglade Shade	PEV	Cherry Storm	LCX
Espresso Metallic	EX	Flannel	PFN	Classic Linen	LCI
Everglade Shade	EV	Hazy Jade	PHJ	Cloud Zephyr	LCL
Flannel	FN	Honey Bee	PHY	Cocobala	LCC
Glitz Metallic	GZ	Light Tone	PLG	Crisp Linen	LRI
Hazy Jade	HJ	Mardi Gras	PMG	Desert Zephyr	LDZ
Honey Bee	HY	Misty Brown	PMY	Designer White	LDR
Light Tone	LG	Nemo	PNE	Dove Grey	LDG
Mardi Gras	MG	Nordic	PND	Flax Linen	LXF
Misty Brown	MY	Pewter Translucent*	PPT	Florence Walnut	LFC
Nemo	NE	Poppy Red	PPR	Forged Steel	LOL
Nordic	ND	Purple Haze	PPH	Friston Ash	LFH
Poppy Red	PR	Rainforest	PRQ	Frosty White	LFW
Purple Haze	PH	Raw Jasper	PRJ	Graphite Nebula	LGN
Rainforest	RQ	Rubber Ducky	PRK	Grey	LGE
Raw Jasper	RJ	Sand	PSA	High Rise	LHE
Rubber Ducky	RK	Sky Blue	PSK	Hollyberry	LHY
Sand	SA	Surf's Up	PSP	Island	LID
Sky Blue	SK	Tarragon	PTQ	Italian Silver Ash	LIT
•	SX	Twilight Shadow	PTI	Kensington Maple	LKM
Starlight Silver Metallic	SP	Ultra Blue	PUB		LLB
Surf's Up	TQ	Warm Grey	PWG	Lapis Blue	
Tarragon	TI	Zesty Lime	PZL	Markerboard White	LMK
Twilight Shadow		Zosty Limo	126	Misted Zephyr	LMR
Ultra Blue	UB	Diamond Translucent and Pewter Translucent are or	nly available on	Monticello Maple	LMT
Warm Grey	WG	upholstered seat models.		North Sea	LNA
Zesty Lime	ZL	Seat and Back Color - Polypropylene		Ocean Dearl Biograph	LON
rmcaps and glides match the frame color with the following		Flame-Retardant		Pearl Bisque	LPB
xceptions:		Black	PBL	Pinnacle Walnut	LPW
When frame color is chrome or metallic, the armcaps and gl ill match poly color.	ides			Pressed Linen	LPR
When back is diamond translucent, armcaps are light tone.		The above seating product can be manufactured us	ing the	River Cherry	LRY
When back is pewter translucent, armcaps are flannel.		appropriate flame-retardant materials for compliand Technical Bulletin 133.	e to California	Satin Stainless	LSS
asters for four-leg chairs are always black.		Toolinical Bulletin 100.		Shadow Zephyr	LSR
asiers for four-leg chairs are always black.				Silicon evolv	LSV
		*NOTE: When FR upholstery is selected, FR poly (b	lack only) must	Sterling Ash	LAZ
		be selected. NFR poly is not available with FR uphol		Tailored Linen	LTL
		, , , , , , , , , , , , , , , , , , ,	,	Titanium evolv	LTV
				White Nebula	LWL
				White Sand	LWN
				Windsor Mahogany	LWY

View color swatches for items listed within this document.

Strive® Nesting





											•									
		MODEL NUMBER																		
	MODEL	Model	Frame Color	Color	Base C		stery	Approx. Packaged Weight	Pricing		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
SMP	Armless Chair with Poly Seat Flex back Nests	SNNAP						23.0#	\$ 540											
SNU	Armless Chair with Upholstered Seat • Flex back • Nests	SNNAU						23.0#	N/A		\$ 618	\$ 652	\$ 670	\$ 618	\$ 670	\$ 667	\$ 716	\$ 741	\$ 769	\$ 791
SNP	Arm Chair with Poly Seat Flex back Nests	SNCAP						25.0#	\$ 613											
SNU	Arm Chair with Upholstered Seat Flex back Nests	SNCAU						25.0#	N/A		\$ 693	\$ 727	\$ 744	\$ 693	\$ 744	\$ 740	\$ 789	\$ 813	\$ 841	\$ 865
		A	₿	Θ	O	(3)													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

③Select frame color.

Refer to the **Product Color Options** page in this price list.

Select poly seat and back color
Refer to the **Product Color Options** page in this
price list.

• Select base option.

G - Bell glides (black only)
C - Carpet casters (black only)
S - Hard floor casters (black only)

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select upholstery grade/color. Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant
models, add the following upcharge:

Model=Polypropylene Added list price=\$13

Model=Upholstered Seat Added list price=\$91

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

.

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Strive® Nesting Chairs





									•											
		MODEL NUI	MODEL NUMBER																	
	MODEL	Basic Model	Frame Color	Poly Seat/ Back Color E	Tabl Arm Base Cold	ı Fire	Upholstery Color	Approx. Packaged Weight	Delive Pricin	g	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Tablet Arm Chair with Poly Seat Flex back Nests	SNTAPRH SNTAPLH						28.0# 28.0#	\$ 7 7	769 769										
SNP	Tablet Avec Chair with Unbalatored Coat	CNITALIDIL			1 00			00.0#		NI/A	ф 047	ф 001	r 007	ф 047	ф 007	Ф 005	ф 044	ф oca	Ф 007	¢ 1000
	Tablet Arm Chair with Upholstered Seat Flex back Nests	SNTAULH						28.0# 28.0#		N/A N/A	\$ 847 847	\$ 881 881	\$ 897 897	\$ 847 847	\$ 897 897	\$ 895 895	\$ 944 944	\$ 968 968	\$ 997 997	\$ 1020 1020
SNU																				
	Oversize Tablet Arm Chair with Poly Sea Flex back Nests	t SNOVTAPRH SNOVTAPLH						28.0# 28.0#	\$ 8	347 347										
SNP																				
	Oversize Tablet Arm Chair with Uphol- stered Seat Flex back Nests	SNOVTAULH SNOVTAULH						28.0# 28.0#		N/A N/A	\$ 926 926	\$ 959 959	\$ 977 977	\$ 926 926	\$ 977 977	\$ 972 972	\$ 1022 1022	\$ 1049 1049	\$ 1076 1076	\$ 1097 1097
SNU																				
		(A)	•	Θ	0	a	Θ													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the **Product Color Options** page in this price list.

Select poly seat and back color Refer to the **Product Color Options** page in this

OSelect base option.

- Bell glides (black only)
- Carpet casters (black only) - Hard floor casters (black only)

Select tablet arm color.

Refer to the **Product Color Options** page in this price list.

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

GSelect upholstery grade/color. Refer to ki.com/fabrics

C.O.M. Upholstery

UPHOLSTERY INFORMATION

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added list price=\$13

Model=Upholstered Seat Added list price=\$91

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Strive® Tandem Seating





441/2" 66¹/₂"

921/2"

22"








1-Place Unit
(1 Seat, 0 In-Line Table)


2-Place Unit (1 Seat, 1 In-Line Table; 2 Seat, 0 In-Line Table)

3-Place Unit (2 Seats, 1 In-Line Table; 3 Seats, 0 In-Line Table)

4-Place Unit (3 Seats, 1 In-Line Table; 4 Seats, 0 In-Line Table)

Features				
Arm	•	•	•	•
Corner tables	•	•	•	•
In-line tables	•	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	18"	18"	18"	18"
Seat depth	18"	18"	18"	18"
Seat height	17"	17"	17"	17"
Unit width (with arms)	28"	50"	72"	94"
Unit width (no arms)	20"	44"	66"	86"
Unit height	33"	33"	33"	33"
Corner table top	30" x 30"	30" x 30"	30" x 30"	30" x 30"
In-line table	20" x 20"	20" x 20"	20" x 20"	20" x 20"
Table height (all table models)	17"	17"	17"	17"
Width between arms (inside arm)	18"	18"	18"	18"
Arm height from floor	25-3/4"	25-3/4"	25-3/4"	25-3/4"





SPECIFICATIONS

Tandem Base

Cast aluminum alloy leg section. 14-gauge 1x2" seamless steel column. Upright and base are painted monochromatic with beam and yoke. Columns are welded to a plate which clamps onto beam.

Frame Finish

Baked-on, electrostatically-applied 45 gloss epoxy powder coating.

Injection-molded polypropylene seat attached directly to the structure.

Underseat Structure

Support structure is die-formed 13-gauge steel welded to a 1" OD x 14-gauge tubular steel cross member.

Injection molded polypropylene with integral steel cantilever springs. The combination of

the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire.

Tandem Arm

Oval tubular steel arm support with self-skinning urethane armrests measuring 101/4" long x 4" wide. The tubular arm support is welded to a yoke and then fastened to the beam via a coverplate.

Optional Upholstered Seat or Seat & Back

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

In-Line Table

Solid core top is 20" x 20" x 7/8" with a vinyl bullnose edge.

Solid core top is 30" x 30" x 7/8" with a vinyl

bullnose edge.

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

INFORMATION

Warranty




Strive® Tandem Seating Product Color Options

Frame Color		Seat and Back Color - Polypropylene		Surface Finish - Laminate	
Black	BL	Non Flame-Retardant		Beigewood	LBZ
Blue Grey	GR	Black	PBL	Belair	LBQ
Cool Grey	CG	Blue Grey	PGR	Biltmore Cherry	LBT
Earthen Clay	EY	Cayenne	PCY	Black	LBK
Everglade Shade	EV	Cool Grey	PCG	Brighton Walnut	LBW
Flannel	FN	Earthen Clay	PEY	Canyon Zephyr	LCA
Hazy Jade	HJ	Everglade Shade	PEV	Castle Oak	LCO
Light Tone	LG	Flannel	PFN	Casual Linen	LCU
Mardi Gras	MG	Hazy Jade	PHJ	Cherry Storm	LCX
Misty Brown	MY	Honey Bee	PHY	Classic Linen	LCI
Nemo	NE	Light Tone	PLG	Cloud Zephyr	LCL
Poppy Red	PR	Mardi Gras	PMG	Cocobala	LCC
Purple Haze	PH	Misty Brown	PMY	Crisp Linen	LRI
Rainforest	RQ	Nemo	PNE	Desert Zephyr	LDZ
Raw Jasper	RJ	Nordic	PND	Designer White	LDR
Rubber Ducky	RK	Poppy Red	PPR	•	LDG
Sand	SA	Purple Haze	PPH	Dove Grey	LXF
Sky Blue	SK	Rainforest	PRQ	Flax Linen Florence Walnut	
Surf's Up	SP	Raw Jasper	PRJ		LFC
	TQ	Rubber Ducky	PRK	Forged Steel	LOL
Tarragon		Sand	PSA	Friston Ash	LFH
Twilight Shadow	TI			Frosty White	LFW
Ultra Blue	UB	Sky Blue	PSK	Graphite Nebula	LGN
Warm Grey	WG	Surf's Up	PSP	Grey	LGE
Zesty Lime	ZL	Tarragon	PTQ	High Rise	LHE
Edge Color		Twilight Shadow	PTI	Hollyberry	LHY
Belair	EBQ	Ultra Blue	PUB	Island	LID
Black	EBL	Warm Grey	PWG	Italian Silver Ash	LIT
Blue Grey	EGR	Zesty Lime	PZL	Kensington Maple	LKM
Cool Grey	ECG	Arm pad matches seat and back color for black	, blue grev, sand and	Lapis Blue	LLB
Earthen Clay	EEY	warm grey. Otherwise it is always black.	, 9,,	Markerboard White	LMK
Everglade Shade	EEV	TDANIOLUOENTlaurilable the contr	-1-4	Misted Zephyr	LMR
Flannel	EFN	TRANSLUCENT colors are available on the uph only.	oistered seat models	Monticello Maple	LMT
Frosty White	EFW	only.		North Sea	LNA
•	EHJ	Seat and Back Color - Polypropylene		Ocean	LON
Hazy Jade		Flame-Retardant		Pearl Bisque	LPB
Honey Bee	EHY ELG	Black	PBL	Pinnacle Walnut	LPW
Light Tone Mardi Gras		Arm pad matches seat and back color for black	hluo arov cand and	Pressed Linen	LPR
	EMG EMY	warm grey. Otherwise it is always black.	, blue grey, sallu allu	River Cherry	LRY
Misty Brown		g,		Satin Stainless	LSS
Nemo	ENE	The above seating product can be manufacture		Shadow Zephyr	LSR
Nordic	END	appropriate flame-retardant materials for comp Technical Bulletin 133.	liance to California	Silicon evolv	LSV
Poppy Red	EPR	Toolinoal Bullouii 100.		Sterling Ash	LAZ
Purple Haze	EPH			Tailored Linen	LTL
Rubber Ducky	ERK	*NOTE: When ED unholetory is calcuted ED no	ly (black only) must	Titanium evolv	LTV
Sand	ESA	*NOTE: When FR upholstery is selected, FR po be selected. NFR poly is not available with FR u		White Nebula	LWL
Sky Blue	ESK	The second secon		White Sand	LWN
Surf's Up	ESP			Windsor Mahogany	LWY
Twilight Shadow	ETI			3	
Ultra Blue	EUB				
Warm Grey	EWG				
Zesty Lime	EZL				

Strive® Tandem Seating



Strive® Tandem Seating



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number"
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the Product Color Options page in this

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013 See pricing column for TB133 upcharge.

DSelect seat/back color. Refer to the Product Color Options page in this

 Select surface finish for table. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections

Select table edge color. Refer to the Product Color Options page in this

A

selections

Edge color offerings are based on edge style

Θ

O

0

0

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Added List Price = Per Model: see above "TB133" add to list price" upcharge. Added Lead Time = None

SPECIAL SERVICES


Special Carton Marking

With specially marked information

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.



Strive® Tandem Seating



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number"
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model

BSelect frame color.

Refer to the **Product Color Options** page in this Select upholstery grade/color. price list.

Select seat/back color. Refer to the Product Color Options page in this

• Select surface finish for table.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

Select table edge color.

selections.

Refer to the Product Color Options page in this Edge color offerings are based on edge style

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133 See pricing column for TB133 upcharge.

Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge:

Added List Price = Per Model: see above "TB133 add to list price" upcharge. Added Lead Time = None

SPECIAL SERVICES


Special Carton Marking

With specially marked information

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.



Strive® Tandem Seating



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number"
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **Product Color Options** page in this Select upholstery grade/color. price list.
- Select seat/back color. Refer to the Product Color Options page in this
- Select surface finish for table. Refer to the **Product Color Options** page in this
- Surface finish offerings are based on edge style
- Select table edge color.
- Refer to the Product Color Options page in this Edge color offerings are based on edge style selections.

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

See pricing column for TB133 upcharge.

Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge:

Added List Price = Per Model: see above "TB133 add to list price" upcharge. Added Lead Time = None

SPECIAL SERVICES Special Carton Marking

With specially marked information

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.



Strive® Tandem Seating

Delivered

Pallas Fabric

1482

1835

2401

2658

3225

3482

3788

4046

4306

1574

1930

2601

2848

3504

3764

4160

4422

4680

\$ 1010

Group P4

\$ 1010

TB133

add to list

\$ 129

129

257

257

384

384

514

384

514

643

129

129

257

257

384

384

514

384

514

643

Pricing

Delivered

\$ 936

Pallas Fabric

1408

1685

2249

2432

2998

3183

3561

3747

3931

936

1500

1779

2454

2620

3280

3465

3939

4120

4306

Delivered

Pallas Fabric

960

1431

1737

2303

2512

3076

3289

3641

3851

4063

960

1526

1832

2503

2700

3360

3569

4018

4228

4439

Group P2

Delivered

Pallas Fabric

1459

1791

2354

2593

3156

3393

3721

3958

4196

991

1553

1885

2560

2782

3438

3675


4096

4333

4571

Group P3

\$ 991



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number"
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model

BSelect frame color. Refer to the **Product Color Options** page in this Select upholstery grade/color. price list.

Select seat/back color. Refer to the Product Color Options page in this

• Select surface finish for table. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

Select table edge color.

selections.

Refer to the Product Color Options page in this Edge color offerings are based on edge style

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

See pricing column for TB133 upcharge.

Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholsterv

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge:

Added List Price = Per Model: see above "TB133 add to list price" upcharge. Added Lead Time = None

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.



Strive® Tandem Seating

								· ·
			MODEL NU	JMBER				
	MODEL	Features	Basic Model	Frame Color	Surface Finish	Edge Color	Approx. Packaged Weight	Delivered Pricing
	Corner Table • Number of tables per arrangement	Connects 2 units	TCT				0.0#	\$ 760
	 Plastic laminate with vinyl bullnose edge 	е						
	 For mounting modular units at a 90° 							
	angleTwo required for U-shaped configuration	n						
MSCT	One required for L-shaped configuration	1						
WOOT								
	Back Ganging Bar Connects 2 units back-to-back		DOP.GANG				8.0#	\$ 254
HRDPT	 Connects 2 units back-to-back Powder coated to match base 							
	Sold in pairs							
	•							
			A	•	Θ	O		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **Product Color Options** page in this
- Select surface finish for table. Refer to the **Product Color Options** page in this
- Select table edge color. Refer to the **Product Color Options** page in this

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.









Task Cantilever Armchair

Armless Task Stool

ChangeUp Tablet Arm Task Chair

Footunes			
Features			
Poly, upholstered seat, or upholstered seat/back	•	•	•
Flex back	•	•	
General Dimensions			
Seat width	18"	18"	18"
Seat depth	18"	18"	18"
Seat height (upholstered - add 1")	17-1/4" - 22-1/4"	22-1/4" - 32-1/2"	17-1/4" - 22-1/4"
Overall Dimensions			
Width	27-1/2"	27-1/2"	29-1/2"
Depth	27-1/2"	27-1/2"	31" - 35-1/4"
Height	32-3/4" - 37-3/4"	37-3/4" - 48"	32-3/4" - 37-3/4"
Arms to floor	26" - 31"		27" - 33"

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product
Modification Request written specifying the direction the fabric is to be applied.

Task chairs and task stools ship knockdown. Minimal assembly is required.

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

General Information



Strive® Task Seating

Backrest

Injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5 mm diameter chrome silicon valve spring wire.

Seat and Shroud

Injection-molded polypropylene, attached directly to the structure.

Optional Upholstered Seat

Molded urethane foam is attached to an injection-molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners. Note: Upholstered seat is required with translucent poly backs.

Optional Upholstered Back

A $\frac{1}{2}$ thick urethane foam is attached to an injection-molded polypropylene back board, then upholstered using a draw-string process. The assembled back pad is attached to the back by means of fasteners, which are exposed and are color-matched to the polypropylene.

Underseat Structure

Support structure is 13-gauge steel die-formed, welded to a 1" O.D. by 14-gauge tubular steel cross member.

Frame Finishes

Baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint.

Base

Injection-molded, glass-reinforced nylon 5-blade base (black or warm grey for task chair and stool). Casters have high-impact thermoplastic double-wheels. A single control paddle under the seat operates the height-adjusting pneumatic cylinder.

Casters

Casters are double-wheel (60 mm) high-impact thermoplastic. High-impact plastic frame. Casters are monochromatic with base. Carpet or hard floor casters are offered. Hard floor casters are black only.

Arms

When equipped with optional cantilever arms, the supporting structure is $^{7}/_{8}$ " O.D. by I3-gauge tubular steel, welded directly to the seat support structure, and matching the seat and back color. The armcaps are injection-molded glass filled polypropylene, matching the seat and back color (when back is Diamond translucent, armcaps are Light Tone; when back is Pewter translucent, armcaps are Flannel). The armcaps are attached to the steel structure by means of screws.

Task Stool

In addition to the standard-height task chair, a stool-height version is available. Task stools are equipped with a pneumatic cylinder, allowing adjustment of seat heights from 22" to $32'/_2"$. Task stools receive a twist-to-lock, adjustable-height, 20" diameter chrome-plated steel foot ring with black, diecast aluminum hub and spokes. Stools are only offered with black or warm grey bases. The cylinders are available in black only.

Comfort-Tilt Mechanism

Optional comfort-tilt mechanism is comprised of a die-cast aluminum main housing and a steel mounting plate, with four internal steel coil compression springs. The mechanism provides 7-degrees of rearward tilt and 4-degrees of forward tilt. The tilt resistance is not adjustable. A single lever allows for seat-height adjustment.

ChangeUp[™] Tablet Arm

Change Up tablet support is integral to the chair frame and consists of a $^{7}/_{8}$ " diameter solid steel rod welded to the front and rear support tubes. A three-piece molded plastic armrest is included and attached to the chair frame using a $\# 10 \times 2^{1}/_{2}$ " Phillips pan head tapping screw.

The tablet mechanism consists a die-cast aluminum housing, upper and lower plastic bearings, and II-gauge steel clamp and tablet board support plates. The tablet mechanism is clamped onto the chair frame over two plastic bushing halves and a $^5/_{16}$ " diameter by $^{13}/_{4}$ " hardened steel pin with a die-cast aluminum cap secured with two $^{1}/_{4}$ -20 x $^{3}/_{4}$ " button socket head cap screws. The pin creates a solid 90° up/down pivot stop and the bushings provide a smooth, quiet operation. In the use position, the tablet mechanism rotates outward from the chair back an additional 20° and permits approximately $^{31}/_{2}$ " of adjustment for ingress/egress without stowing the tablet.

The tablet worksurface is 21" wide by $13^1/2$ " deep (235 square inches) is secured to the tablet board support plate with twelve # $12 \times 5/8$ " Phillips flat head tapping screws. The tablet board is made of 18 mm Baltic Birch plywood with .040" high-pressure laminate top surface and .02" thick phenolic backer surface for an overall board thickness of approximately 3/4". Edges are lacquered with a clear finish and sealed. The factory installed tablet assembly is not field installable and may not be removed.

Weight Rating


ChangeUp tablet arm can support a 250 lb static load.

Compliance


Strive seating is desined and manufactured to meet or exceed required ANSI/BIFMA X5. I- 20II Seating. Seat functional weight rating for Strive task chair is 400 lb, and seat functional weight rating for Strive task stool is 350 lb, as conducted by and within KI's Accredited Test Lab.




Strive Task Cantilever Armchair




Strive Task Cantilever Arm Stool



Strive Task Armless Chair with Comfort-Tilt Option





Strive Task ChangeUp Tablet Armchair




Note: The ChangeUp tablet worksurface is designed to be level when in use and may appear to have a slight upward angle when not in use.

ChangeUp Tablet Arm










Strive® Task Seating General Information

Strive Task Armless Chair



Strive Task Cantilever Armchair



Strive Task Armless Stool




Strive Task Cantilever Arm Stool







Strive Task Cantilever Armchair



Strive Task Cantilever Arm Stool



Strive Task Armless Chair with Comfort-Tilt Option



Strive® Task Seating Product Color Options



Strive® Task Seating
Product Color Options

Product Color Uptions			
Base/Caster Color			
Black	BL	Tablet Arm Color - Laminate	
Warm Grey	WG	Beigewood	LBZ
		Belair	LBQ
Hard floor casters are black only.		Biltmore Cherry	LBT
Base color selection for black includes; black base, black	cylinder	Black	LBK
and black carpet or hard floor casters.		Brighton Walnut	LBW
December of the feature of the state of the	h	Canyon Zephyr	LCA
Base color selection for warm grey includes; warm grey l warm grey cylinder and warm grey carpet casters (hard f		Castle Oak	LC0
casters not available in warm grey.	11001	Casual Linen	LCU
		Cherry Storm	LCX
Stool cylinder is always black.		Classic Linen	LCI
Shell Color - Polypropylene		Cloud Zephyr	LCL
Non-Flame Retardant		Cocobala	LCC
Black	PBL	Crisp Linen	LRI
Blue Grey	PGR	Desert Zephyr	LDZ
Cayenne	PCY	Designer White	LDR
Cool Grey	PCG	Dove Grey	LDG
Cottonwood	PCO	Flax Linen	LXF
Diamond Translucent*	PDT	Florence Walnut	LFC
Earthen Clay	PEY	Forged Steel	LOL
Everglade Shade	PEV	Friston Ash	LFH
Flannel	PFN	Frosty White	LFW
Hazy Jade	PHJ	Graphite Nebula	LGN

Grey

High Rise

Hollyberry

Lapis Blue

North Sea

Pearl Bisque

Pinnacle Walnut

Pressed Linen

River Cherry

Satin Stainless

Shadow Zephyr

Silicon evolv

Sterling Ash

Tailored Linen

Titanium evolv

White Nebula

Windsor Mahogany

Laminates

Edge Styles

White Sand

Ocean

Misted Zephyr

Monticello Maple

Italian Silver Ash

Kensington Maple

Markerboard White

Island

LGE

LHE

LHY

LID

LIT

LKM

LLB

LMK

LMR

LMT

LNA

LON

LPB

LPW

LPR

LRY

LSS

LSR

LSV

LAZ

LTL

LTV

LWL

LWN

LWY

<u>Glass</u>

Hazy Jade PHJ Honey Bee PHY Light Tone PLG Mardi Gras PMG Misty Brown PMY Nemo PNE Nordic PND PPT Pewter Translucent* PPR Poppy Red PPH Purple Haze Rainforest PRQ Raw Jasper PRJ PRK Rubber Ducky PSA Sand Sky Blue PSK Surf's Up PSP Tarragon PTQ PTI Twilight Shadow PUB Ultra Blue PWG Warm Grey Zesty Lime

*Diamond Translucent and Pewter Translucent are only available on upholstered seat models.

Shell Color - Polypropylene Flame Retardant

PBL

The above seating product can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Steel tube arm support and armcaps will match poly seat and back.

*NOTE: When FR upholstery is selected, FR poly (black only) must be selected. NFR poly is not available with FR upholstery.

View color swatches for items listed within this document.

Hard Plastics Paints Molded Edges Finish Cards Wood/Veneer

Plastics/Poly

Strive® Task Seating



Strive® Task Seating

										•										
			MODEL N	NUMBER	3															
	MODEL	Features	Basic Model	Base Color	Fire Code	Poly Seat/ Back Color		Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Task Armless Chair	Polypropylene	SPDNAP						32.0#	\$ 430										
	Flex back	Upholstered Seat	SPDNAU						35.0#	N/A	515	552	570	515	570	567	617	645	673	697
		Upholstered Seat/Back	SPDNAUB						35.0#	N/A	584	622	640	584	640	639	688	715	743	767
SPDP SPDU SPDUB																				
	Task Cantilever Armchair • Flex back	Polypropylene	SPDCAP						35.0#	\$ 511										
	• Flex back	Upholstered Seat	SPDCAU						38.0#	N/A	593	631	648	593	648	646	696	721	750	773
		Upholstered Seat/Back	SPDCAUB						38.0#	N/A	662	698	717	662	717	716	766	793	819	842
SPDP																				
SPDU SPDUB																				
			•	3	Θ	0	(3	•												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base color.

Refer to the **Product Color Options** page in this Includes base, cylinder, and carpet casters

(hard floor casters are always black).

Select fire code.

FR - Compliance to TB 133 - Compliance to TB 117-2013

• Select poly seat and back color. Refer to the **Product Color Options** page in this

Select caster option.
S - Hard floor casters (black only)

- Carpet casters

Select upholstery grade/color. Refer to ki.com/fabrics

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.

Strive® Task Seating





MODEL NUMBER Delivered Delivered Delivered Delivered Delivered Delivered Delivered Delivered Pricing Pricing Seat & Tablet Approx. Pricing Pricing Pricing Delivered Pricing Pricing Pricing Delivered Pricing Fabric Grade Arm Base Fire Back Upholstery Packaged Fabric Grade Fabric Grade Pricing Vinyl Group Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric Features Model Color Code Color Casters Color Weight Unupholstered 1 & C.O.M. C.O.V. Group P3 Polypropylene, Left Hand SPDCUTAPLH 43.0# \$ 900 SPDCUTAPRH 43.0# 900 Polypropylene, Right Hand Upholstered Seat, Left Hand SPDCUTAULH | **---**45.5# N/A 985 1022 1039 985 1039 1037 1086 1115 1143 Upholstered Seat, Right Hand SPDCUTAURH 45.5# N/A 985 1022 1039 985 1039 1037 1086 1115 1143 Upholstered Seat/Back, Left Hand SPDCUTAUBLH 46.7# N/A 1054 1091 1110 1054 1110 1109 1157 1185 1213 Upholstered Seat/Back, Right Hand 46.7# N/A 1054 1091 1054 1109 1157 1185 1110 1110 1213

SPDP									
SPDU									
SPDUE	3								
Task ChangeUp Tablet Arn									

m Chair

- · Flexing Back
- Large work surface (21"W x 13.3"D)
- · Work surface flips and folds
- · Work surface has 20 degrees of
- ingress/egress movement Work surface rated to 250 pounds
- · Chair rated to 400 pounds

A



Select upholstery grade/color.

Refer to ki.com/fabrics

(3)



(3) Θ

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Refer to the **Product Color Options** page in this price list.

FR - Compliance to TB 133

- Compliance to TB 117-2013 See Upholstery Information for TB133

• Select poly seat and back color.

- Carpet casters

Select tablet arm color. price list.

BSelect base color.

Select fire code.

upcharge.

Refer to the **Product Color Options** page in this

Select casters.

- Hard floor casters (black only)

Refer to the **Product Color Options** page in this

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.

Strive® Task Seating



Strive® Task Seating

										•										
			MODEL	NUMBER	ì															
	MODEL	Features	Basic Model	Base Color	Fire	Poly Seat/ Back Color	Casters	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Task Armiess Stool	Polypropylene	SPSNAP						37.0#	\$ 552										
	Flex back	Upholstered Seat	SPSNAU						39.0#	N/A	638	673	692	638	692	689	738	768	795	814
		Upholstered Seat/Back	SPSNAUB						39.0#	N/A	705	743	761	705	761	759	808	837	865	886
SPSP																				
SPSU																				
SPSUB																				
	Task Cantilever Arm Stool	Polypropylene	SPSCAP						39.0#	\$ 631										
	Flex back	Upholstered Seat	SPSCAU						41.0#	N/A	715	750	769	715	769	766	813	842	872	894
		Upholstered Seat/Back	SPSCAUB						41.0#	N/A	783	819	838	783	838	835	883	913	940	962
SPSP																				
SPSU																				
SPSUB																				
					_															

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the Product Color Options page in this

Includes base, cylinder, and carpet casters (hard floor casters are always black).

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

OSelect poly seat and back color.

Refer to the Product Color Options page in this

Select caster option.

S - Hard floor casters (black only)

- Carpet casters

Select upholstery grade/color. Refer to ki.com/fabrics

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material" (C.O.M) Upholstery." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.

