



STRIVE[®] SEATING

PRICE LIST

EFFECTIVE SEPTEMBER 3, 2025
800.424.2432




Ordering Customer's Own Material (C.O.M.) Upholstery		
Information		3
Strive® Stack Seating		
General Information		4
Product Color Options		10
Stack Chairs		11
Stack/Nesting		
Strive® Dolly		21
Strive® Stack Seating		
Cafe Stool		22
Strive® High Density		
General Information		23
Product Color Options		26
Stack Chair and Dolly		27
Stack Stools		28
Strive® Nesting		
General Information		29
Product Color Options		31
Chairs		32
Strive® Nesting Chairs		33
Strive® Tandem Seating		
General Information		34
Product Color Options		35
36		
Strive® Task Seating		
General Information		41
Product Color Options		45
Chairs		46
Stools		49



How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor’s website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer’s upholstery must be approved prior to acceptance for production.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer’s responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION



Architectural Walls	
Evoke.....	MN
Genius.....	MN
Casegoods	
Aristotle.....	MN
Likha.....	MN

Classroom Furniture	
Cogni	GB
Intellect Wave	GB
Learn2.....	GB
Ruckus.....	GB

Desking	
700 Series	KP
Balance	MN
Genesis	MN
True	KP
Universal	MN
WorkZone	MN

Files & Storage	
700 Series.....	GB
Connection	BW
U-Series	GB
Tattoo.....	BW

Fixed Seating	
Concerto.....	BW
Single Pedestal	GB
Jury Base	GB
Lancaster	BW
Sequence	GB
University	GB

Panel Systems	
All Terrain.....	KP
Balance	MN
Universal	MN
Wireworks	MN
Unite.....	MN

Residence Hall Furniture	
RoomScape	MN

Screens	
All Terrain.....	KP
Connection Zone.....	BW
Tributaire.....	BW
True/Volition	KP
Genesis	KP
Tattoo.....	MN
Universal.....	BW

Seating	
600 Series.....	BW
Affina	HN
Altus	GB
Apply	GB
Calida	HN
Cascha	VT
Civara	VT
Clamber	HN
Cogni	GB
Diem	OM
Doni	GB
Gladly	VQ
Grazie	GB
Hub	HN
Impress	OM

Impress Ultra	OM
Intellect Wave	GB
Jessa	HN
Jubilee	VQ
Katera.....	GB
Kurv Benches.....	HN
Learn2.....	GB
LimeLite.....	GB
Lyra	HN
Medical & Laboratory Stools.....	OM
MyPlace	HN
MyWay	HN
Oath	GB
Opt4	GB
Pilot	OM
Promenade	BW
Ruckus.....	GB
Sela	HN
Sift	GB
Signia.....	OM
Soltice Metal	HN
Soltice.....	HN
Sonrisa	HN
Strive.....	GB
Sway	BW
Tattoo.....	HN
Torsion-on-the-Go!.....	GB
Torsion Air	GB
Zeker	HN
Zentori	VT
Zoetry	HN

KI C.O.M. Manufacturing Site Addresses:

<u>BW</u> KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107	<u>HN</u> KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263	<u>MN</u> KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220	<u>VQ</u> KI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623
<u>GB</u> KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302	<u>KP</u> KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7	<u>OM</u> KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761	<u>VT</u> KI Attn: COM Storage 2803 South Taylor Drive Sheboygan, WI 53081



Armless Four-Leg Chair
(SLNAU)



Four-Leg Cantilever Arm Chair
(SLCAP)



Four-Leg Loop Arm Chair
(SLLAU)

Features			
Stackable	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•
Flex back	•	•	•
General Dimensions			
Seat width	18"	18"	18"
Seat depth	18"	18"	18"
Seat height (upholstered add 1")	18"	18"	18"
Overall Dimensions			
Width	20-3/4"	25"	25"
Depth	21-3/4"	21-3/4"	21-3/4"
Height	32-1/2"	32-1/2"	32-1/2"
Arms to floor		26-1/4"	26-1/4"
Stacking on Dolly			
Overall width	24"	25"	25"
Overall depth - poly	40"	40"	40"
Quantity/height - poly	15 Chairs/61" High	15 Chairs/62" High	15 Chairs/63" High
Overall depth - upholstered	45"	45"	45"
Quantity/height - upholstered	8 Chairs/50" High	8 Chairs/51" High	8 Chairs/51" High
Stacking on Floor			
Width	20-3/4"	25"	25"
Depth	27-1/2"	27-1/2"	27-1/2"
Quantity/height	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High



Armless Four-Leg Chair
with Casters
(SLNAPC)



Four-Leg Cantilever
Arm Chair with Casters
(SLCAUC)



Four-Leg Loop Arm Chair
with Casters
(SLLAUC)



Armless Sled
Base Chair
(SSNAP)

Sled Base Cantilever
Arm Chair
(SSCAU)

Features					
Stackable	•	•	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	•
Flex back	•	•	•	•	•
General Dimensions					
Seat width	18"	18"	18"	18"	18"
Seat depth	18"	18"	18"	18"	18"
Seat height (upholstered add 1")	18-1/4"	18-1/4"	18-1/4"	18-1/4"	18-1/4"
Tablet to chair back clearance					
Overall Dimensions					
Width	21-1/4"	25"	25"	20-3/4"	25"
Depth	22-1/2"	22-1/2"	22-1/2"	21-3/4"	21-3/4"
Height	32-1/2"	32-1/2"	32-1/2"	32-1/2"	32-1/2"
Arms to floor		26-1/2"	26-1/2"		26-1/2"
Stacking on Dolly					
Width				24"	25"
Depth - poly				48"	48"
Quantity/height - poly				15 Chairs/64" High	15 Chairs/64" High
Depth - upholstered				48"	48"
Quantity/height - upholstered				8 Chairs/50" High	8 Chairs/50" High
Stacking on Floor					
Width	20-3/4"	25"	25"	20-3/4"	25"
Depth	27-1/2"	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Quantity/height	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

Design

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Strive® Stack Seating

General Information



Strive® Stack Seating

General Information



Armless Wallsaver
Four-Leg Chair
(SLNAU)



Four-Leg Wallsaver
Cantilever Arm Chair
(SLCAP)



Four-Leg Wallsaver
Loop Arm Chair
(SLLAU)

Features			
Stackable	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•
Flex back	•	•	•
General Dimensions			
Seat width	18"	18"	18"
Seat depth	18"	18"	18"
Seat height (upholstered add 1")	17-1/2"	17-1/2"	17-1/2"
Overall Dimensions			
Width	20-3/4"	25"	25"
Depth	22-3/4"	22-3/4"	22-3/4"
Height	33"	33"	33"
Arms to floor		26-1/4"	26-1/4"
Stacking on Floor			
Width	20-3/4"	25"	25"
Depth	28-1/2"	28-1/2"	28-1/2"
Quantity/height	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High



Four-Leg Armless Cafe Stool -
24" or 30" Seat Height
(SLSNAU)



Four-Leg Loop Arm Cafe Stool -
24" or 30" Seat Height
(SLSLAP)



Four-Leg Cantilever Arm Cafe Stool -
24" or 30" Seat Height
(SLSCAUB)



Transport Dolly
(SCDA.BL)

Features				
Stackable	•	•	•	
Poly, upholstered seat, or upholstered seat/back	•	•	•	
Flex back	•	•	•	
General Dimensions				
Seat width	18"	18"	18"	
Seat depth	18"	18"	18"	
Seat height (upholstered add 1")	24" / 30"	24" / 30"	24" / 30'	
Overall Dimensions				
Width	25"	25"	25"	24"
Depth	23-1/2" / 25"	23-1/2" / 25"	23-1/2" / 25"	29"
Height	39-1/4" / 45-1/4"	39-1/4" / 45-1/4"	39-1/4" / 45-1/4"	16-1/2"
Arms to floor	32-1/2" / 38-1/2"	32-1/2" / 38-1/2"	32-1/2" / 38-1/2"	
Stacking on Floor				
Width	25-7/8"	25-7/8"	25-7/8"	
Depth	28"	28"	28"	
Quantity/height	4 Chairs/48" or 54" High	4 Chairs/48" or 54" High	4 Chairs/48" or 54" High	

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

Design

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found [here](#).

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit [ki.com](#)



Four-Leg Tablet Arm Chair
(SLTAPRH)



Four-Leg Oversize Tablet Arm Chair
(SLOVTAURH)



Sled Base Tablet Arm Chair
(SSTAPRH)



Sled Base Oversize Tablet Arm Chair
(SLOVTAPRH)

Features				
Stackable				
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
Flex back	•	•	•	•
General Dimensions				
Seat width	18"	18"	18"	18"
Seat depth	18"	18"	18"	18"
Seat height (upholstered add 1")	18"	18"	18"	18"
Tablet to chair back clearance	14"	14"	14"	14"
Overall Dimensions				
Width (Use Position)	24"	24"	24"	24"
Depth (Use Position)	27-3/4"	31"	27-3/4"	31"
Height	33"	33"	33-1/4"	33-1/4"
Arms to floor	28-1/2"	28-1/2"	28-1/2"	28-1/2"



Four-Leg ChangeUp Tablet Arm Chair
with Glides



Four-Leg ChangeUp Tablet Arm Chair
with Casters



Sled Base ChangeUp Tablet Arm Chair

Features			
Stackable			
Poly, upholstered seat, or upholstered seat/back	•	•	•
Flex back			
General Dimensions			
Seat width	18"	18"	18"
Seat depth	18"	18"	18"
Seat height (upholstered add 1")	18"	18"	18"
Tablet to chair back clearance	16-1/4"	16-1/4"	16-1/4"
Overall Dimensions			
Width (Use Position)	26-1/2"	26-1/2"	26"
Depth (Use Position)	28" - 33-1/2"	28" - 33-1/2"	28" - 33-1/2"
Height	33"	33-1/4"	33-1/4"
Arms to floor	27-3/4"	27-3/4"	27-3/4"

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

Design

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



TECHNICAL SPECIFICATIONS

Backrest

Injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5 mm diameter chrome silicon valve spring wire.

Seat and Shroud

Injection-molded polypropylene.

Optional Upholstered Seat

Molded urethane foam is attached to an injection-molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners. Note: upholstered seat is required with translucent poly backs.

Optional Upholstered Back

A 1/2" thick urethane foam is attached to an injection-molded polypropylene back board, then upholstered using a draw-string process. The assembled back pad is attached to the back by means of fasteners which are exposed and are color matched to the polypropylene.

Frames

Legs are 7/8" O.D. by 13-gauge tubular steel. Cross members are 1" O.D. by 14-gauge tubular steel and 7/16" diameter solid steel. All joints are welded. Frames are available in 4-leg or sled base configurations. Standard 4-leg rear legs angle 14° from vertical. Wallsaver rear legs angle 23° from vertical.

Frame Finishes

Frames are finished in either baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint, or bright nickel-chrome plating.

Arms

Optional cantilever arms or loop arms are available. When equipped with arms, the supporting structure is a continuation of the rear leg finished to match the frame color. The armcaps are injection-molded glass filled polypropylene matching the frame finish (when frame finish is Chrome, hammertones, or Starlight Silver metallic, armcaps match the seat and back color; when back is Diamond translucent, armcaps are Light Tone; when back is Pewter translucent, armcaps are Flannel; when back is Bronze translucent, armcaps are Chocolate). The armcaps are attached to the steel structure by means of screws.

Glides

Upper and lower ends of leg tubes are capped with polypropylene end caps matching leg color (chrome frames and hammertone frames match the seat and back color). Three optional glide types are available for leg chairs: swivel poly/nylon, swivel steel and swivel felt glides. The swivel function allows the bottom of the glide to correctly match un-even floor conditions, resulting in less wear. Poly/nylon and felt glides are interchangeable and have easy-on/easy-off replaceable glide caps, which makes field replacement easy and efficient. Swivel poly glides are available in Stone color only. Optional glides for the sled base are co-extruded to provide a softer (non-skid) surface to protect the floor, but do not glide. Sled base chairs are also available with black nylon (plastic) glides and stainless steel glides.

Casters

4-leg chairs may be ordered with carpet casters instead of glides (does not apply to café stools). Casters are double-wheel (60 mm) high-impact thermoplastic and are available in black only.

Tablet Arm

Tablet support loop is a continuation of the rear leg and is available in left- or right-handed models. A formed steel hinge is welded to the top of the support structure, and secured with screws to the underside of the writing surface. Writing surface is 9 1/2" x 20 3/4" x 12 1/2" plywood care of 5/8" thick, 1 1-ply hardwood, surfaced with .030" high-pressure laminate top and plain backer undersurface. Edges are lacquered and sealed.

4-Leg Café Stool

4-leg models on glides are available in 24" and 30" seat heights. Stool-height units are equipped with a reinforcing foot ring made of a 1/2" diameter wire ring, which is open in the back to allow stacking of armless and cantilever arm stools.

Transport Dolly

Frame construction is welded tubular steel with a black powder-coated finish and 5" wheels (two swivel and two fixed). The dolly fits 4-leg or sled base chairs and has a capacity of fifteen poly chairs or eight upholstered chairs.

ChangeUp™ Tablet Arm

ChangeUp tablet support is integral to the chair frame and consists of a 7/8" diameter solid steel rod welded to the front and rear support tubes. A three-piece molded plastic armrest is included and attached to the chair frame using a #10 x 2 1/2" Phillips pan head tapping screw.

The tablet mechanism consists a die-cast aluminum housing, upper and lower plastic bearings, and 1 1-gauge steel clamp and tablet board support plates. The tablet mechanism is clamped onto the chair frame over two plastic bushing halves and a 5/16" diameter by 1 3/4" hardened steel pin with a die-cast aluminum cap secured with two 1/4-20 x 3/4" button socket head cap screws. The pin creates a solid 90° up/down pivot stop and the bushings provide a smooth, quiet operation. In the use position, the tablet mechanism rotates outward from the chair back an additional 20° and permits approximately 3 1/2" of adjustment for ingress/egress without stowing the tablet.

The tablet worksurface is 21" wide by 13 1/2" deep (235 square inches) is secured to the tablet board support plate with twelve #12 x 5/8" Phillips flat head tapping screws. The tablet board is made of 18 mm Baltic Birch plywood with .040" high-pressure laminate top surface and .02" thick phenolic backer surface for an overall board thickness of approximately 3/4". Edges are lacquered with a clear finish and sealed. The factory installed tablet assembly is not field installable and may not be removed.


Compliance

Support frame, mechanism and worksurface passes KI's internal testing for 250-pound weight capacity.




STATEMENT OF LINE

All models are available in polypropylene seat/backrest, upholstered seat/ polypropylene backrest, or upholstered seat/backrest.



SLNAP



SLNAPC



SLCAP



SLCAPC



SLLAP




SLLAPC



SLTAPRH



SLOVTAPRH




SLNAPWS




SLCAPWS




SLLAPWS



SSNAP



SSCAP



SSTAPRH




SSOVTAPRH




SLCUTAPRH



SLCUTAPCRH



SSCUTAPRH



SLSNAP




SLSCAP




SLSLAP

DIMENSIONS


Strive Armless 4-Leg Chair




Strive Armless 4-Leg Chair with Casters




Strive Armless Sled Base Chair




Strive 4-Leg Cantilever Armchair



Strive 4-Leg Loop Armchair




Strive Armless Sled Base Chair







Strive 4-Leg Tablet Armchair




Strive 4-Leg Oversized Tablet Armchair




Strive 4-Leg ChangeUp Tablet Armchair




Strive Armless 4-Leg Café Stool








Strive 4-Leg Cantilever Arm Café Stool



Strive 4-Leg Arm Café Stool



Strive Armless 4-Leg Café Stool





Frame Color		Seat and Back Color - Polypropylene Non Flame-Retardant		Tablet Arm Color - Laminate	
Black	BL			Beigewood	LBZ
Blue Grey	GR	Black	PBL	Belair	LBQ
Bronze Metallic	ZM	Blue Grey	PGR	Biltmore Cherry	LBT
Cayenne	CY	Cayenne	PCY	Black	LBK
Champagne Metallic	CM	Cool Grey	PCG	Brighton Walnut	LBW
Chrome	CH	Cottonwood	PCO	Castle Oak	LCO
Cool Grey	CG	Diamond Translucent	PDT	Cherry Storm	LCX
Cottonwood	CO	Earthen Clay	PEY	Classic Linen	LCI
Earthen Clay	EY	Everglade Shade	PEV	Cocobala	LCC
Espresso Metallic	EX	Flannel	PFN	Crisp Linen	LRI
Everglade Shade	EV	Hazy Jade	PHJ	Designer White	LDR
Flannel	FN	Honey Bee	PHY	Dove Grey	LDG
Glitz Metallic	GZ	Light Tone	PLG	Florence Walnut	LFC
Hazy Jade	HJ	Mardi Gras	PMG	Friston Ash	LFH
Honey Bee	HY	Misty Brown	PMY	Frosty White	LFW
Light Tone	LG	Nemo	PNE	Graphite Nebula	LGN
Mardi Gras	MG	Nordic	PND	Grey	LGE
Misty Brown	MY	Pewter Translucent	PPT	High Rise	LHE
Nemo	NE	Poppy Red	PPR	Hollyberry	LHY
Nordic	ND	Purple Haze	PPH	Island	LID
Poppy Red	PR	Rainforest	PRQ	Italian Silver Ash	LIT
Purple Haze	PH	Raw Jasper	PRJ	Kensington Maple	LKM
Rainforest	RQ	Rubber Ducky	PRK	Lapis Blue	LLB
Raw Jasper	RJ	Sand	PSA	Monticello Maple	LMT
Rubber Ducky	RK	Sky Blue	PSK	North Sea	LNA
Sand	SA	Surf's Up	PSP	Ocean	LON
Sky Blue	SK	Tarragon	PTQ	Pinnacle Walnut	LPW
Starlight Silver Metallic	SX	Twilight Shadow	PTI	River Cherry	LRY
Surf's Up	SP	Ultra Blue	PUB	Shadow Zephyr	LSR
Tarragon	TQ	Warm Grey	PWG	Sterling Ash	LAZ
Twilight Shadow	TI	Zesty Lime	PZL	Titanium Evolv	LTV
Ultra Blue	UB	Diamond Translucent and Pewter Translucent are only available on upholstered seat models.		White Nebula	LWL
Warm Grey	WG			White Sand	LWN
Zesty Lime	ZL			Windsor Mahogany	LWY
		Seat and Back Color - Polypropylene Flame-Retardant			
		Black	PBL		
		The above seating product can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.			
		*NOTE: When FR upholstery is selected, FR poly (black only) must be selected. NFR poly is not available with FR upholstery.			

Armcaps and glides match the frame color with the following exceptions:
-When frame color is chrome or metallic, the armcaps and glides will match poly color.
-When back is diamond translucent, armcaps are light tone.
-When back is pewter translucent, armcaps are flannel.

Casters for four-leg chairs are always black.

Finish Cards

View color swatches for items listed within this document.

Paints

Wood/Veneer

Molded Edges

Hard Plastics

Plastics/Poly

Laminates

Edge Styles

Glass

Certain options referenced may not be available on GSA Schedule.



		MODEL NUMBER																	
		Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Fire Code	Upholstery Color											
MODEL	Features								Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
 SLP SLU SLUB	Four-Leg Armless Chair • Flex back • Stacking	Polypropylene	SLNAP	☐ ☐	☐ ☐ ☐		☐	☐ ☐ ☐	20.00#	\$ 268									
		Upholstered Seat	SLNAU	☐ ☐	☐ ☐ ☐		☐	☐ ☐ ☐ ☐ ☐	23.00#	N/A	355	395	412	412	409	460	488	519	544
		Upholstered Seat/Back	SLNAUB	☐ ☐	☐ ☐ ☐		☐	☐ ☐ ☐ ☐ ☐	23.00#	N/A	429	469	485	485	484	536	564	593	617
 SLP SLU SLUB	Four-Leg Armless Chair with Casters • Flex back • Stacking (Caution should be used if stacking to prevent casters from damaging chair and frame) • Stacking on dollies is NOT recommended	Polypropylene, Casters	SLNAPC	☐ ☐	☐ ☐ ☐	☐		☐ ☐ ☐	26.00#	\$ 319									
		Uph. Seat, Casters	SLNAUC	☐ ☐	☐ ☐ ☐	☐		☐ ☐ ☐ ☐ ☐	29.00#	N/A	406	445	466	466	466	515	544	572	598
		Uph. Seat/Back, Casters	SLNAUBC	☐ ☐	☐ ☐ ☐	☐		☐ ☐ ☐ ☐ ☐	29.00#	N/A	481	519	539	539	537	589	617	644	673

A

B

C

D

E

F

G

A B C D E F G

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.
- D** Select casters.
C _____ - Carpet casters (black only)
S _____ - Hard floor casters (black only)
- E** Select glide option.
F _____ - Felt Glides
P _____ - Plastic glides
S _____ - Steel glides
- F** Select fire code.
NFR _____ - Compliance to TB 117-2013
FR _____ - Compliance to TB 133

G Select upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene
Added List Price=\$14

Model=Upholstered Seat
Added List Price=\$97

Model=Upholstered Seat and Back
Added List Price=\$137

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																			
		Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Fire Code	Upholstery Color													
MODEL	Features									Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
 SLP SLU SLUB	Four-Leg Cantilever Arm Chair • Flex back • Stacking	Polypropylene	SLCAP	☐ ☐	☐ ☐ ☐		☐	☐ ☐ ☐		23.00#	\$ 349										
		Upholstered Seat	SLCAU	☐ ☐	☐ ☐ ☐		☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐		26.00#	N/A	437	475	489	489	489	543	570	599	625
		Upholstered Seat/Back	SLCAUB	☐ ☐	☐ ☐ ☐		☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐		26.00#	N/A	510	548	565	565	565	616	643	674	697
 SLP SLU SLUB	Four-Leg Cantilever Arm Chair with Casters • Flex back • Stacking (Caution should be used if stacking to prevent casters from damaging chair and frame) • Stacking on dollies is NOT recommended	Polypropylene, Casters	SLCAPC	☐ ☐	☐ ☐ ☐ ☐	☐		☐ ☐ ☐		28.00#	\$ 400										
		Uph. Seat, Casters	SLCAUC	☐ ☐	☐ ☐ ☐ ☐	☐		☐ ☐ ☐ ☐ ☐ ☐		31.00#	N/A	487	527	546	546	544	597	625	652	679	
		Uph. Seat/Back, Casters	SLCAUBC	☐ ☐	☐ ☐ ☐ ☐	☐		☐ ☐ ☐ ☐ ☐ ☐		31.00#	N/A	562	600	618	618	616	668	697	727	752	
			A	B	C	D	E	F	G												

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.
- D**Select casters.

C_____ - Carpet casters (black only)

S_____ - Hard floor casters (black only)
- E**Select glide option.

F_____ - Felt Glides

P_____ - Plastic glides

S_____ - Steel glides
- F**Select fire code.

FR_____ - Compliance to TB 133

NFR_____ - Compliance to TB 117-2013

GSelect upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene
Added List Price=\$14

Model=Upholstered Seat
Added List Price=\$97

Model=Upholstered Seat and Back
Added List Price=\$137

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																		
			Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Fire Code	Upholstery Color												
MODEL	Features									Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
 SLP SLU SLUB	Four-Leg Loop Arm Chair • Flex back • Stacking	Polypropylene	SLLAP	☐ ☐	☐ ☐ ☐		☐	☐ ☐ ☐		25.00#	\$ 368										
		Upholstered Seat	SLLAU	☐ ☐	☐ ☐ ☐		☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐		27.00#	N/A	451	489	511	511	510	562	589	616	641
		Upholstered Seat/Back	SLLAUB	☐ ☐	☐ ☐ ☐		☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐		27.00#	N/A	525	565	581	581	581	633	660	687	714
 SLP SLU SLUB	Four-Leg Loop Arm Chair with Casters • Flex back • Stacking (Caution should be used if stacking to prevent casters from damaging chair and frame) • Stacking on dollies is NOT recommended	Polypropylene, Casters	SLLAPC	☐ ☐	☐ ☐ ☐ ☐	☐		☐ ☐ ☐ ☐		30.00#	\$ 418										
		Upholstered Seat, Casters	SLLAUC	☐ ☐	☐ ☐ ☐ ☐	☐		☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐		32.00#	N/A	505	546	565	565	562	611	641	674	694
		Uph. Seat/Back, Casters	SLLAUBC	☐ ☐	☐ ☐ ☐ ☐	☐		☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐		32.00#	N/A	579	618	637	637	633	685	714	744	767
			A	B	C	D	E	F	G												

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.
- D**Select casters.

C_____ - Carpet casters (black only)

S_____ - Hard floor casters (black only)
- E**Select glide option.

F_____ - Felt Glides

P_____ - Plastic glides

S_____ - Steel glides
- F**Select fire code.

NFR_____ - Compliance to TB 117-2013

FR_____ - Compliance to TB 133

GSelect upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene
Added List Price=\$14

Model=Upholstered Seat
Added List Price=\$97

Model=Upholstered Seat and Back
Added List Price=\$137

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																	
		Basic Model	Frame Color	Seat & Back Color	Glide Option	Tablet Arm Color	Fire Code	Upholstery Color											
MODEL	Features								Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
 SLP SLU SLUB	Four-Leg Tablet Arm Chair • Flex back • NONSTACKING	Polypropylene, Left Hand	SLTAPLH	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	33.00#	\$ 519									
		Polypropylene, Right Hand	SLTAPRH	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	33.00#	519									
		Uph. Seat, Left Hand	SLTAULH	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	35.00#	N/A	605	643	660	660	659	713	740	767	793
		Uph. Seat, Right Hand	SLTAURH	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	35.00#	N/A	605	643	660	660	659	713	740	767	793
		Uph. Seat/Back, Left Hand	SLTAUBLH	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	35.00#	N/A	679	716	735	735	733	785	813	841	867
		Uph. Seat/Back, Right Hand	SLTAUBRH	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	35.00#	N/A	679	716	735	735	733	785	813	841	867
 SLP SLU SLUB	Four-Leg Oversize Tablet Arm Chair • Oversized tablet • Flex back • NONSTACKING	Polypropylene, Left Hand	SLOVTAPLH	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	33.00#	\$ 605									
		Polypropylene, Right Hand	SLOVTAPRH	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	33.00#	605									
		Uph. Seat, Left Hand	SLOVTAULH	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	35.00#	N/A	688	726	743	743	742	796	823	851	876
		Uph. Seat, Right Hand	SLOVTaurH	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	35.00#	N/A	688	726	743	743	742	796	823	851	876
		Uph. Seat/Back, Left Hand	SLOVTAUBLH	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	35.00#	N/A	761	799	816	816	815	869	896	924	949
		Uph. Seat/Back, Right Hand	SLOVTAUBRH	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	35.00#	N/A	761	799	816	816	815	869	896	924	949

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.
- D**Select glide option.

F

P

S

- Felt Glides

- Plastic glides

- Steel glides
- E**Select tablet arm color.
Refer to the **Product Color Options** page in this price list.
- F**Select fire code.

FR

NFR

- Compliance to TB 133

- Compliance to TB 117-2013

GSelect upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene
Added List Price=\$14

Model=Upholstered Seat
Added List Price=\$97

Model=Upholstered Seat and Back
Added List Price=\$137

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



SLP
SLU
SLUB

Four-Leg ChangeUp Tablet Arm Chair with Glides

- Flexing Back
- Large work surface (21"W x 13.3"D)
- Work surface flips and folds
- Work surface has 20 degrees of ingress/egress movement
- Work surface rated to 250 pounds
- Chair rated to 400 pounds

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.
Refer to the **Product Color Options** page in this price list.

B Select frame color.
Refer to the **Product Color Options** page in this price list.

C Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.

D Select glide option.

F	- Felt Glides
P	- Plastic glides
S	- Steel glides

E Select tablet arm color.
Refer to the **Product Color Options** page in this price list.

F Select fire code.

FR	- Compliance to TB 133
NFR	- Compliance to TB 117-2013

See Upholstery Information for TB133

G Select upholstery grade/color.
Refer to **ki.com/fabrics**

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene
Added List Price=\$14

Model=Upholstered Seat
Added List Price=\$97

Model=Upholstered Seat and Back
Added List Price=\$137

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



	Features	MODEL NUMBER																
		Basic Model	Frame Color	Seat & Back Color	Caster Type	Tablet Arm Color	Fire Code	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
 SLP SLU SLUB Four-Leg ChangeUp Tablet Arm Chair with Casters - Flexing Back - Large work surface (21"W x 13.3"D) - Work surface flips and folds - Work surface has 20 degrees of ingress/egress movement - Work surface rated to 250 pounds - Chair rated to 400 pounds	Polypropylene, Left Hand	SLCUTAPCLH	☐	☐	☐	☐	☐		33.00#	\$ 815								
	Polypropylene, Right Hand	SLCUTAPCRH	☐	☐	☐	☐	☐		33.00#	815								
	Upholstered Seat, Left Hand	SLCUTAUCHLH	☐	☐	☐	☐	☐	☐	35.50#	N/A	901	941	961	961	961	1011	1040	1068
	Upholstered Seat, Right Hand	SLCUTAUCRH	☐	☐	☐	☐	☐	☐	35.50#	N/A	901	941	961	961	961	1011	1040	1068
	Upholstered Seat/Back, Left Hand	SLCUTAUBCLH	☐	☐	☐	☐	☐	☐	36.70#	N/A	975	1013	1034	1034	1032	1085	1112	1140
	Upholstered Seat/Back, Right Hand	SLCUTAUBCRH	☐	☐	☐	☐	☐	☐	36.70#	N/A	975	1013	1034	1034	1032	1085	1112	1140
		A	B	C	D	E	F	G										

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.
- D**Select casters.

S - Hard floor casters (black only)

C - Carpet casters
- E**Select tablet arm color.
Refer to the **Product Color Options** page in this price list.
- F**Select fire code.

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.
- G**Select upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene
Added List Price=\$14

Model=Upholstered Seat
Added List Price=\$97

Model=Upholstered Seat and Back
Added List Price=\$137

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																		
			Basic Model	Frame Color	Seat & Back Color	Glide Option	Fire Code	Upholstery Color													
MODEL			Features							Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
	Four-Leg Wallsaver Armless Chair • Flex back • Stacking • Wallsaver rear legs touch base of wall preventing chair back from contacting wall surface	Polypropylene	SLNAPWS	☐ ☐	☐ ☐ ☐	S	☐ ☐ ☐ ☐			20.00#	\$ 328										
		Upholstered Seat	SLNAUWS	☐ ☐	☐ ☐ ☐	S	☐ ☐ ☐ ☐ ☐ ☐			23.00#	N/A	412	448	471	471	468	519	548	577	602	
		Upholstered Seat/Back	SLNAUBWS	☐ ☐	☐ ☐ ☐	S	☐ ☐ ☐ ☐ ☐ ☐			23.00#	N/A	485	524	543	543	541	593	619	649	676	
SLP																					
SLU																					
SLUB																					
	Four-Leg Wallsaver Cantilever Arm Chair • Flex back • Stacking • Wallsaver rear legs touch base of wall preventing chair back from contacting wall surface	Polypropylene	SLCAPWS	☐ ☐	☐ ☐ ☐	S	☐ ☐ ☐ ☐			23.00#	\$ 406										
		Upholstered Seat	SLCAUWS	☐ ☐	☐ ☐ ☐	S	☐ ☐ ☐ ☐ ☐ ☐			26.00#	N/A	491	532	550	550	548	600	630	657	682	
		Upholstered Seat/Back	SLCAUBWS	☐ ☐	☐ ☐ ☐	S	☐ ☐ ☐ ☐ ☐ ☐			26.00#	N/A	566	605	623	623	623	675	701	731	756	
SLP																					
SLU																					
SLUB																					
	Four-Leg Wallsaver Loop Arm Chair • Flex back • Stacking • Wallsaver rear legs touch base of wall preventing chair back from contacting wall surface	Polypropylene	SLLAPWS	☐ ☐	☐ ☐ ☐	S	☐ ☐ ☐ ☐			25.00#	\$ 427										
		Upholstered Seat	SLLAUWS	☐ ☐	☐ ☐ ☐	S	☐ ☐ ☐ ☐ ☐ ☐			27.00#	N/A	512	550	567	567	566	617	646	676	697	
		Upholstered Seat/Back	SLLAUBWS	☐ ☐	☐ ☐ ☐	S	☐ ☐ ☐ ☐ ☐ ☐			27.00#	N/A	583	623	640	640	638	688	719	746	772	
SLP																					
SLU																					
SLUB																					
				A	B	C	D	E	F												

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select seat and back color.
Refer to the **Product Color Options** page in this price list.
- D**Select glide option.

SSteel glides
- E**Select fire code.

FRCompliance to TB 133

NFRCompliance to TB 117-2013
- F**Select upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see “Ordering C.O.M., C.O.V. and C.O.L.” section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene
Added List Price=\$14

Model=Upholstered Seat
Added List Price=\$97

Model=Upholstered Seat and Back
Added List Price=\$137

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																	
		Basic Model	Frame Color	Seat & Back Color	Glide Option	Fire Code	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
 SSP SSU SSUB	Sled Base Armless Chair • Flex back • Stacking	Polypropylene	SSNAP	☐ ☐	☐ ☐ ☐	☐ ☐ ☐		22.00#	\$ 305										
		Upholstered Seat	SSNAU	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	25.00#	N/A	391	432	445	445	445	497	525	553	579	
		Upholstered Seat/Back	SSNAUB	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	25.00#	N/A	465	501	519	519	519	570	599	626	651	
 SSP SSU SSUB	Sled Base Cantilever Arm Chair • Flex back • Stacking	Polypropylene	SSCAP	☐ ☐	☐ ☐ ☐	☐ ☐ ☐		24.00#	\$ 387										
		Upholstered Seat	SSCAU	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	27.00#	N/A	473	511	527	527	525	577	607	636	659	
		Upholstered Seat/Back	SSCAUB	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	27.00#	N/A	544	581	600	600	598	649	680	707	733	

A

B

C

D

E

F

A **B** **C** **D** **E** **F**

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.
- D**Select glide option.

NG

- No glides

GFT

- Felt glides

GBL

- Black plastic glides

NS

- Non-skid glides

GSS

- Stainless steel glide
- E**Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133
- F**Select upholstery grade/color.
Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene
Added List Price=\$14

Model=Upholstered Seat
Added List Price=\$97

Model=Upholstered Seat and Back
Added List Price=\$137

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																		
MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Tablet Arm Color	Fire Code	Upholstery Color		Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Sled Base Tablet Arm Chair • Flex back • NONSTACKING	Polypropylene, Left Hand	SSTAPLH	☐	☐	☐	☐	☐		31.00#	\$ 579									
		Polypropylene, Right Hand	SSTAPRH	☐	☐	☐	☐	☐		31.00#	579									
		Uph. Seat, Left Hand	SSTAULH	☐	☐	☐	☐	☐	☐	33.00#	N/A	666	704	724	724	718	772	803	828	854
		Uph. Seat, Right Hand	SSTAURH	☐	☐	☐	☐	☐	☐	33.00#	N/A	666	704	724	724	718	772	803	828	854
		Upholstered Seat/Back	SSTAUBLH	☐	☐	☐	☐	☐	☐	33.00#	N/A	737	776	797	797	792	844	878	900	927
		Upholstered Seat/Back	SSTAUBRH	☐	☐	☐	☐	☐	☐	33.00#	N/A	737	776	797	797	792	844	878	900	927
SSP																				
SSU																				
SSUB																				
	Sled Base Oversize Tablet Arm Chair • Oversized tablet • Flex back • NONSTACKING	Polypropylene, Left Hand	SSOVTAPLH	☐	☐	☐	☐	☐		31.00#	\$ 666									
		Polypropylene, Right Hand	SSOVTAPRH	☐	☐	☐	☐	☐		31.00#	666									
		Uph. Seat, Left Hand	SSOVTAPLH	☐	☐	☐	☐	☐	☐	33.00#	N/A	752	790	810	810	804	856	887	914	938
		Uph. Seat, Right Hand	SSOVTAPRH	☐	☐	☐	☐	☐	☐	33.00#	N/A	752	790	810	810	804	856	887	914	938
		Uph. Seat/Back, Left Hand	SSOVTAPLH	☐	☐	☐	☐	☐	☐	33.00#	N/A	824	860	882	882	879	929	961	986	1011
		Uph. Seat/Back, Right Hand	SSOVTAPRH	☐	☐	☐	☐	☐	☐	33.00#	N/A	824	860	882	882	879	929	961	986	1011
SSP																				
SSU																				
SSUB																				
			A	B	C	D	E	F	G											

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.
- D**Select glide option.

NG

- No glides

GFT

- Felt glides

GBL

- Black plastic glides

NS

- Non-skid glides

GSS

- Stainless steel glide
- E**Select tablet arm color.
Refer to the **Product Color Options** page in this price list.

- F**Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133
- G**Select upholstery grade/color.
Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene
Added List Price=\$14

Model=Upholstered Seat
Added List Price=\$97

Model=Upholstered Seat and Back
Added List Price=\$137

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



	Features	MODEL NUMBER																
		Basic Model	Frame Color	Seat & Back Color	Glide Option	Tablet Arm Color	Fire Code	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
 SSP SSU SSUB Sled Base ChangeUp Tablet Arm Chair - Flexing Back - Large work surface (21"W x 13.3"D) - Work surface flips and folds - Work surface has 20 degrees of ingress/egress movement - Work surface rated to 250 pounds - Chair rated to 400 pounds	Polypropylene, Left Hand	SSCUTAPLH	□□	□□□	□	□□□	□□□		35.00#	\$ 801								
	Polypropylene, Right Hand	SSCUTAPRH	□□	□□□	□	□□□	□□□		35.00#	801								
	Upholstered Seat, Left Hand	SSCUTAU LH	□□	□□□	□	□□□	□□□	□□□□□	37.50#	N/A	887	928	941	941	941	993	1021	1049
	Upholstered Seat, Right Hand	SSCUTAU RH	□□	□□□	□	□□□	□□□	□□□□□	37.50#	N/A	887	928	941	941	941	993	1021	1049
	Upholstered Seat/Back, Left Hand	SSCUTAU BLH	□□	□□□	□	□□□	□□□	□□□□□	38.70#	N/A	958	996	1013	1013	1013	1066	1095	1122
	Upholstered Seat/Back, Right Hand	SSCUTAU BRH	□□	□□□	□	□□□	□□□	□□□□□	38.70#	N/A	958	996	1013	1013	1013	1066	1095	1122
		A	B	C	D	E	F	G										

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.
- D**Select glide option.

NG

- No glides

GFT

- Felt glides

GBL

- Black plastic glides

NS

- Non-skid glides

GSS

- Stainless steel glide
- E**Select tablet arm color.
Refer to the **Product Color Options** page in this price list.

- F**Select fire code.

FR

- Compliance to TB 133

NFR

- Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- G**Select upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene
Added List Price=\$14

Model=Upholstered Seat
Added List Price=\$97

Model=Upholstered Seat and Back
Added List Price=\$137

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



MODEL	MODEL NUMBER			
	Basic Model	Approx. Packaged Weight	Delivered Pricing	
 STA01	Transport Dolly for 4-Leg and Sled Base Chairs	SCDA.BL	31.00#	\$ 590
	• Easy maneuverability with 5" casters: two fixed, two swivel			
	• Rugged weld tubular steel frame			
	• Black powder-coated finish			
 AC800	Universal Dolly Handle	UDH.BL	9.00#	\$ 210
	• Field installable			
	• Provides convenient handle for relocating dolly when empty or loaded			
	• Overall dolly height with handle is 37"			

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Strive® Stack Seating
Cafe Stool



Strive® Stack Seating
Cafe Stool

		MODEL NUMBER																		
		Basic Model	Seat Height	Frame Color	Seat & Back Color	Glide Option	Fire Code	Upholstery Color												
 SLSP SLSU SLSUB	Four-Leg Armless Cafe Stool • Flex back • Stacking • Two seat heights	Polypropylene	SLSNAP	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐ ☐ ☐		Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
		Upholstered Seat	SLSNAU	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐ ☐		31.00#	\$ 400									
		Upholstered Seat/Back	SLSNAUB	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐ ☐		33.00#	N/A	487	527	546	546	544	597	625	652	679
										33.00#	N/A	562	600	618	618	616	668	697	727	752
 SLSP SLSU SLSUB	Four-Leg Cantilever Arm Cafe Stool • Flex back • Stacking • Two seat heights	Polypropylene	SLSCAP	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐ ☐ ☐		33.00#	\$ 484									
		Upholstered Seat	SLSCAU	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐ ☐		35.00#	N/A	568	608	626	626	625	678	704	733	758
		Upholstered Seat/Back	SLSCAUB	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐ ☐		35.00#	N/A	641	681	699	699	695	750	776	807	832
 SLSP SLSU SLSUB	Four-Leg Loop Arm Cafe Stool • Flex back • NONSTACKING • Two seat heights	Polypropylene	SLSLAP	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐ ☐ ☐		35.00#	\$ 500									
		Upholstered Seat	SLSLAU	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐ ☐		37.00#	N/A	585	626	643	643	641	693	724	752	774
		Upholstered Seat/Back	SLSLAUB	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐ ☐		37.00#	N/A	659	699	716	716	714	765	797	824	849

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select seat height.

24

- 24” Seat Height

30

- 30” Seat Height
- C**Select frame color.

Refer to the **Product Color Options** page in this price list.
- D**Select poly seat and back color.

Refer to the **Product Color Options** page in this price list.
- E**Select glide option.

F

- Felt Glides

P

- Plastic glides

S

- Steel glides
- F**Select fire code.

FR

- Compliance to TB 133

NFR

- Compliance to TB 117-2013

GSelect upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene
Added List Price=\$14

Model=Upholstered Seat
Added List Price=\$97

Model=Upholstered Seat and Back
Added List Price=\$137

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



			
High Density Stacking Chair with Poly Seat (SWNA)		High Density Stacking Chair with Uph. Seat Pad (SWNAU)	
Features			
Stackable	•	•	
Poly or upholstered seat	•	•	
Flex back	•	•	
General Dimensions			
Seat width	17-3/4"	17-3/4"	
Seat depth	18-1/2"	18-1/2"	
Seat height	18"	18"	
Tablet to chair back clearance			
Overall Dimensions			
Width	19-1/2"	19-1/2"	
Depth	22-1/4"	22-1/4"	
Height	32-1/2"	32-1/2"	
Stacking on Dolly			
Overall width	22-1/2"	22-1/2"	
Overall depth	45"	39"	
Quantity/height	30 Chairs/77" High	15 Chairs/65" High	
Stacking on Floor			
Width	19-1/2"	19-1/2"	
Depth	29-1/2"	30"	
Quantity/height	6 Chairs/37-1/2" High	5 Chairs/41" High	

																			
High Density Stacking Stool with Poly Seat, 24" Height (SWSNA/24)					High Density Stacking Stool with Uph Seat, 24" Height (SWSNAU/24)					High Density Stacking Stool with Poly Seat, 30" Height (SWSNA/30)					High Density Stacking Stool with Uph Seat, 30" Height (SWSNAU/30)				
Features																			
Stackable					•					•					•				
Poly or upholstered seat					•					•					•				
Flex back					•					•					•				
General Dimensions																			
Seat width					17-3/4"					17-3/4"					17-3/4"				
Seat depth					18-1/2"					18-1/2"					18-1/2"				
Seat height					24"					24"					30"				
Overall Dimensions																			
Width					19-1/2"					19-1/2"					19-1/2"				
Depth					23-1/2"					23-1/2"					24-1/2"				
Height					38-1/2"					38-1/2"					44-1/2"				
Stacking on Dolly																			
Overall width					21"					21"					21"				
Overall depth					49-1/2"					52"					51-1/2"				
Quantity/height					20 Stools/66" High					10 Stools/54-1/2" High					20 Stools/69" High				
Stacking on Floor																			
Width					19-1/2"					19-1/2"					19-1/2"				
Depth					31"					31"					32"				
Quantity/height					6 Stools/43-1/2" High					5 Stools/47" High					6 Stools/49-1/2" High				

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

Design

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found [here](#).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit [ki.com](#)



Transport Dolly for Chairs
(WSCD.BL)

Transport Dolly for Stools
(WSSD.BL)

Overall Dimensions		
Width	22-3/8"	21"
Depth	25-5/8"	26-1/2"

TECHNICAL SPECIFICATIONS

Seat
Injection-molded polypropylene seat.

Backrest
Injection molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5 mm diameter chrome silicon valve spring wire. Top of backrest has an integral handle for ease of lifting and stacking.

Chair & Stool Frames & Finishes
7/16" solid steel rod, all joints welded. Finished in bright nickel-chrome or with electrostatically-appliec epoxy powder-coat paint.

Optional Upholstered Seat
Molded urethane foam (soy based) is attached to an injection-molded polypropylene seat board, the upholstered using a draw-string process. The assembled seat pad is attached to the seat by means o' hidden fasteners. Note: upholstered seat is required with translucent poly backs.

Transport Dolly
Tubular and plate steel welded together. 5" casters: two fixed, two swivel. Powder-coated finish.

—


STATEMENT OF LINE

All models are available in polypropylene seat/backrest or upholstered seat/polypropylene backrest.

Strive High-Density Sled Base Stack Chair




SWNA with SWTAR




SWNA

Strive High-Density Sled Base Stack Stools




SWSNAP24




SWSNAP30




Strive High-Density Sled Base Chair -
Polypropylene Seat & Backrest




Strive High-Density Sled Base Chair -
Upholstered Seat & Polypropylene Backrest




Strive High-Density 24" Sled Base Stool -
Polypropylene Seat & Backrest




Strive High-Density 24" Sled Base Stool -
Upholstered Seat & Polypropylene Backrest



Strive High-Density 30" Sled Base Stool -
Polypropylene Seat & Backrest



Strive High-Density 30" Sled Base Stool -
Upholstered Seat & Polypropylene Backrest





Frame Color		Seat and Back Color - Polypropylene Non Flame-Retardant	
Black	BL	Black	PBL
Blue Grey	GR	Blue Grey	PGR
Bronze Metallic	ZM	Cayenne	PCY
Cayenne	CY	Cool Grey	PCG
Champagne Metallic	CM	Cottonwood	PCO
Chrome	CH	Diamond Translucent*	PDT
Cool Grey	CG	Earthen Clay	PEY
Cottonwood	CO	Everglade Shade	PEV
Earthen Clay	EY	Flannel	PFN
Espresso Metallic	EX	Hazy Jade	PHJ
Everglade Shade	EV	Honey Bee	PHY
Flannel	FN	Light Tone	PLG
Glitz Metallic	GZ	Mardi Gras	PMG
Hazy Jade	HJ	Misty Brown	PMY
Honey Bee	HY	Nemo	PNE
Light Tone	LG	Nordic	PND
Mardi Gras	MG	Pewter Translucent*	PPT
Misty Brown	MY	Poppy Red	PPR
Nemo	NE	Purple Haze	PPH
Nordic	ND	Rainforest	PRQ
Poppy Red	PR	Raw Jasper	PRJ
Purple Haze	PH	Rubber Ducky	PRK
Rainforest	RQ	Sand	PSA
Raw Jasper	RJ	Sky Blue	PSK
Rubber Ducky	RK	Surf's Up	PSP
Sand	SA	Tarragon	PTQ
Sky Blue	SK	Twilight Shadow	PTI
Starlight Silver Metallic	SX	Ultra Blue	PUB
Surf's Up	SP	Warm Grey	PWG
Tarragon	TQ	Zesty Lime	PZL
Twilight Shadow	TI		
Ultra Blue	UB		
Warm Grey	WG		
Zesty Lime	ZL		

Armcaps and glides match the frame color with the following exceptions:
-When frame color is chrome or metallic, the armcaps and glides will match poly color.
-When back is diamond translucent, armcaps are light tone.
-When back is pewter translucent, armcaps are flannel.

Casters for four-leg chairs are always black.

*Diamond Translucent and Pewter Translucent are only available on upholstered seat models.

Seat and Back Color - Polypropylene Flame-Retardant	
Black	PBL
The above seating product can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.	

*NOTE: When FR upholstery is selected, FR poly (black only) must be selected. NFR poly is not available with FR upholstery.


Finish Cards

View color swatches for items listed within this document.

- Paints
- Plastics/Poly
- Wood/Veneer
- Laminates
- Molded Edges
- Edge Styles
- Hard Plastics
- Glass

Certain options referenced may not be available on GSA Schedule.



			MODEL NUMBER																	
			Basic Model	Frame Color	Seat & Back Color	Upholstery Color	Glide Option	Fire Code												
MODEL	Features							Approx. Packaged Weight		Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
 SWSCP SWSCU	Armless Chair • Flex back	Polypropylene	SWNA	☐ ☐	☐ ☐ ☐ ☐		☐ ☐	☐ ☐ ☐	17.00#	\$ 263										
		Upholstered Seat	SWNAU	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐	17.00#	N/A	351	391	406	406	405	455	486	515	541	
STA01	Transport Dolly - HD Chair • Accomodates up to 30 poly HD chairs or 15 upholstered HD chairs • Easy maneuverability with 5” casters: two fixed, two swivel • Black powder-coated finish		WSCD.BL						30.00#	\$ 584										
 AC800	Universal Dolly Handle • Field installable • Provides convenient handle for relocating dolly when empty or loaded • Overall dolly height with handle is 37”		UDH.BL						9.00#	\$ 210										

A

B

C

D

E

F

A **B** **C** **D** **E** **F**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select seat and back color.
Refer to the **Product Color Options** page in this price list.
- D**Select upholstery grade/color.
Refer to **ki.com/fabrics**
- E**Select glide option.
- | | |
|-----------|--------------------------------|
| G | - Ganging polycarbonate glides |
| GS | - Ganging steel glides |
| NG | - No glides |
| F | - Replaceable Felt Glides |
| H | - Polycarbonate glides |
| NS | - PVC non-skid glides |
| S | - Stainless steel glides |

- F**Select fire code.
- | | |
|------------|-----------------------------|
| NFR | - Compliance to TB 117-2013 |
| FR | - Compliance to TB 133 |

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene
Added List Price=\$14

Model=Upholstered Seat
Added List Price=\$97

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																		
			Basic Model	Seat Height	Frame Color	Seat & Back Color	Upholstery Color	Glide Option	Fire Code												
MODEL	Features																				
	Armless Stool • Flex Back • Two seat heights (24" & 30") • 24" H stool specified for use with 36" H tables • 30" H stool specified for use with 42" H tables	Polypropylene	SWSNA	☐ ☐	☐ ☐	☐ ☐ ☐		☐ ☐	☐ ☐ ☐												
		Upholstered Seat	SWSNAU	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐												
SWSSP																					
SWSSU																					
	Transport Dolly - Stool • Easy maneuverability with 5" casters: two fixed, two swivel • Black powder-coated finish		WSSD.BL																		
STA01																					
	Universal Dolly Handle • Field installable • Provides convenient handle for relocating dolly when empty or loaded • Overall dolly height with handle is 37"		UDH.BL																		
AC800																					
			A	B	C	D	E	F	G												

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select seat height.

24

- 24" Seat Height

30

- 30" Seat Height
- C**Select frame color.
- Refer to the **Product Color Options** page in this price list.
- D**Select seat and back color.
- Refer to the **Product Color Options** page in this price list.
- E**Select upholstery grade/color.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F**Select glide option.
- G**

- Ganging polycarbonate glides
- GS**

- Ganging steel glides
- NG**

- No glides
- H**

- Polycarbonate glides
- NS**

- PVC non-skid glides

- S**- Stainless steel glides
- G**Select fire code.
- FR**

- Compliance to TB 133
- NFR**

- Compliance to TB 117-2013

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene
Added List Price=\$14

Model=Upholstered Seat
Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Cantilever Armchair
(SNCAU)



Armless Chair
(SNNAP)



Tablet Arm Chair (SNTAURH)

Oversize Tablet Arm Chair

Features				
Poly or upholstered seat	•	•	•	•
Flex back	•	•	•	•
Flip-up seat	•	•	•	•
Integral handle	•	•	•	•
Nesting	•	•	•	•
General Dimensions				
Seat width	17"	17"	17"	17"
Seat depth	18"	18"	18"	18"
Seat height (upholstered add 1")	16-1/2"	16-1/2"	16-1/2"	16-1/2"
Tablet to chair back clearance			14"	14"
Overall Dimensions				
Width	23"	23"	24"	24"
Depth	22-3/4"	22-3/4"	29"	32"
Height	33-3/4"	33-3/4"	33-3/4"	33-3/4"
Top of arm to floor	25-1/2"		28-1/4"	28-1/4"
Nesting (two chairs) (upholstered add 1")	28-1/2"	28-1/2"	34-3/4"	37-3/4"
Nesting - For each additional chair, add 5-3/4" (upholstered add 1")				

TECHNICAL SPECIFICATIONS

Seat and Backrest

Seat is two-piece construction of injection-molded polypropylene, reinforced with internal steel channels, and assembled using hidden fasteners. The seat is available in a poly version or upholstered. For the upholstered version, molded urethane foam (1" depth) is applied to the seat board. Fabric is then upholstered over the foam using a drawstring process. Note: upholstered seat is required with translucent poly backs.

Backrest is injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5 mm diameter chrome silicon valve spring wire. Backrest is available poly only. Backrest has an integral, molded "handle".

Seat flips up to allow chairs to nest for storage and transport.

Seat assembly and backrest are field replaceable.

Frame

The legs are 1", 13-gauge high-strength steel tubing. All frame joints are welded.

Frame Finishes

Frames are finished in either baked-on electrostatically-applied 30 gloss epoxy powder-coat paint, or bright nickel chrome plating.

Casters/Glides

Double wheels (60 mm) of high-impact thermoplastic. High-impact plastic frame. Casters are always black. Carpet or hard floor. Bell glide (2" high) made of high-impact plastic also available, black only.

Arms

Optional fixed-position T-arms are available. Arm supports are a continuation of the frame crossmember tube, with injection-molded polypropylene arm caps attached by screws. The armcaps are injection-molded glass filled polypropylene matching the frame finish (when frame finish is Chrome, hammertones, or Starlight Silver metallic, armcaps match the seat and back color; when back is Diamond trnaslucent, armcaps are Light Tone; when back is Pewter translucent, armcaps are Flannel).

Tablet Arm

An optional tablet arm is available on either the right or left-hand side. When so equipped, the tablet arm support structure is a continuation of the frame crossmember tube. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is 9½" x 20¾" x 12½" and oversize tablet is 15½" x 22½" x 14" plywood core of 5⁄8" thick, 1 1-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Tablet arm flips up for easy access. Edges are lacquered and sealed.

INFORMATION

C.O.M Testing and Production Require-
ments

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.


INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



DIMENSIONS




Nesting Footprint Calculation: Overall Length of a Row = 24.25" (1 chair) + 6.5" (additional chairs)


- Examples:
- 2 Chairs: 24.25" (1 chair) + 6.5" (1 chair) = 30.75"
 - 16 Chairs: 24.25" (1 chair) + 6.5" (15 chairs) = 121.75"

STATEMENT OF LINE

Strive Nesting Armless Chair




Strive Nesting Cantilever Armchair




STATEMENT OF LINE

Strive Nesting Tablet Arm Chair



Strive Nesting Oversized Tablet Arm Chair





Frame Color		Seat and Back Color - Polypropylene Non Flame-Retardant		Tablet Arm Color - Laminate	
Black	BL			Beigewood	LBZ
Blue Grey	GR	Black	PBL	Belair	LBQ
Bronze Metallic	ZM	Blue Grey	PGR	Biltmore Cherry	LBT
Cayenne	CY	Cayenne	PCY	Black	LBK
Champagne Metallic	CM	Cool Grey	PCG	Brighton Walnut	LBW
Chrome	CH	Cottonwood	PCO	Castle Oak	LCO
Cool Grey	CG	Diamond Translucent	PDT	Cherry Storm	LCX
Cottonwood	CO	Earthen Clay	PEY	Classic Linen	LCI
Earthen Clay	EY	Everglade Shade	PEV	Cocobala	LCC
Espresso Metallic	EX	Flannel	PFN	Crisp Linen	LRI
Everglade Shade	EV	Hazy Jade	PHJ	Designer White	LDR
Flannel	FN	Honey Bee	PHY	Dove Grey	LDG
Glitz Metallic	GZ	Light Tone	PLG	Florence Walnut	LFC
Hazy Jade	HJ	Mardi Gras	PMG	Friston Ash	LFH
Honey Bee	HY	Misty Brown	PMY	Frosty White	LFW
Light Tone	LG	Nemo	PNE	Graphite Nebula	LGN
Mardi Gras	MG	Nordic	PND	Grey	LGE
Misty Brown	MY	Pewter Translucent	PPT	High Rise	LHE
Nemo	NE	Poppy Red	PPR	Hollyberry	LHY
Nordic	ND	Purple Haze	PPH	Island	LID
Poppy Red	PR	Rainforest	PRQ	Italian Silver Ash	LIT
Purple Haze	PH	Raw Jasper	PRJ	Kensington Maple	LKM
Rainforest	RQ	Rubber Ducky	PRK	Lapis Blue	LLB
Raw Jasper	RJ	Sand	PSA	Monticello Maple	LMT
Rubber Ducky	RK	Sky Blue	PSK	North Sea	LNA
Sand	SA	Surf's Up	PSP	Ocean	LON
Sky Blue	SK	Tarragon	PTQ	Pinnacle Walnut	LPW
Starlight Silver Metallic	SX	Twilight Shadow	PTI	River Cherry	LRY
Surf's Up	SP	Ultra Blue	PUB	Shadow Zephyr	LSR
Tarragon	TQ	Warm Grey	PWG	Sterling Ash	LAZ
Twilight Shadow	TI	Zesty Lime	PZL	Titanium Evolv	LTV
Ultra Blue	UB			White Nebula	LWL
Warm Grey	WG			White Sand	LWN
Zesty Lime	ZL			Windsor Mahogany	LWY

Armcaps and glides match the frame color with the following exceptions:
-When frame color is chrome or metallic, the armcaps and glides will match poly color.
-When back is diamond translucent, armcaps are light tone.
-When back is pewter translucent, armcaps are flannel.

Diamond Translucent and Pewter Translucent are only available on upholstered seat models.

Seat and Back Color - Polypropylene
Flame-Retardant

Black	PBL
-------	-----

The above seating product can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

*NOTE: When FR upholstery is selected, FR poly (black only) must be selected. NFR poly is not available with FR upholstery.

Casters for four-leg chairs are always black.

Finish Cards

View color swatches for items listed within this document.

Paints

Wood/Veneer

Molded Edges

Hard Plastics

Plastics/Poly

Laminates

Edge Styles

Glass

Certain options referenced may not be available on GSA Schedule.



		MODEL NUMBER																	
		Basic Model	Frame Color	Poly Seat/ Back Color	Base	Fire Code	Upholstery Color	Approx. Packaged Weight	Delivered Pricing		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
 SNP	Armless Chair with Poly Seat • Flex back • Nests	SNNAP	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐		23.00#	\$ 570										
 SNU	Armless Chair with Upholstered Seat • Flex back • Nests	SNNAU	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	23.00#	N/A		\$ 652	\$ 688	\$ 707	\$ 707	\$ 704	\$ 756	\$ 782	\$ 812	\$ 835
 SNP	Arm Chair with Poly Seat • Flex back • Nests	SNCAP	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐		25.00#	\$ 647										
 SNU	Arm Chair with Upholstered Seat • Flex back • Nests	SNCAU	☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐ ☐ ☐	25.00#	N/A		\$ 732	\$ 767	\$ 785	\$ 785	\$ 781	\$ 833	\$ 858	\$ 888	\$ 913
		A	B	C	D	E	F												

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select poly seat and back color
Refer to the **Product Color Options** page in this price list.
- D**Select base option.

G	- Bell glides (black only)
C	- Carpet casters (black only)
S	- Hard floor casters (black only)
- E**Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133
- F**Select upholstery grade/color.
Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene
Added list price=\$14

Model=Upholstered Seat
Added list price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																		
		Basic Model	Frame Color	Poly Seat/ Back Color	Base	Tablet Arm Color	Fire Code	Upholstery Color												
MODEL									Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
 SNP	Tablet Arm Chair with Poly Seat • Flex back • Nests	SNTAPRH	☐	☐	☐	☐	☐	☐	28.00#	\$ 812										
		SNTAPLH	☐	☐	☐	☐	☐	☐	☐	28.00#	812									
 SNU	Tablet Arm Chair with Upholstered Seat • Flex back • Nests	SNTAURH	☐	☐	☐	☐	☐	☐	28.00#	N/A	\$ 894	\$ 930	\$ 947	\$ 947	\$ 945	\$ 996	\$ 1022	\$ 1052	\$ 1077	
		SNTAULH	☐	☐	☐	☐	☐	☐	☐	28.00#	N/A	894	930	947	947	945	996	1022	1052	1077
 SNP	Oversize Tablet Arm Chair with Poly Seat • Flex back • Nests	SNOVTAPRH	☐	☐	☐	☐	☐	☐	28.00#	\$ 894										
		SNOVTAPLH	☐	☐	☐	☐	☐	☐	☐	28.00#	894									
 SNU	Oversize Tablet Arm Chair with Upholstered Seat • Flex back • Nests	SNOVTAURH	☐	☐	☐	☐	☐	☐	28.00#	N/A	\$ 977	\$ 1012	\$ 1031	\$ 1031	\$ 1026	\$ 1079	\$ 1107	\$ 1136	\$ 1158	
		SNOVTAULH	☐	☐	☐	☐	☐	☐	☐	28.00#	N/A	977	1012	1031	1031	1026	1079	1107	1136	1158
		A	B	C	D	E	F	G												

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select frame color.
Refer to the **Product Color Options** page in this price list.

C Select poly seat and back color
Refer to the **Product Color Options** page in this price list.

D Select base option.
G _____ - Bell glides (black only)
C _____ - Carpet casters (black only)
S _____ - Hard floor casters (black only)

E Select tablet arm color.
Refer to the **Product Color Options** page in this price list.

F Select fire code.
NFR _____ - Compliance to TB 117-2013
FR _____ - Compliance to TB 133

G Select upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene
Added list price=\$14

Model=Upholstered Seat
Added list price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Features				
Arm	•	•	•	•
Corner tables	•	•	•	•
In-line tables	•	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	18"	18"	18"	18"
Seat depth	18"	18"	18"	18"
Seat height	17"	17"	17"	17"
Unit width (with arms)	28"	50"	72"	94"
Unit width (no arms)	20"	44"	66"	86"
Unit height	33"	33"	33"	33"
Corner table top	30" x 30"	30" x 30"	30" x 30"	30" x 30"
In-line table	20" x 20"	20" x 20"	20" x 20"	20" x 20"
Table height (all table models)	17"	17"	17"	17"
Width between arms (inside arm)	18"	18"	18"	18"
Arm height from floor	25-3/4"	25-3/4"	25-3/4"	25-3/4"

SPECIFICATIONS

Tandem Base

Cast aluminum alloy leg section. 14-gauge 1x2" seamless steel column. Upright and base are painted monochromatic with beam and yoke. Columns are welded to a plate which clamps onto beam.

Frame Finish

Baked-on, electrostatically-applied 45 gloss epoxy powder coating.

Seat

Injection-molded polypropylene seat attached directly to the structure.

Underseat Structure

Support structure is die-formed 13-gauge steel welded to a 1" OD x 14-gauge tubular steel cross member.

Backrest

Injection molded polypropylene with integral steel cantilever springs. The combination of

the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire.

Tandem Arm

Oval tubular steel arm support with self-skinning urethane armrests measuring 10¼" long x 4" wide. The tubular arm support is welded to a yoke and then fastened to the beam via a coverplate.

Optional Upholstered Seat or Seat & Back

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

In-Line Table

Solid core top is 20" x 20" x 7/8" with a vinyl bullnose edge.

Corner Table

Solid core top is 30" x 30" x 7/8" with a vinyl



bullnose edge.

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

[Color Match Process - Poly Seating Information can be found here.](#)



DIMENSIONS

		No Arms	With Arms
A1	2-Place Unit	44½"	44½"
A2	3-Place Unit	66½"	66½"
A3	4-Place Unit	85½"	92½"
B	Additional Places	22"	22"
C	Seat Width	18"	
D	Table Width	20"	
E	Table Height	17"	
F	Unit Height	33"	
G	Seat Height	17"	
H	Beam Center to Front of Seat	10¼"	
I	Beam Center to Back of Back	11"	
J	Beam Center to Foot End	11½"	
K	Seat Center to Corner Table		
	Mounting Side	13½"	
L	Beam Center to Corner Table		
	Mounting Side	20"	
M	Beam Center to Corner Table Back	10"	
N	Corner Table Width	30"	
O	Beam Center to Back of Flexed Back	14¼"	

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



Frame Color		Seat and Back Color - Polypropylene Non Flame-Retardant		Surface Finish - Laminate	
Black	BL			Beigewood	LBZ
Blue Grey	GR	Black	PBL	Belair	LBQ
Cool Grey	CG	Blue Grey	PGR	Biltmore Cherry	LBT
Earthen Clay	EY	Cayenne	PCY	Black	LBK
Everglade Shade	EV	Cool Grey	PCG	Brighton Walnut	LBW
Flannel	FN	Earthen Clay	PEY	Castle Oak	LCO
Hazy Jade	HJ	Everglade Shade	PEV	Cherry Storm	LCX
Light Tone	LG	Flannel	PFN	Classic Linen	LCI
Mardi Gras	MG	Hazy Jade	PHJ	Cocobala	LCC
Misty Brown	MY	Honey Bee	PHY	Crisp Linen	LRI
Nemo	NE	Light Tone	PLG	Designer White	LDR
Poppy Red	PR	Mardi Gras	PMG	Dove Grey	LDG
Purple Haze	PH	Misty Brown	PMY	Florence Walnut	LFC
Rainforest	RQ	Nemo	PNE	Friston Ash	LFH
Raw Jasper	RJ	Nordic	PND	Frosty White	LFW
Rubber Ducky	RK	Poppy Red	PPR	Graphite Nebula	LGN
Sand	SA	Purple Haze	PPH	Grey	LGE
Sky Blue	SK	Rainforest	PRQ	High Rise	LHE
Surf's Up	SP	Raw Jasper	PRJ	Hollyberry	LHY
Tarragon	TQ	Rubber Ducky	PRK	Island	LID
Twilight Shadow	TI	Sand	PSA	Italian Silver Ash	LIT
Ultra Blue	UB	Sky Blue	PSK	Kensington Maple	LKM
Warm Grey	WG	Surf's Up	PSP	Lapis Blue	LLB
Zesty Lime	ZL	Tarragon	PTQ	Monticello Maple	LMT
		Twilight Shadow	PTI	North Sea	LNA
		Ultra Blue	PUB	Ocean	LON
		Warm Grey	PWG	Pinnacle Walnut	LPW
		Zesty Lime	PZL	River Cherry	LRY
				Shadow Zephyr	LSR
				Sterling Ash	LAZ
				Titanium Evolv	LTV
				White Nebula	LWL
				White Sand	LWN
				Windsor Mahogany	LWY
Edge Color		Seat and Back Color - Polypropylene Flame-Retardant			
Belair	EBQ				
Black	EBL				
Blue Grey	EGR				
Cool Grey	ECG	Arm pad matches seat and back color for black, blue grey, sand and warm grey. Otherwise it is always black.			
Earthen Clay	EEY				
Everglade Shade	EEV	TRANSLUCENT colors are available on the upholstered seat models only.			
Flannel	EFN				
Frosty White	EFW				
Hazy Jade	EHJ				
Honey Bee	EHY				
Light Tone	ELG		PBL		
Mardi Gras	EMG	Arm pad matches seat and back color for black, blue grey, sand and warm grey. Otherwise it is always black.			
Misty Brown	EMY				
Nemo	ENE				
Nordic	END	The above seating product can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.			
Poppy Red	EPR				
Purple Haze	EPH				
Rubber Ducky	ERK				
Sand	ESA	*NOTE: When FR upholstery is selected, FR poly (black only) must be selected. NFR poly is not available with FR upholstery.			
Sky Blue	ESK				
Surf's Up	ESP				
Twilight Shadow	ETI				
Ultra Blue	EUB				
Warm Grey	EWG				
Zesty Lime	EZL				

Finish Cards

View color swatches for items listed within this document.

- Paints
- Plastics/Poly
- Wood/Veneer
- Laminates
- Molded Edges
- Edge Styles
- Hard Plastics
- Glass

Certain options referenced may not be available on GSA Schedule.



			MODEL NUMBER								
MODEL		Features	Basic Model	Frame Color	Fire Code	Seat & Back Color	Surface Finish	Edge Color	Approx. Packaged Weight	Delivered Pricing	TB133 add to list price
 ST1P ST2P ST3P ST4P ST5P	Polypropylene - No Arms • Optional in-line tables • 1 seat, 0 in-line table models must connect to a corner table • Corner table is ordered separately	1 Seat, 0 In-Line Table	ST1NAP/S1/IT0	☐	☐	☐			25.0#	\$ 532	\$ 14
		1 Seat, 1 In-Line Table	ST2NAP/S1/IT1	☐	☐	☐	☐	☐	39.0#	1127	14
		2 Seats, 0 In-Line Table	ST2NAP/S2/IT0	☐	☐	☐			45.0#	1063	31
		2 Seats, 1 In-Line Table	ST3NAP/S2/IT1	☐	☐	☐	☐	☐	59.0#	1658	31
		3 Seats, 0 In-Line Table	ST3NAP/S3/IT0	☐	☐	☐			65.0#	1596	45
		3 Seats, 1 In-line Table	ST4NAP/S3/IT1	☐	☐	☐	☐	☐	79.0#	2192	45
		4 Seats, 0 In-line Table	ST4NAP/S4/IT0	☐	☐	☐			89.0#	2128	59
		3 Seats, 2 In-Line Tables	ST5NAP/S3/IT2	☐	☐	☐	☐	☐	98.0#	2787	45
		4 Seats, 1 In-line Table	ST5NAP/S4/IT1	☐	☐	☐	☐	☐	104.0#	2721	59
		5 Seats, 0 In-line Table	ST5NAP/S5/IT0	☐	☐	☐			110.0#	2660	75
 ST1P ST2P ST3P ST4P ST5P	Polypropylene - End Arms Only • Optional in-line tables • 1 seat, 0 in-line table models must connect to a corner table • Corner table is ordered separately	1 Seat, 0 In-Line Table	ST1EAP/S1/IT0	☐	☐	☐			30.0#	\$ 732	\$ 14
		1 Seat, 1 In-Line Table	ST2EAP/S1/IT1	☐	☐	☐	☐	☐	44.0#	1226	14
		2 Seats, 0 In-Line Table	ST2EAP/S2/IT0	☐	☐	☐			47.0#	1259	31
		2 Seats, 1 In-Line Table	ST3EAP/S2/IT1	☐	☐	☐	☐	☐	55.0#	1854	31
		3 Seats, 0 In-Line Table	ST3EAP/S3/IT0	☐	☐	☐			64.0#	1795	45
		3 Seats, 1 In-line Table	ST4EAP/S3/IT1	☐	☐	☐	☐	☐	70.0#	2389	45
		4 Seats, 0 In-line Table	ST4EAP/S4/IT0	☐	☐	☐			81.0#	2325	59
		3 Seats, 2 In-Line Tables	ST5EAP/S3/IT2	☐	☐	☐	☐	☐	89.0#	2982	45
		4 Seats, 1 In-line Table	ST5EAP/S4/IT1	☐	☐	☐	☐	☐	100.0#	2921	59
		5 Seats, 0 In-line Table	ST5EAP/S5/IT0	☐	☐	☐			105.0#	2860	75
 ST1P ST2P ST3P ST4P ST5P	Polypropylene - Arms • Optional in-line tables • 1 seat, 0 in-line table models must connect to a corner table • Corner table is ordered separately	1 Seat, 0 In-Line Table	ST1AAP/S1/IT0	☐	☐	☐			30.0#	\$ 732	\$ 14
		1 Seat, 1 In-Line Table	ST2AAP/S1/IT1	☐	☐	☐	☐	☐	44.0#	1325	14
		2 Seats, 0 In-Line Table	ST2AAP/S2/IT0	☐	☐	☐			55.0#	1361	31
		2 Seats, 1 In-Line Table	ST3AAP/S2/IT1	☐	☐	☐	☐	☐	69.0#	2056	31
		3 Seats, 0 In-Line Table	ST3AAP/S3/IT0	☐	☐	☐			80.0#	1991	45
		3 Seats, 1 In-line Table	ST4AAP/S3/IT1	☐	☐	☐	☐	☐	94.0#	2687	45
		4 Seats, 0 In-line Table	ST4AAP/S4/IT0	☐	☐	☐			105.0#	2623	59
		3 Seats, 2 In-Line Tables	ST5AAP/S3/IT2	☐	☐	☐	☐	☐	113.0#	3379	45
		4 Seats, 1 In-line Table	ST5AAP/S4/IT1	☐	☐	☐	☐	☐	124.0#	3317	59
		5 Seats, 0 In-line Table	ST5AAP/S5/IT0	☐	☐	☐			135.0#	3254	75
			A	B	C	D	E	F			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select fire code.
FR - Compliance to TB 133
NFR - Compliance to TB 117-2013
See pricing column for TB133 upcharge.
- D**Select seat/back color.
Refer to the **Product Color Options** page in this price list.
- E**Select surface finish for table.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- F**Select table edge color.
Refer to the **Product Color Options** page in this

price list.
Edge color offerings are based on edge style selections.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Added List Price = Per Model: see above “TB133 add to list price” upcharge.
Added Lead Time = None

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																			
MODEL		Features	Basic Model	Frame Color	Seat & Back Color	Surface Finish	Edge Color	Fire Code	Upholstery Color		Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price	
 ST1U ST2U ST3U ST4U ST5U	Upholstered Seat - No Arms • Optional in-line tables • 1 seat, 0 in-line table models must connect to a corner table • Corner table is ordered separately	1 Seat, 0 In-Line Table	ST1NAU/S1/IT0	☐	☐			☐	☐		30.00#	\$ 613	\$ 652	\$ 673	\$ 673	\$ 667	\$ 718	\$ 745	\$ 773	\$ 800	\$ 97	
		1 Seat, 1 In-Line Table	ST2NAU/S1/IT1	☐	☐	☐	☐	☐	☐	☐		41.00#	1210	1248	1226	1226	1220	1273	1300	1330	1353	97
		2 Seats, 0 In-Line Table	ST2NAU/S2/IT0	☐	☐			☐	☐	☐		50.00#	1230	1306	1337	1337	1329	1434	1491	1547	1592	191
		2 Seats, 1 In-Line Table	ST3NAU/S2/IT1	☐	☐	☐	☐	☐	☐	☐		64.00#	1989	2065	2098	2098	2089	2195	2250	2305	2351	191
		3 Seats, 0 In-Line Table	ST3NAU/S3/IT0	☐	☐			☐	☐	☐		70.00#	1844	1958	2006	2006	1993	2151	2235	2319	2389	286
		3 Seats, 1 In-line Table	ST4NAU/S3/IT1	☐	☐	☐	☐	☐	☐	☐		84.00#	2440	2553	2603	2603	2589	2745	2829	2914	2982	286
		4 Seats, 0 In-line Table	ST4NAU/S4/IT0	☐	☐			☐	☐	☐		94.00#	2457	2610	2677	2677	2660	2871	2980	3092	3186	381
		3 Seats, 2 In-Line Tables	ST5NAU/S3/IT2	☐	☐	☐	☐	☐	☐	☐		103.00#	3034	3147	3196	3196	3182	3337	3423	3506	3575	286
		4 Seats, 1 In-line Table	ST5NAU/S4/IT1	☐	☐	☐	☐	☐	☐	☐		109.00#	3051	3203	3274	3274	3257	3464	3573	3688	3778	381
5 Seats, 0 In-line Table	ST5NAU/S5/IT0	☐	☐			☐	☐	☐		115.00#	3074	3263	3345	3345	3324	3584	3726	3864	3979	475		
 ST1U ST2U ST3U ST4U ST5U	Upholstered Seat - End Arms Only • Optional in-line tables • 1 seat, 0 in-line table models must connect to a corner table • Corner table is ordered separately	1 Seat, 0 In-Line Table	ST1EAU/S1/IT0	☐	☐			☐	☐		35.00#	\$ 813	\$ 852	\$ 868	\$ 868	\$ 865	\$ 915	\$ 942	\$ 972	\$ 995	\$ 97	
		1 Seat, 1 In-Line Table	ST2EAU/S1/IT1	☐	☐	☐	☐	☐	☐	☐		49.00#	1309	1349	1364	1364	1358	1411	1438	1467	1491	97
		2 Seats, 0 In-Line Table	ST2EAU/S2/IT0	☐	☐			☐	☐	☐		52.00#	1429	1502	1537	1537	1528	1633	1687	1742	1793	191
		2 Seats, 1 In-Line Table	ST3EAU/S2/IT1	☐	☐	☐	☐	☐	☐	☐		60.00#	2023	2098	2132	2132	2123	2227	2282	2340	2383	191
		3 Seats, 0 In-Line Table	ST3EAU/S3/IT0	☐	☐			☐	☐	☐		69.00#	2041	2156	2205	2205	2193	2349	2432	2516	2587	286
		3 Seats, 1 In-line Table	ST4EAU/S3/IT1	☐	☐	☐	☐	☐	☐	☐		75.00#	2637	2749	2800	2800	2789	2944	3030	3115	3182	286
		4 Seats, 0 In-line Table	ST4EAU/S4/IT0	☐	☐			☐	☐	☐		86.00#	2658	2808	2876	2876	2857	3065	3177	3289	3384	381
		3 Seats, 2 In-Line Tables	ST5EAU/S3/IT2	☐	☐	☐	☐	☐	☐	☐		94.00#	3232	3345	3394	3394	3382	3537	3621	3708	3776	286
		4 Seats, 1 In-line Table	ST5EAU/S4/IT1	☐	☐	☐	☐	☐	☐	☐		105.00#	3249	3405	3470	3470	3451	3659	3773	3886	3976	381
		5 Seats, 0 In-line Table	ST5EAU/S5/IT0	☐	☐			☐	☐	☐		110.00#	3274	3462	3545	3545	3522	3783	3923	4061	4178	475
			A	B	C	D	E	F	G													

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select seat/back color.
Refer to the **Product Color Options** page in this price list.
- D**Select surface finish for table.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E**Select table edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

- F**Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133

See pricing column for TB133 upcharge.

- G**Select upholstery grade/color.
Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Added List Price = Per Model: see above “TB133 add to list price” upcharge.
Added Lead Time = None

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																				
MODEL		Features	Basic Model	Frame Color	Seat & Back Color	Surface Finish	Edge Color	Fire Code	Upholstery Color		Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price		
	Upholstered Seat - Arms • Optional in-line tables • 1 seat, 0 in-line table models must connect to a corner table • Corner table is ordered separately	1 Seat, 0 In-Line Table	ST1AAU/S1/IT0	☐	☐			☐	☐		35.00#	\$ 813	\$ 852	\$ 868	\$ 868	\$ 865	\$ 915	\$ 942	\$ 972	\$ 995	\$ 97		
		1 Seat, 1 In-Line Table	ST2AAU/S1/IT1	☐	☐	☐	☐	☐	☐	☐		49.00#	1409	1447	1460	1460	1455	1508	1538	1568	1590	191	
		2 Seats, 0 In-Line Table	ST2AAU/S2/IT0	☐	☐			☐	☐	☐	☐		60.00#	1528	1601	1637	1637	1628	1732	1791	1844	1890	286
		2 Seats, 1 In-Line Table	ST3AAU/S2/IT1	☐	☐	☐	☐	☐	☐	☐	☐		74.00#	2220	2296	2346	2346	2336	2442	2498	2554	2599	191
		3 Seats, 0 In-Line Table	ST3AAU/S3/IT0	☐	☐			☐	☐	☐	☐	☐	85.00#	2238	2354	2404	2404	2393	2549	2634	2717	2787	286
		3 Seats, 1 In-line Table	ST4AAU/S3/IT1	☐	☐	☐	☐	☐	☐	☐	☐	☐	99.00#	2936	3047	3097	3097	3083	3241	3324	3410	3479	286
ST1U		4 Seats, 0 In-line Table	ST4AAU/S4/IT0	☐	☐			☐	☐		110.00#	2952	3106	3173	3173	3156	3364	3477	3587	3680	381		
ST2U		3 Seats, 2 In-Line Tables	ST5AAU/S3/IT2	☐	☐	☐	☐	☐	☐	☐	118.00#	3628	3738	3792	3792	3777	3935	4019	4102	4173	286		
ST3U		4 Seats, 1 In-line Table	ST5AAU/S4/IT1	☐	☐	☐	☐	☐	☐	☐	129.00#	3648	3801	3864	3864	3846	4057	4169	4282	4375	381		
ST4U		5 Seats, 0 In-line Table	ST5AAU/S5/IT0	☐	☐			☐	☐		140.00#	3667	3859	3938	3938	3919	4178	4320	4461	4573	475		
ST5U																							
	Upholstered Seat and Back - No Arms • Optional in-line tables • 1 seat, 0 in-line table models must connect to a corner table • Corner table is ordered separately	1 Seat, 0 In-Line Table	ST1NAUB/S1/IT0	☐	☐			☐	☐		35.00#	\$ 686	\$ 727	\$ 741	\$ 741	\$ 738	\$ 790	\$ 816	\$ 846	\$ 869	\$ 137		
		1 Seat, 1 In-Line Table	ST2NAUB/S1/IT1	☐	☐	☐	☐	☐	☐	☐		49.00#	1284	1321	1298	1298	1295	1349	1377	1429	1427	137	
		2 Seats, 0 In-Line Table	ST2NAUB/S2/IT0	☐	☐			☐	☐	☐	☐		60.00#	1377	1451	1486	1486	1477	1580	1637	1693	1667	272
		2 Seats, 1 In-Line Table	ST3NAUB/S2/IT1	☐	☐	☐	☐	☐	☐	☐	☐		74.00#	2135	2212	2244	2244	2237	2342	2396	2451	2498	272
		3 Seats, 0 In-Line Table	ST3NAUB/S3/IT0	☐	☐			☐	☐	☐	☐	☐	85.00#	2062	2177	2224	2224	2213	2370	2452	2538	2607	406
		3 Seats, 1 In-Line Table	ST4NAUB/S3/IT1	☐	☐	☐	☐	☐	☐	☐	☐	☐	99.00#	2659	2769	2821	2821	2808	2965	3047	3131	3200	406
		4 Seats, 0 In-Line Table	ST4NAUB/S4/IT0	☐	☐			☐	☐	☐	☐	☐	110.00#	2749	2902	2968	2968	2951	3161	3274	3384	3478	543
		ST1UB		3 Seats, 2 In-Line Tables	ST5NAUB/S3/IT2	☐	☐	☐	☐	☐	☐	☐	118.00#	3251	3365	3417	3417	3403	3559	3642	3727	3797	406
		ST2UB		4 Seats, 1 In-Line Table	ST5NAUB/S4/IT1	☐	☐	☐	☐	☐	☐	☐	129.00#	3344	3495	3563	3563	3545	3755	3864	3978	4072	543
		ST3UB		5 Seats, 0 In-Line Table	ST5NAUB/S5/IT0	☐	☐			☐	☐		140.00#	3436	3628	3712	3712	3688	3947	4090	4229	4345	679
ST4UB																							
ST5UB																							
											</												

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select seat/back color.
Refer to the **Product Color Options** page in this price list.
- D**Select surface finish for table.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E**Select table edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133

See pricing column for TB133 upcharge.
- G**Select upholstery grade/color.
Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Added List Price = Per Model: see above “TB133 add to list price” upcharge.
Added Lead Time = None

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																		
MODEL		Features	Basic Model	Frame Color	Seat & Back Color	Surface Finish	Edge Color	Fire Code	Upholstery Color												
										Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price	
 ST1UB ST2UB ST3UB ST4UB ST5UB	Upholstered Seat and Back - End Arms Only • Optional in-line tables • 1 seat, 0 in-line table models must connect to a corner table • Corner table is ordered separately	1 Seat, 0 In-Line Table	ST1EAUB/S1/IT0	☐	☐			☐	☐	35.00#	\$ 886	\$ 924	\$ 941	\$ 941	\$ 936	\$ 988	\$ 1013	\$ 1046	\$ 1066	\$ 137	
		1 Seat, 1 In-Line Table	ST2EAUB/S1/IT1	☐	☐	☐	☐	☐	☐	☐	49.00#	1381	1419	1436	1436	1434	1486	1510	1540	1564	137
		2 Seats, 0 In-Line Table	ST2EAUB/S2/IT0	☐	☐			☐	☐	☐	52.00#	1572	1648	1684	1684	1675	1778	1833	1890	1936	272
		2 Seats, 1 In-Line Table	ST3EAUB/S2/IT1	☐	☐	☐	☐	☐	☐	☐	60.00#	2169	2244	2277	2277	2269	2373	2430	2484	2534	272
		3 Seats, 0 In-Line Table	ST3EAUB/S3/IT0	☐	☐			☐	☐	☐	69.00#	2262	2374	2424	2424	2410	2566	2651	2736	2805	406
		3 Seats, 1 In-Line Table	ST4EAUB/S3/IT1	☐	☐	☐	☐	☐	☐	☐	75.00#	2857	2969	3020	3020	3007	3163	3246	3330	3403	406
		4 Seats, 0 In-Line Table	ST4EAUB/S4/IT0	☐	☐			☐	☐	☐	86.00#	2946	3100	3168	3168	3148	3359	3470	3580	3674	543
		3 Seats, 2 In-Line Tables	ST5EAUB/S3/IT2	☐	☐	☐	☐	☐	☐	☐	94.00#	3448	3564	3615	3615	3601	3757	3842	3926	3997	406
 ST1UB ST2UB ST3UB ST4UB ST5UB	Upholstered Seat and Back - Arms • Optional in-line tables • 1 seat, 0 in-line table models must connect to a corner table • Corner table is ordered separately	1 Seat, 0 In-Line Table	ST1AAUB/S1/IT0	☐	☐			☐	☐	35.00#	\$ 886	\$ 924	\$ 941	\$ 941	\$ 936	\$ 988	\$ 1013	\$ 1046	\$ 1066	\$ 137	
		1 Seat, 1 In-Line Table	ST2AAUB/S1/IT1	☐	☐	☐	☐	☐	☐	☐	49.00#	1483	1521	1536	1536	1530	1583	1610	1639	1661	137
		2 Seats, 0 In-Line Table	ST2AAUB/S2/IT0	☐	☐			☐	☐	☐	60.00#	1672	1749	1781	1781	1772	1877	1933	1989	2037	272
		2 Seats, 1 In-Line Table	ST3AAUB/S2/IT1	☐	☐	☐	☐	☐	☐	☐	74.00#	2366	2442	2492	2492	2484	2589	2641	2701	2745	272
		3 Seats, 0 In-Line Table	ST3AAUB/S3/IT0	☐	☐			☐	☐	☐	85.00#	2457	2574	2622	2622	2608	2765	2849	2936	3005	406
		3 Seats, 1 In-Line Table	ST4AAUB/S3/IT1	☐	☐	☐	☐	☐	☐	☐	99.00#	3156	3266	3317	3317	3304	3461	3545	3628	3697	406
		4 Seats, 0 In-Line Table	ST4AAUB/S4/IT0	☐	☐			☐	☐	☐	110.00#	3245	3399	3464	3464	3446	3656	3766	3878	3972	543
		3 Seats, 2 In-Line Tables	ST5AAUB/S3/IT2	☐	☐	☐	☐	☐	☐	☐	118.00#	3846	3961	4011	4011	4000	4156	4239	4322	4389	406
										129.00#	3937	4091	4158	4158	4139	4347	4461	4572	4666	543	
										140.00#	4033	4223	4304	4304	4283	4543	4684	4823	4938	679	
			A	B	C	D	E	F	G												

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select seat/back color.
Refer to the **Product Color Options** page in this price list.
- D**Select surface finish for table.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E**Select table edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

See pricing column for TB133 upcharge.
- G**Select upholstery grade/color.
Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Added List Price = Per Model: see above “TB133 add to list price” upcharge.
Added Lead Time = None

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER						
			Basic Model	Frame Color	Surface Finish	Edge Color			
MODEL			Features					Approx. Packaged Weight	Delivered Pricing
MSCT	Corner Table - Number of tables per arrangement - Plastic laminate with vinyl bullnose edge - For mounting modular units at a 90° angle - Two required for U-shaped configuration - One required for L-shaped configuration	Connects 2 units	TCT					14.00#	\$ 802
AC901	Back Ganging Bar - Connects 2 units back-to-back - Powder coated to match base - Sold in pairs		DOP.GANG					8.00#	\$ 268
			A	B	C	D			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select surface finish for table.
Refer to the **Product Color Options** page in this price list.
- D**Select table edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



Task Cantilever Armchair



Armless Task Stool



ChangeUp Tablet Arm Task Chair

Features			
Poly, upholstered seat, or upholstered seat/back	•	•	•
Flex back	•	•	
General Dimensions			
Seat width	18"	18"	18"
Seat depth	18"	18"	18"
Seat height (upholstered - add 1")	17-1/4" - 22-1/4"	22-1/4" - 32-1/2"	17-1/4" - 22-1/4"
Overall Dimensions			
Width	27-1/2"	27-1/2"	29-1/2"
Depth	27-1/2"	27-1/2"	31" - 35-1/4"
Height	32-3/4" - 37-3/4"	37-3/4" - 48"	32-3/4" - 37-3/4"
Arms to floor	26" - 31"		27" - 33"

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

Task chairs and task stools ship knock-down. Minimal assembly is required.

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



Backrest

Injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5 mm diameter chrome silicon valve spring wire.

Seat and Shroud

Injection-molded polypropylene, attached directly to the structure.

Optional Upholstered Seat

Molded urethane foam is attached to an injection-molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners. Note: Upholstered seat is required with translucent poly backs.

Optional Upholstered Back

A 1/2” thick urethane foam is attached to an injection-molded polypropylene back board, then upholstered using a draw-string process. The assembled back pad is attached to the back by means of fasteners, which are exposed and are color-matched to the polypropylene.

Underseat Structure

Support structure is 13-gauge steel die-formed, welded to a 1” O.D. by 14-gauge tubular steel cross member.

Frame Finishes

Baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint.

Base

Injection-molded, glass-reinforced nylon 5-blade base (black or warm grey for task chair and stool). Casters have high-impact thermoplastic double-wheels. A single control paddle under the seat operates the height-adjusting pneumatic cylinder.

Casters

Casters are double-wheel (60 mm) high-impact thermoplastic. High-impact plastic frame. Casters are monochromatic with base. Carpet or hard floor casters are offered. Hard floor casters are black only.

Arms

When equipped with optional cantilever arms, the supporting structure is 7/8” O.D. by 13-gauge tubular steel, welded directly to the seat support structure, and matching the seat and back color. The armcaps are injection-molded glass filled polypropylene, matching the seat and back color (when back is Diamond translucent, armcaps are Light Tone; when back is Pewter translucent, armcaps are Flannel). The armcaps are attached to the steel structure by means of screws.

Task Stool

In addition to the standard-height task chair, a stool-height version is available. Task stools are equipped with a pneumatic cylinder, allowing adjustment of seat heights from 22” to 32½”. Task stools receive a twist-to-lock, adjustable-height, 20” diameter chrome-plated steel foot ring with black, die-cast aluminum hub and spokes. Stools are only offered with black or warm grey bases. The cylinders are available in black only.

ChangeUp™ Tablet Arm

ChangeUp tablet support is integral to the chair frame and consists of a 7/8” diameter solid steel rod welded to the front and rear support tubes. A three-piece molded plastic armrest is included and attached to the chair frame using a # 10 x 2½” Phillips pan head tapping screw.

The tablet mechanism consists a die-cast aluminum housing, upper and lower plastic bearings, and 11-gauge steel clamp and tablet board support plates. The tablet mechanism is clamped onto the chair frame over two plastic bushing halves and a 5/16” diameter by 1¾” hardened steel pin with a die-cast aluminum cap secured with two ¼-20 x ¾” button socket head cap screws. The pin creates a solid 90° up/down pivot stop and the bushings provide a smooth, quiet operation. In the use position, the tablet mechanism rotates outward from the chair back an additional 20° and permits approximately 3½” of adjustment for ingress/egress without stowing the tablet.

The tablet worksurface is 21” wide by 13½” deep (235 square inches) is secured to the tablet board support plate with twelve # 12 x 5/8” Phillips flat head tapping screws. The tablet board is made of 18 mm Baltic Birch plywood with .040” high-pressure laminate top surface and .02” thick phenolic backer surface for an overall board thickness of approximately ¾”. Edges are lacquered with a clear finish and sealed. The factory installed tablet assembly is not field installable and may not be removed.

Weight Rating


ChangeUp tablet arm can support a 250 lb static load.

Compliance


Strive seating is desined and manufactured to meet or exceed required ANSI/BIFMA X5.1- 2011 Seating. Seat functional weight rating for Strive task chair is 400 lb, and seat functional weight rating for Strive task stool is 350 lb, as conducted by and within KI’s Accredited Test Lab.




Strive Task Cantilever Armchair



Strive Task Cantilever Arm Stool




Strive Task ChangeUp Tablet Armchair




Note: The ChangeUp tablet worksurface is designed to be level when in use and may appear to have a slight upward angle when not in use.

ChangeUp Tablet Arm






Strive Task Armless Chair



Strive Task Cantilever Armchair




Strive Task Armless Stool




Strive Task Cantilever Arm Stool



Strive Task Cantilever Armchair



Strive Task Cantilever Arm Stool





Base/Caster Color		Tablet Arm Color - Laminate	
Black	BL	Beigewood	LBZ
Warm Grey	WG	Belair	LBQ
Hard floor casters are black only.		Biltmore Cherry	LBT
		Black	LBK
		Brighton Walnut	LBW
		Castle Oak	LCO
		Cherry Storm	LCX
Base color selection for black includes; black base, black cylinder and black carpet or hard floor casters.		Classic Linen	LCI
		Cocobala	LCC
		Crisp Linen	LRI
		Designer White	LDR
		Dove Grey	LDG
Base color selection for warm grey includes; warm grey base, warm grey cylinder and warm grey carpet casters (hard floor casters not available in warm grey).		Florence Walnut	LFC
		Friston Ash	LFH
		Frosty White	LFW
		Graphite Nebula	LGN
		Grey	LGE
Stool cylinder is always black.		High Rise	LHE
		Hollyberry	LHY
		Island	LID
		Italian Silver Ash	LIT
		Kensington Maple	LKM
Shell Color - Polypropylene Non-Flame Retardant		Lapis Blue	LLB
		Monticello Maple	LMT
		North Sea	LNA
		Ocean	LON
		Pinnacle Walnut	LPW
Black	PBL	River Cherry	LRY
Blue Grey	PGR	Shadow Zephyr	LSR
Cayenne	PCY	Sterling Ash	LAZ
Cool Grey	PCG	Titanium Evolv	LTV
Cottonwood	PCO	White Nebula	LWL
Diamond Translucent	PDT	White Sand	LWN
Earthen Clay	PEY	Windsor Mahogany	LWY
Everglade Shade	PEV		
Flannel	PFN		
Hazy Jade	PHJ		
Honey Bee	PHY		
Light Tone	PLG		
Mardi Gras	PMG		
Misty Brown	PMY		
Nemo	PNE		
Nordic	PND		
Pewter Translucent	PPT		
Poppy Red	PPR		
Purple Haze	PPH		
Rainforest	PRQ		
Raw Jasper	PRJ		
Rubber Ducky	PRK		
Sand	PSA		
Sky Blue	PSK		
Surf's Up	PSP		
Tarragon	PTQ		
Twilight Shadow	PTI		
Ultra Blue	PUB		
Warm Grey	PWG		
Zesty Lime	PZL		

Diamond Translucent and Pewter Translucent are only available on upholstered seat models.

Shell Color - Polypropylene
Flame Retardant

Black	PBL
-------	-----

The above seating product can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Steel tube arm support and armcaps will match poly seat and back.

*NOTE: When FR upholstery is selected, FR poly (black only) must be selected. NFR poly is not available with FR upholstery.



		MODEL NUMBER																	
		Basic Model	Base Color	Fire Code	Poly Seat/ Back Color	Casters	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
 SPDP SPDU SPDUB	Task Armless Chair • Flex back	Polypropylene	SPDNAP	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	32.00#	\$ 446										
		Upholstered Seat	SPDNAU	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐ ☐	35.00#	N/A	534	572	590	590	587	639	668	697	722
		Upholstered Seat/Back	SPDNAUB	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐ ☐	35.00#	N/A	605	644	663	663	662	713	741	770	794
 SPDP SPDU SPDUB	Task Cantilever Armchair • Flex back	Polypropylene	SPDCAP	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	35.00#	\$ 529										
		Upholstered Seat	SPDCAU	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐ ☐	38.00#	N/A	614	654	671	671	669	721	747	777	801
		Upholstered Seat/Back	SPDCAUB	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐ ☐	38.00#	N/A	686	723	743	743	742	793	821	848	872

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select base color.
Refer to the **Product Color Options** page in this price list.
Includes base, cylinder, and carpet casters (hard floor casters are always black).
- C

Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133
- D

Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.
- E

Select caster option.

S	- Hard floor casters (black only)
C	- Carpet casters
- F

Select upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene
Added List Price=\$14

Model=Upholstered Seat
Added List Price=\$97

Model=Upholstered Seat and Back
Added List Price=\$137

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



	Features	MODEL NUMBER																
		Basic Model	Base Color	Fire Code	Seat & Back Color	Casters	Tablet Arm Color	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
 SPDP SPDU SPDUB Task ChangeUp Tablet Arm Chair • Flexing Back • Large work surface (21"W x 13.3"D) • Work surface flips and folds • Work surface has 20 degrees of ingress/egress movement • Work surface rated to 250 pounds • Chair rated to 400 pounds	Polypropylene, Left Hand	SPDCUTAPLH	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐ ☐ ☐		43.00#	\$ 932								
	Polypropylene, Right Hand	SPDCUTAPRH	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐ ☐ ☐		43.00#	932								
	Upholstered Seat, Left Hand	SPDCUTAULH	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	45.50#	N/A	1020	1058	1076	1076	1074	1125	1155	1184
	Upholstered Seat, Right Hand	SPDCUTAU RH	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	45.50#	N/A	1020	1058	1076	1076	1074	1125	1155	1184
	Upholstered Seat/Back, Left Hand	SPDCUTAUBLH	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	46.70#	N/A	1091	1130	1149	1149	1148	1198	1227	1256
	Upholstered Seat/Back, Right Hand	SPDCUTAUBRH	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐ ☐ ☐	46.70#	N/A	1091	1130	1149	1149	1148	1198	1227	1256
		A	B	C	D	E	F	G										

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select base color.
Refer to the **Product Color Options** page in this price list.
- C** Select fire code.

FR

- Compliance to TB 133

NFR

- Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.
- D** Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.
- E** Select casters.

S

- Hard floor casters (black only)

C

- Carpet casters
- F** Select tablet arm color.
Refer to the **Product Color Options** page in this price list.
- G** Select upholstery grade/color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene
Added List Price=\$14

Model=Upholstered Seat
Added List Price=\$97

Model=Upholstered Seat and Back
Added List Price=\$137

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																
			Basic Model	Base Color	Fire Code	Poly Seat/ Back Color	Casters												
MODEL	Features							Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
 SPSP SPSU SPSUB	Task Armless Stool • Flex back	Polypropylene	SPSNAP	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	37.00#	\$ 572										
		Upholstered Seat	SPSNAU	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐	39.00#	N/A	661	697	717	717	714	764	795	823	843
		Upholstered Seat/Back	SPSNAUB	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐	39.00#	N/A	730	770	788	788	786	837	867	896	918
 SPSP SPSU SPSUB	Task Cantilever Arm Stool • Flex back	Polypropylene	SPSCAP	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	39.00#	\$ 654										
		Upholstered Seat	SPSCAU	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐	41.00#	N/A	741	777	796	796	793	842	872	903	926
		Upholstered Seat/Back	SPSCAUB	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐ ☐ ☐ ☐	41.00#	N/A	811	848	868	868	865	914	945	973	996
			A	B	C	D	E	F											

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
Includes base, cylinder, and carpet casters (hard floor casters are always black).
- C**Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133
- D**Select poly seat and back color.
Refer to the **Product Color Options** page in this price list.
- E**Select caster option.

S	- Hard floor casters (black only)
C	- Carpet casters
- F**Select upholstery grade/color.
Refer to [ki.com/fabrics](#)

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene
Added List Price=\$14

Model=Upholstered Seat
Added List Price=\$97

Model=Upholstered Seat and Back
Added List Price=\$137

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2023 Krueger International, Inc. All Rights Reserved.