TECHNICAL SPECIFICATIONS

Communication Components

Trellis[™], Unite[®] & WireWorks[®] Systems


October 2017

General


Trellis, Unite and WireWorks Systems contain data raceways with standard factory-cut openings, with bezels installed. The bezels contain filler plates which are removable and may be replaced with any number of customer/electrician supplied data faceplates, outlets and ports. While KI supplies the customer specified 10-wire power components, it is up to the electrician to provide for the customer's required data wiring and related components.

Bezel & Filler Plates

Bezels and filler plates are molded in nylon and are available in a variety of colors. The manufacturer's plates fit into the standard Unite, WireWorks and Trellis bezel openings and broaden the offering of communications connectors.



Unite Power & Data Bezel with Removable Filler Plates




WireWorks & Trellis Power & Data Bezel with Removable Filler Plates

Alternative Suppliers		
Panduit Mod-Com		
CommScope		
Ortronics Series II IMO's		


Bezel Opening Dimensions
2.7" Width
1.4" Height

Raceway Data Access

Power and data bezels come pre-assembled with removable filler plates installed in the bezel openings. The power & data bezel supports access to data cables in two ways. The bezel opening is covered with a filler plate, which can be kept in to allow cables to pass through, or the plate can be snapped out to allow termination at a data connector in a modular face plate. Modular data plates are supplied by most major data connector manufacturers and are designed to snap into the opening in the power & data bezel. KI does not provide the modular face plates or data jacks.



Unite Data/Communication Components



WireWorks & Trellis Data/Communication Components



TECHNICAL SPECIFICATIONS (cont.)

COMMUNICATION FACEPLATES

Customer to order from Graybar®. Fits into bezel.

CommScope Systimax® M13C 3-Port Furniture Faceplate

Mounted flush and designed to fit modular furniture raceway covers.

Mfg Part #	Color	Dimensions
106650880	Electric Ivory	3 ¹ / ₈ " W x I ¹³ / ₁₆ " H x ³ / ₁₆ " D
106701154	Electric Grey	3 ¹ / ₈ " W x I ¹³ / ₁₆ " H x ³ / ₁₆ " D
106650898	Electric White	3 ¹ / ₈ " W x I ¹³ / ₁₆ " H x ³ / ₁₆ " D
106650864	Black	3 ¹ / ₈ " W x I ¹³ / ₁₆ " H x ³ / ₁₆ " D



CommScope Systimax® M20 Dust Cover for M-Series Faceplates and Outlets Dual purpose blank covers designed for use with modular outlets and faceplates. Protects the jack

Dual purpose blank covers designed for use with modular outlets and faceplates. Protects the jack wires from dust or can be used as a blank cover for jack openings which are not populated with modular outlets.

Mfg Part #	Color	Dimensions	
108481003	Cream	1/2" W x 1/2" H	
107067860	Electric Ivory	¹/2" W x ¹/2" H	Will coordinate with KI's sand but not a perfect match.
107067951	Electric Grey	¹/2" W x ¹/2" H	Will coordinate with KI's warm grey but not a perfect match.
107067928	Electric White	¹/2" W x ¹/2" H	Will coordinate with KI's light tone but not a perfect match.
107065583	Black	¹/2" W x ¹/2" H	Will coordinate with KI's black but not a perfect match.



COMMUNICATION CONNECTORS

Customer to order from Graybar®. Additional connectors, other than those shown below, are available.

CommScope Systimax® MPS I 00E Modular PowerSUM Information Outlet

Snaps into any M-Series modular faceplate, frame or surface-mount box. Jack wiring 8-position/8-conductor outlets (RJ45 Cat 5e).

Mfg Part #	Color	Dimensions
108232695	Black	0.8" W x 0.8" H x 1.2" D
108232703	Orange	0.8" W x 0.8" H x 1.2" D
108232711	Yellow	0.8" W x 0.8" H x 1.2" D
108232729	Green	0.8" W x 0.8" H x 1.2" D
108232737	lvory	0.8" W x 0.8" H x 1.2" D
108232745	White	0.8" W x 0.8" H x 1.2" D
108232752	Grey	0.8" W x 0.8" H x 1.2" D
108232760	Red	0.8" W x 0.8" H x 1.2" D
108232778	Blue	0.8" W x 0.8" H x 1.2" D



Applications
Telecommunications
Local Area Networks
Data Processing Networks

CommScope Systimax® USB A-to-A Coupler

Provides solution for connecting computer peripherals to a computer workstation.

Mfg Part #	Color	Dimensions
1933659-1	Light Almond	0.57" W x 0.81" H x 1.36" D
1933659-2	Black	0.57" W x 0.81" H x 1.36" D





TECHNICAL SPECIFICATIONS (cont.)

CommScope Systimax® MIAH Information Outlet

Snaps into any M-Series modular faceplate, frame or surface-mount box. Jack wiring 6-position/6-conductor outlets (RJTT Cat 3).

Mfg Part #	Color	Dimensions
107322133	Black	0.8" W x 0.8" H x 1.2" D
107322158	lvory	0.8" W x 0.8" H x 1.2" D
107322166	White	0.8" W × 0.8" H × 1.2" D



Applications
Telecommunications
Local Area Networks
Data Processing Networks

CommScope Systimax® M81 BNC-B Coupler

Provides a faceplate mountable connection point for RF and video signals transmitted over coaxial cables equipped with BNC-type plugs. Connector includes four color coded plastic adapters (black, ivory, grey and white). Compatible with modular faceplates and modular furniture faceplates.

Mfg Part #	Color	Dimensions
108009424	Black, Ivory, Grey, and White	0.73" W x 0.69" H x 0.6" D



Applications
Video

CommScope Systimax® M81C Coaxial Coupler

Connector includes four color coded plastic adapters (black, ivory, grey and white). Compatible with modular faceplates and modular furniture faceplates.

Mfg Part #	Color	Dimensions
108009424	Black, Ivory, Grey, and White	0.73" W x 0.69" H x 0.5" D



Applications
Local Area Networks
Data Processing Networks

To ORDER call Graybar® at 1-800-825-5517 Graybar® Customer Support Center 855-347-2839

