



UNITE[®] SYSTEM

PRICE LIST

EFFECTIVE SEPTEMBER 25, 2024
800.424.2432

Contents

Refer to KI Terms & Conditions document or visit [ki.com](https://www.ki.com).



Contents

Refer to KI Terms & Conditions document or visit [ki.com](https://www.ki.com).

Ordering Customer's Own Material (C.O.M.) Upholstery Information	3
Unite® System	
Technical Specifications	5
Product Color Options	11
Preconfigured Monolithic Fabric Panel	
Standard Base Raceway	13
Elevated Base	15
Tile-to-Floor One Side; Standard Base Raceway One Side	17
Preconfigured Monolithic Fabric Panel (Beltway Power)	
Standard Base Raceway	19
Elevated Base	21
Tile-to-Floor One Side; Standard Base Raceway One Side	23
Preconfigured Monolithic Steel Panels	
Standard Base Raceway	25
Elevated Base	26
Tile-to-Floor One Side; Standard Base Raceway One Side	27
Preconfigured Monolithic Steel Panels (Beltway Power)	
Standard Base Raceway	28
Elevated Base	29
Tile-to-Floor One Side; Standard Base Raceway One Side	30
Preconfigured Monolithic Open Panels	
Standard Base Raceway	31
Elevated Base	32
Preconfigured Segmented Fabric Panel	
Standard Base Raceway	33
Elevated Base	35
Tile-to-Floor One Side; Standard Base Raceway One Side	37
Preconfigured Segmented Fabric Panel w/Beltway Power	
Standard Base Raceway	39
Elevated Base	41
Tile-to-Floor One Side; Standard Base Raceway One Side	43
Preconfigured Segmented Steel Panels w/Fabric Top Tiles	
Standard Base Raceway	45
Elevated Base	47
Tile-to-Floor One Side; Standard Base Raceway One Side	49
Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power	
Standard Base Raceway	51
Elevated Base	53
Tile-to-Floor One Side; Standard Base Raceway One Side	55
Preconfigured Segmented Open Panels w/Fabric Top Tiles	
Standard Base Raceway	57
Elevated Base	59
Preconfigured Segmented Fabric Panel w/Glass Top	
Standard Base Raceway	61
Elevated Base	63
Tile-to-Floor One Side; Standard Base Raceway One Side	65
Preconfigured Segmented Fabric Panel w/Markerboard on One Side	
Standard Base Raceway	67
Elevated Base	68
Tile-to-Floor One Side; Standard Base Raceway One Side	69
Preconfigured Segmented Fabric Panel w/Markerboard on Both Sides	
Standard Base Raceway	70
Elevated Base	71
Preconfigured Segmented Fabric Panel w/Perforated Steel Top	
Standard Base Raceway	72
Elevated Base	74
Tile-to-Floor One Side; Standard Base Raceway One Side	76

Preconfigured Segmented Fabric Panel w/Slat Wall on One Side	
Standard Base Raceway	78
Elevated Base	80
Tile-to-Floor One Side; Standard Base Raceway One Side	82
Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides	
Standard Base Raceway	84
Elevated Base	86
Stacking Panel	
Fabric	88
Solid Steel	89
Glass	90
Perforated Steel	91
Markerboard on One Side	92
Markerboard on Both Sides	93
Slat Wall on One Side	94
Slat Wall on Two Sides	95
Preconfigured Intersections	
2-Way 90° "L" Corner	96
2-Way 180°	97
3-Way 90°	98
4-Way 90°	101
2-Way 120°	105
3-Way 120°	106
End-of-Run Trim	108
Preconfigured Intersections	
Adjustable Wall Mount Start	109
Perpendicular Start for Genius® Wall	110
Universal Start for Genius® Wall	111
Wall Track	112
Preconfigured Stackable Intersections	
90° 1-Way, 2-Way, 3-Way and 4-Way	113
2-Way 180° In-Line Spacer	114
120° 1-Way, 2-Way, 3-Way and 4-Way	115
Stacking End-of-Run Trim	116
High-Pressure Laminate Gallery Panels	
End of Run Dual-Sided	117
End of Run Dual-Sided, Two-piece Construction	118
End of Run Single-Sided-Left	120
End of Run Single-Sided-Right	122
Divider	124
Thermally-Fused Laminate Gallery Panels	
End of Run Dual-Sided, Single-piece Construction	126
End of Run Dual-Sided, Two-piece Construction	127
End of Run Single-Sided	128
Divider	129
Gallery Panel Intersection Post and Cap	
Divider and Worksurface Support Bracket	130
Gallery Panel Trim	
In-line Change-of-Height for Divider Panel	131
Dead-End Change-of-Height for Divider	132
End of Run Change-of-Height	133
Unite® Rolling Door	
General Information	134
135	
Thresholds	139
Electrical	
10-Wire System 6 Circuit "810"	141
10-Wire System 6 Circuit "810"/with Bezel for Raceway Use	144
10-Wire System 6 Circuit "810"/for Beltway Use	145
10-Wire System 6 Circuit "810"	146
10-Wire System 4 Circuit "810"	148

10-Wire System 4 Circuit "810"/with Bezel for Raceway Use	150
10-Wire System 4 Circuit "810"/for Beltway Use	151
10-Wire System 4 Circuit "810"	152
New York Power - 10-Wire System 6 or 4 Circuit "810"	154
Worksurfaces	
Rectangular	155
Diagonal 90° Corner	157
Extended Corner	158
Extended Corner Reductions	160
Conference End	162
Tapered	163
Peninsula	164
120° End Corner	166
120° End Corner/60° End Corner	167
U-Series® Underhead	168
Transaction Countertops	169
Freestanding Tables	171
Worksurface Support	172
Post Leg	174
Support Leg	
Non-Panel Mounted, Open	175
Non-Panel Mounted, Insert	176
Panel Mounted, Open	177
Panel Mounted, Insert	178
Panel Mounted, Center	179
Universal Storage and Accessories	
Overhead Storage	180
Overhead Accessories	185
LED Task Lights	187
Balance® Storage and Accessories	
Overhead Storage	189
Overhead Accessories	192
U-Series™ Pedestals	
Mobile	194
Freestanding	195
Worksurface Supporting	196
U-Series™ Double Pedestals	
Worksurface Supporting	197
U-Series™ Wardrobe Towers	
48" High Cabinet	198
64" High Cabinet	199
48" High Side Access Bookcase	200
64" High Side Access Bookcase	201
U-Series™ Overheads	202
U-Series™ Underhead Storage	203
U-Series™ Storage and Accessories	
Overhead Accessories	204
U-Series™ Accessories	
Pedestal Accessories	206
Accessories	
Acoustic Septum Kits	210
Glass Divider Screen	211
Frameless Modesty Panel with Acrylic Insert	212
Continuous Top Cap/Carpet Gripper/Alum Grommet/Hooks	213
Power Modules	214
Bracket Assembly Kit/Receptacle Kit	215
Markerboards	216
Tackboard	217
Brackets	218
Paper Management	219
Desktop Accessories	220

C.O.M. SHIPPING LOCATION

Architectural Walls		Universal Overheads MN		MyWay Seating HN	
Evoke.....	MN	Wireworks.....	MN	Oath Task Chairs and Stools.....	GB
Genius Walls.....	MN	Unite.....	MN	Opt4.....	GB
Casegoods		Residence Hall Furniture		Pilot Task Chairs..... OM	
Aristotle Tackboards.....	MN	RoomScape Furniture.....	MN	Promenade Seating System.....	BW
Likha Tackboards.....	MN			Ruckus.....	GB
Classroom Furniture		Screens		Sela Lounge Seating..... HN	
Intellect Wave Chairs.....	GB	All Terrain.....	KP	Sift Task Chairs.....	GB
Learn2.....	GB	Connection Zone.....	BW	Signia Task Chairs and Stools.....	OM
Ruckus.....	GB	Tributaire.....	BW	Soltice Metal Collection.....	HN
		True/Volition.....	KP	Soltice Multiple, Healthcare & Guest.....	HN
		Genesis.....	KP	Soltice II Healthcare Seating.....	HN
		Tattoo.....	MN	Sonrisa.....	HN
		Universal.....	BW	Strive Multiple, Stack & Task.....	GB
Desking				Sway.....	BW
700 Series Desking.....	KP			Tattoo.....	HN
Balance Overheads.....	MN	Seating		Torsion-on-the-Go! Nesting Chairs..... GB	
Genesis Desking.....	MN	600 Series Folding Chairs.....	BW	Torsion Air Stack and Task Seating..... GB	
True Desking.....	KP	600 Series Stools.....	BW	Zeker..... HN	
Universal Overheads.....	MN	Affina Collection.....	HN	Zoetry..... HN	
WorkZone Desking.....	MN	Altus Task Chairs.....	GB		
		Apply Stack Chairs.....	GB		
		Calida Lounge Seating.....	HN		
		Diem Task Chairs.....	OM		
		Doni Collection.....	GB		
		Gladly Lounge Seating.....	VQ		
		Grazie Seating.....	GB		
		Hub Modular Lounge Seating.....	HN		
		Impress Task Chairs.....	OM		
		Impress Ultra Task Chairs.....	OM		
		Jessa Lounge Seating.....	HN		
		Jubilee Lounge Seating.....	VQ		
		Katera.....	GB		
		Kurv Benches.....	HN		
		LimeLite.....	GB		
		Lyra Lounge Seating.....	HN		
		Medical & Laboratory Stools.....	OM		
		MyPlace Lounge Seating.....	HN		
Files & Storage					
700 Series Pedestal Cushion.....	GB				
Connection Zone Pads.....	BW				
U-Series Pedestal Cushion.....	GB				
Tattoo.....	BW				
Fixed Seating					
Concerto Auditorium Seating.....	BW				
Single Pedestal Seating.....	GB				
Jury Base Seating.....	GB				
Lancaster Auditorium Seating.....	BW				
Sequence Seating.....	GB				
University Seating.....	GB				
Panel Systems					
All Terrain.....	KP				
Balance Overheads.....	MN				

KI C.O.M. Manufacturing Site Addresses:

BW KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107	HN KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263	MN KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220	VQ KI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623
GB KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302	KP KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7	OM KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761	



How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.

C.O.M. Testing

KI will require six yards of actual fabric to be submitted for testing. The test will be completed on panels, tackboards, and overheads. For products shipped from Manitowoc, WI facility, ship upholstery material to:

KI Manitowoc
1400 South 41st Street
Manitowoc, WI 54220
Attn: Fabric Testing

C.O.M. Production

Customer's fabrics must be approved prior to acceptance for production. KI assumes no responsibility for wear, defects, or performance of customer's own materials. C.O.M. orders are available on a deferred delivery basis.

Orders for production of C.O.M. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.




Diagram A

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

Yardage Specification

The chart on the following page details the yardage requirements for each upholstered item in the price list. To accommodate flaws, wrinkles, and other imperfections, calculate the total yardage and add the appropriate percentage shown below:

1 to 50 yards — Add 5 yards
50 + yards — Add 10% over requirements

C.O.M. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.

In all instances, send this form to the C.O.M. Specialist.

☐ A Selvage Top to Bottom ☐ B Selvage Side to Side

Purchasing Agent (Dealer or buying organization) _____

Attention _____

Address _____

City _____ State _____ Zip _____

Project Name _____

Type and number of units of each type _____

Please see information at right and check the appropriate box.

☐ Submitted for testing. ☐ Test approved. Submitted for production.

Purchase Order Number _____ KI Acknowledgement Number _____

Ordering COM, COL and COV

Information



Ordering COM, COL and COV

Information

Tile Width	Tile Height	Actual Cut size	54" Non Directional	54" Directional	66" Non Directional	66" Directional	Tile Width	Tile Height	Actual Cut size	54" Non Directional	54" Directional	66" Non Directional	66" Directional	Panel Size	Actual Cut size	54" Non Directional	54" Directional	66" Non Directional	66" Directional	Panel Size	Actual Cut size	54" Non Directional	54" Directional	66" Non Directional	66" Directional		
24	8	28 x 13	0.36	0.36	0.18	0.18	48	8	52 x 13	0.36	0.36	0.36	0.36	Tackboards (TB) or Overhead Hanging Tackboards (PTBO)	2412	30 x 18	0.50	0.50	0.25	0.25	Fabric Overhead Cabinets	PRDF24	30 x 22	0.61	0.61	0.31	0.31
24	16	28 x 21	0.58	0.58	0.29	0.29	48	16	52 x 21	0.58	0.58	0.58	0.58		3012	36 x 18	0.50	0.50	0.50	0.50		PRDF30	36 x 22	0.61	0.61	0.61	0.61
24	24	28 x 29	0.81	0.81	0.40	0.40	48	24	52 x 29	0.81	0.86	0.81	0.81		3612	42 x 18	0.50	0.50	0.50	0.50		PRDF36	42 x 22	0.61	0.61	0.61	0.61
24	26	28 x 31	0.86	0.86	0.43	0.43	48	26	52 x 31	0.86	0.86	0.86	0.86		4212	48 x 18	0.50	0.50	0.50	0.50		PRDF42	48 x 22	0.61	0.61	0.61	0.61
24	32	28 x 37	1.03	1.03	0.51	0.51	48	32	52 x 37	1.03	1.03	1.03	1.03		4812	54 x 18	0.50	0.50	0.50	0.50		PRDF48	54 x 22	0.61	0.61	0.61	0.61
24	34	28 x 39	1.08	1.08	0.54	0.54	48	34	52 x 39	1.08	1.08	1.08	1.08		5412	60 x 18			0.50	0.50		PRDF54	60 x 22			0.61	0.61
24	40	28 x 45	1.25	1.25	0.63	0.63	48	40	52 x 45	1.25	1.25	1.25	1.25		6012	66 x 18			0.50	0.50		PRDF60	66 x 22			0.61	0.61
24	42	28 x 47	1.31	1.31	0.65	0.65	48	42	52 x 47	1.31	1.31	1.31	1.31		Balance Fabric Overhead Cabinets												
24	48	28 x 53	1.47	1.47	0.74	0.74	48	48	52 x 53	1.47	1.47	1.47	1.47														
24	50	28 x 55	1.53	1.53	0.76	0.76	48	50	52 x 55	1.53	1.53	1.53	1.53		2416	30 x 22	0.61	0.61	0.31	0.31		BLCF24	20 x 30	0.88	0.63	0.88	0.63
24	56	28 x 61	1.69	1.69	0.85	0.85	48	56	52 x 61	1.69	1.69	1.69	1.69	3016	36 x 22	0.61	0.61	0.61	0.61	BLCF30	20 x 36	1.00	0.63	1.00	0.63		
24	58	28 x 63	1.75	1.75	0.88	0.88	48	58	52 x 63	1.75	1.75	1.75	1.75	3616	42 x 22	0.61	0.61	0.61	0.61	BLCF36	20 x 42	1.25	0.63	1.25	0.63		
24	64	28 x 69	1.92	1.92	0.96	0.96	48	64	52 x 69	1.92	1.92	1.92	1.92	4216	48 x 22	0.61	0.61	0.61	0.61	BLCF42	20 x 48	1.38	0.63	1.38	0.63		
30	8	34 x 13	0.36	0.36	0.36	0.36	54	8	58 x 13	1.61		0.36	0.36	4816	54 x 22	0.61	0.61	0.61	0.61	BLCF48	20 x 54	1.50	0.63	1.50	0.63		
30	16	34 x 21	0.58	0.58	0.58	0.58	54	16	58 x 21	1.61		0.58	0.58	5416	60 x 22			0.61	0.61	BLCF54	20 x 60	1.75		1.75	0.63		
30	24	34 x 29	0.81	0.81	0.81	0.81	54	24	58 x 29	1.61		0.81	0.81	6016	66 x 22			0.61	0.61	BLCF60	20 x 66	1.88		1.88	0.63		
30	26	34 x 31	0.86	0.86	0.86	0.86	54	26	58 x 31	1.61		0.86	0.86														
30	32	34 x 37	1.03	1.03	1.03	1.03	54	32	58 x 37	1.61		1.03	1.03														
30	34	34 x 39	1.08	1.08	1.08	1.08	54	34	58 x 39	1.61		1.08	1.08	2420	30 x 26	0.72	0.72	0.36	0.36	BLCF66	20 x 78	2.25	0.63	2.25	0.63		
30	40	34 x 45	1.25	1.25	1.25	1.25	54	40	58 x 45	1.61		1.25	1.25	3620	36 x 26	0.72	0.72	0.72	0.72	BLCF72	20 x 84	2.50	0.63	2.50	0.63		
30	42	34 x 47	1.31	1.31	1.31	1.31	54	42	58 x 47	1.61		1.31	1.31	3020	42 x 26	0.72	0.72	0.72	0.72								
30	48	34 x 53	1.47	1.47	1.47	1.47	54	48	58 x 53	1.61		1.47	1.47														
30	50	34 x 55	1.53	1.53	1.53	1.53	54	50	58 x 55	1.61		1.53	1.53	4220	48 x 26	0.72	0.72	0.72	0.72								
30	56	34 x 61	1.69	1.69	1.69	1.69	54	56	58 x 61	1.61		1.69	1.69														
30	58	34 x 63	1.75	1.75	1.75	1.75	54	58	58 x 63	1.61		1.75	1.75	4820	54 x 26	0.72	0.72	0.72	0.72								
30	64	34 x 69	1.92	1.92	1.92	1.92	54	64	58 x 69	1.61		1.92	1.92														
36	8	40 x 13	0.36	0.36	0.36	0.36	60	8	64 x 13	1.78		0.36	0.36	5420	60 x 26			0.72	0.72	2430	30 x 36	1.00	1.00	0.50	0.50		
36	16	40 x 21	0.58	0.58	0.58	0.58	60	16	64 x 21	1.78		0.58	0.58	3030	36 x 36	1.00	1.00	1.00	1.00	3030	36 x 36	1.00	1.00	1.00	1.00		
36	24	40 x 29	0.81	0.81	0.81	0.81	60	24	64 x 29	1.78		0.81	0.81	3630	42 x 36	1.00	1.00	1.00	1.00	3630	42 x 36	1.00	1.00	1.00	1.00		
36	26	40 x 31	0.86	0.86	0.86	0.86	60	26	64 x 31	1.78		0.86	0.86	4230	48 x 36	1.00	1.00	1.00	1.00	4230	48 x 36	1.00	1.00	1.00	1.00		
36	32	40 x 37	1.03	1.03	1.03	1.03	60	32	64 x 37	1.78		1.03	1.03	4830	54 x 36	1.00	1.00	1.00	1.00	4830	54 x 36	1.00	1.00	1.00	1.00		
36	34	40 x 39	1.08	1.08	1.08	1.08	60	34	64 x 39	1.78		1.08	1.08	5430	60 x 36			1.00	1.00	5430	60 x 36			1.00	1.00		
36	40	40 x 45	1.25	1.25	1.25	1.25	60	40	64 x 45	1.78		1.25	1.25	6030	66 x 36			1.00	1.00	6030	66 x 36			1.00	1.00		
36	42	40 x 47	1.31	1.31	1.31	1.31	60	42	64 x 47	1.78		1.31	1.31														
36	48	40 x 53	1.47	1.47	1.47	1.47	60	48	64 x 53	1.78		1.47	1.47														
36	50	40 x 55	1.53	1.53	1.53	1.53	60	50	64 x 55	1.78		1.53	1.53	2448	30 x 54	0.83	1.50	0.83	0.75	3048	36 x 54	1.00	1.50	1.20	1.50		
36	56	40 x 61	1.69	1.69	1.69	1.69	60	56	64 x 61	1.78		1.69	1.69	3648	42 x 54	1.16	1.50	1.16	1.50	3648	42 x 54	1.16	1.50	1.16	1.50		
36	58	40 x 63	1.75	1.75	1.75	1.75	60	58	64 x 63	1.78		1.75	1.75	4248	48 x 54	1.33	1.50	1.33	1.50	4248	48 x 54	1.33	1.50	1.33	1.50		
36	64	40 x 69	1.92	1.92	1.92	1.92	60	64	64 x 69	1.78		1.92	1.92	4848	54 x 54	1.50	1.50	1.50	1.50	4848	54 x 54	1.50	1.50	1.50	1.50		
42	8	46 x 13	0.36	0.36	0.36	0.36																					
42	16	46 x 21	0.58	0.58	0.58	0.58																					
42	26	46 x 31	0.86	0.86	0.86	0.86																					
42	32	46 x 37	1.03	1.03	1.03	1.03																					
42	40	46 x 45	1.25	1.25	1.25	1.25																					
42	48	46 x 53	1.47	1.47	1.47	1.47																					
42	56	46 x 61	1.69	1.69	1.69	1.69																					
42	64	46 x 69	1.92	1.92	1.92	1.92																					

Yardage requirements are "per tile" (multiply by the number of tiles per panel for total yardage per panel).

8" Height is for slat rail (tool rail) or some segmented tiles.

Subtract 6" from panel size for the base raceway, unless specifying "tile to floor," segmented tile, or stacker.

72" wide panels consist of qty. 2 - 36" wide tile on each side (qty 4 tiles total).



TECHNICAL SPECIFICATIONS

Panels

Unite panels are offered in monolithic and segmented styles. All panels ship knockdown with panel frame, tiles, base components, top caps, adjustable glides, and panel-to-panel connection hardware. Panels may be specified without top caps to allow for attachment of spanning top caps or divider screens. All Unite panels meet the flammability requirements as defined in the ANSI/UL 1286 safety standard for Office Furnishings. Class A rated standard finishes are available.

- Preconfigured panels are 3 1/2" thick to facilitate integration with KI Genius walls, and are available in the following dimensions:
- Panel Widths: 24", 30", 36", 42", 48", 54", 60", 72" (72" features split tiles).
 - Panel Heights: 32", 40", 48", 56", 64".

- Three base styles are available:
- Standard base raceway
 - Elevated base
 - Tile-to-floor one side/standard base raceway other side

Insert tiles are interchangeable among standard, elevated, and the tile-to-floor one side/standard base raceway other side panels. Tile height of the tile-to-floor tile is unique, and can only be interchanged with a similar sized tile-to-floor tile. All tiles are hand-placed, requiring no tools for attachment to frames. All base styles support reconfiguration.

Standard base raceway panel frames allow distribution of power and data at the base of the panel, on both sides. Tile-to-floor one side/standard base raceway panel frames feature a base raceway on the user side only. Above worksurface beltline power is available on all base styles.

Frame Construction

- Frames are welded, and consist of the following:
- Top & bottom horizontal rail – formed of 16-gauge galvanized steel by 1 7/8" tubing.
 - Vertical Post – roll-formed 16-gauge steel with powder-coat finish (black), measuring 1 3/4" x 2 1/16", featuring slots at 1" increments to allow for tile and component hanging.
 - Top cap mounting clip – formed of 20-gauge spring steel by 1 1/4" x 1 7/8" x 2" with channel to route data cables. Fastened with #12 x 1/4" screw to all top horizontal rails.
 - Glide housing – Molded plastic rated HB minimum. Overall dimensions are 1 1/8" x 24" x 1 1/2" height. Glides provide a 3" range of adjustment.
 - Glide – 1" diameter plastic.
 - Glide stem – 3/16-16 thread, 3.5" long.
 - Wireway mounting bracket – used on bottom and beltway height raceway in powered assemblies. Formed of 16-gauge steel. Overall dimensions are 1 3/8" x 1 13/16" x 2 1/2" with mounting holes for attaching 10-wire rigid wireways.

Stacking Sections

- Stacking sections are constructed in one of two styles:
- Three-sided steel-construction stacking sections (steel frame) utilize exterior-mounted tiles of either fabric, markerboard, or slat wall. Steel frame stacking sections are attached with 1/4" x 1" x 7 1/2" steel post "forks."
 - Four-sided stacking sections are constructed of an extruded aluminum frame and contain either glass, steel or perforated steel, inserts. Frames measure 1 11/32" x 3 9/32", consistent with panel size. Frames capture a single 3/16" tempered glass panel or perforated steel insert, and are attached with 1/4" x 1" x 7 1/2" steel posts with "forks."

Light Shield

90° – Formed of a 1/16" thick extruded black plastic rated HB minimum. Angle is 90° for 90° panel intersections. Lengths range for 48", 64" and 80". Other lengths must be field cut from the three listed. Plastic light shields snap to connector blocks at 90° intersection and serve only to block light. Dimensions: 1 1/16" x 1 1/16"

120° – Formed of 18-gauge, pre-painted black steel. Length ranges from 8" to 80" x 8" increments. Angle is 60° for 120° panel intersections. Steel light shields hang on connector block bolts at 120° intersections. 120° light blocks block light and serve as a spacer for proper floor planning. Dimensions: 2 11/16" x 2 11/16"

Base Raceway Hinge Clip

Base raceway hinge clip is molded plastic, rated HB minimum. Dimensions: 1 13/16" x 2 1/8" x 3 1/16"

Connector Block

90° – Formed by an extruded aluminum square block 1/8" minimum wall thickness includes one threaded steel insert on each face. Block contains two "U" shaped, 18-gauge galvanized steel spacer plates fastened to the block with one 1/4-20 bolt. Dimensions: 2 1/2" x 3 1/8" wide

120° – Formed of extruded aluminum triangular block 1/8" minimum wall thickness. Includes three threaded inserts and no spacer plates. Dimensions: 2 1/8" x 2 15/16" wide

Tile/Inserts

Monolithic

Preconfigured monolithic panels feature either fabric or steel tiles.

Segmented

Preconfigured segmented panels are available in a variety of substrates and surface finish options. Segmented panels universally feature a 32" segmentation height, with specified bottom and upper, and front and back tiles. Glass, perforated steel or solid steel on preconfigured segmented panels are only available as stacking sections on the upper locations of the panel frame. Preconfigured substrates vary by configuration and may include:

- Fabric – bottom and upper tile
- Powder-coated Solid Steel – bottom and upper tile
- Steel Laminate Markerboard – upper tile
- Single Pane Tempered Glass (1/4" thick) – stacking section
 - clear or satin etch one side
- Laminated Safety Glass (1/4" thick) – stacking section
 - white interlayer (.030" thick) between two 1/8" thick clear panels
- Powder-coated Perforated Steel – stacking section
- High-Pressure Laminate – bottom and upper tile
- Slat Wall – upper tile (upper slat wall tiles feature extruded slat wall on the lowest 8" of the tile, with fabric covering any area above the extrusion)

Fabric Tiles

Fabric tiles feature:

- Fiberglass – 1/2" thick multi-layer fiberglass board in dimensions from 24" - 60" wide and 8" - 64" tall; may feature up to two electrical receptacle cutouts with overall dimensions 2 1/16" x 7 7/16" for receptacles.

Fabric tiles feature 2" stiffener rails of 1/16" formed steel. Rails are secured to the core with adhesive, and are located on left and right vertical edge of tile. Similar rails are adhered horizontally as required for additional rigidity. Fabric is secured to tile edges and back of tile with adhesive. Panels with fabric, fiberglass core and raceway have a .70 NRC rating. Panels with fabric, fiberglass core and a lifted base have a .65 NRC rating. Fabric tiles are fully tackable and available in monolithic, segmented, and stacking sections.



Solid Steel Tiles/Inserts

Steel tiles are constructed of 22-gauge formed steel with two rubber dampener pads adhered to the back of the tile to dampen sound. Two $\frac{1}{16}$ " x $\frac{1}{4}$ " x 1" rare earth magnets are adhered with double-sided tape to the back of the tile to aid in assembly without tools. Magnets are nickel coated Neodymium (NdFeB), Grade N52 with a 4.45 lb pull force each.

Steel Markerboard Tiles

Steel markerboard tiles are constructed of 22-gauge formed steel with honeycomb corrugated board adhered to the back of the tile to dampen sounds. Two $\frac{1}{16}$ " x $\frac{1}{4}$ " x 1" rare earth magnets are adhered with double-sided tape to the back of the tile to aid in assembly without tools. Magnets are nickel coated Neodymium (NdFeB), Grade N52 with a 4.45 lb pull force each. A magnetic tray, markers and eraser can be specified separately. Steel markerboards are available as segmented tiles and stacking sections.

Slat Wall Stacking Section Tiles

Slat wall stacking section tiles are constructed of powder-coated extruded aluminum on the lower 8" portion, which functions as a tool rail, with fabric tiles on the remaining upper portion of the segment. Tile includes integral mounting hardware. Slat walls are available in segmented tiles and stacking sections.

Glass Stacking Section Inserts

Glass inserts are captured in an aluminum extruded frame. Glass is $\frac{1}{4}$ " thick tempered, and is available clear or satin etch. Satin etch is non-transparent and is on one side of the glass while the other side is shiny. Glass stacking sections are available on the upper location of a panel.

Solid Steel Stacking Section Inserts

Solid steel inserts are constructed of 18-gauge, powder-coat painted steel. Solid steel stacking sections are available on the upper location of a panel.

Perforated Steel Stacking Section Inserts

Perforated steel inserts are constructed of 18-gauge, powder-coat painted steel with $\frac{3}{12}$ " diameter holes on $\frac{1}{4}$ " staggered centers (NO. RS041). Perforated steel stacking sections are available on the upper location of a panel.

Acoustic Septum Kits – UNRC.size

Acoustic septa are rigid 2" thick composite fiberglass sheets designed to be inserted into standard Unite panel frames. When installed, the septum increases the NRC of the Unite raceway fabric panel from .70 NRC to .75 NRC per ASTM C423-09a. Septa fit inside and fill the interior of the Unite metal frame without the use of tools. When 10-wire rigid wireways are installed at beltway height, or when Unite glass dividers are installed, a field cut to the septum will be needed to clear the hardware.

- Acoustic septa are 2" thick and are available in seven widths and five heights designed to fit into all standard Unite frame sizes.
- Acoustic septa are constructed of three cured (ie, molded) fiberglass layers that are bonded together. The two outer layers are 3 lb (pcf) x $\frac{3}{4}$ " thick fiberglass. The center core is 12 lb (pcf) x $\frac{1}{2}$ " fiberglass.
- The fibrous glass wool (fiberglass) is manufactured using a minimum of 30% post-consumer recovered materials and a minimum of 5% post-industrial (pre-consumer) recovered materials. Fiberglass bats are subsequently cured using heat to compress the fiberglass into desired densities. The ingredients of the fiberglass are listed:
 - Fibrous glass
 - Urea extended phenol-formaldehyde resin
 - Formaldehyde
 - Non-woven facings

Panel Trim

Base Raceway Trim

Base raceway trim consists of 22-gauge roll-form steel with a powder-coat finish. Base raceway trim is hinged to an injection-molded clip and snap onto brackets attached to the bottom horizontal rail when closed. All base raceways accept rigid wireways and data cables. Base raceways are specified with or without $2\frac{1}{16}$ " x $7\frac{5}{8}$ " knockouts, which are easily removed to accommodate electrical receptacles and/or data jacks. No tools are required for installation. 24" panels feature one knockout per side; all other sizes feature two. Dimensions: $5\frac{5}{16}$ " high by width of panel.

Panel-to-Panel Connectors

Panel-to-panel connectors are universal. Full welded panel frames attach in-line using $\frac{3}{8}$ -1.6 hex head bolts with washers and star lock nuts. Frames attach at intersections using aluminum extruded connection blocks. Intersections can be reconfigured without disturbing the existing workstation. Components for each intersection condition, including change of height conditions, are available in kit form. Each kit includes all hardware and associated trim to complete the intersection condition. $\frac{9}{16}$ " socket drivers are required to complete all panel connections.

Intersection kits include all necessary light blocks. Light blocks for 90° intersections are black plastic and serve only to block light. Light blocks for 120° intersections are pre-painted black steel that block light and serve as a spacer for proper floor planning.

Split Tile Light Shield

"C" shaped split tile light shield is formed of $\frac{1}{16}$ " black pre-painted steel. Dimensions: $1\frac{1}{4}$ " x $3\frac{7}{16}$ " by height of panel.

Top Cap

All pre-configured Unite panel frames include a top cap of appropriate size. Top caps are formed of $\frac{1}{16}$ " thick extruded aluminum, with powder-coat finish. Top caps used with top power infeed feature a cutout for the infeed. Installation of top cap is a snap fit and requires no tools. Top cap snaps to spring steel clips which are fastened to the top of all panel frames. Dimensions: $\frac{3}{8}$ " x $3\frac{1}{2}$ " by width of panel.

End-of-Run Trim

All exposed ends of a panel run are covered with an end-of-run trim, formed from 18-gauge steel with powder-coat finish. Installation of end of run trim is a snap fit and requires no tools. Panel end trim lengths correspond to panel heights.

Intersection caps are formed of machined aluminum, cast aluminum, or cast zinc. Dimensions: $\frac{3}{8}$ " x $3\frac{1}{2}$ " by height of panel.

End-of-run trim clips are formed of $\frac{1}{16}$ " black spring steel. Dimensions: $\frac{9}{16}$ " x 2" x $3\frac{5}{16}$ ".

3-way, change-of-height, or "C" shaped trim is formed of $\frac{1}{16}$ " powder-coated steel. Dimensions: $3\frac{1}{2}$ " x $3\frac{1}{2}$ " by height of tallest panel.

90° dead-end trim features 18-gauge welded steel plate. Dimensions: $\frac{1}{2}$ " x $3\frac{7}{16}$ ".

120° dead-end trim is formed to a 60° angle of $\frac{1}{16}$ " powder-coated steel. Dimensions: $3\frac{1}{2}$ " x $3\frac{1}{2}$ " by height of panel.

Corner Trim and Change-of-Height Trim

All exposed corners of a panel run must be covered with either corner trim or change-of-height trim. Corner condition "L" shaped trim is formed of $\frac{1}{16}$ " thick powder-coated steel. Installation utilizes a snap fit and requires no tools. Dimensions: $3\frac{1}{2}$ " x $3\frac{1}{2}$ " by height of highest panel.



Segmented Trim Channel

"H" shaped segmented trim channel is formed of $1/16$ " extruded powder-coated extruded aluminum. Channel connects two segmented tiles along the horizontal connection. No tools are required for installation.
Dimensions: $11/16$ " x $11/4$ " by width of panel.

Bottom Trim Channel

Standard base raceway and elevated base require a bottom trim channel to locate and hold tiles horizontally. Channel is roll-formed of $1/8$ " steel with a powder-coat finish.
Dimensions: 1 " x $21/4$ " by width of panel.

Tile-to-floor trim channel is extruded aluminum with a powder-coat finish.
Dimensions: $3/4$ " x $11/2$ " by width of panel.

Vertical Trim Clips

Stamped spring steel clips allow attachment of vertical trim at the end-of-run and change-of-height trim. Clips attach to the vertical posts with $3/8$ -16 hex head bolts.

Intersection Caps

All top cap intersection conditions are joined with separate intersection caps. Caps are injection-molded zinc with a powder-coat finish, and are required for all end-of-run, 2-way, 3-way, and 4-way connections, regardless of intersection angle.

Elevated Panel Foot Shroud

Foot shroud is formed of 16-gauge formed steel with powder-coat finish, and is used in elevated base conditions only.
Dimensions: $11/8$ " x $31/2$ " x $57/16$ ".

Attachment Conditions

Wall Track

Wall track is available to allow for hanging of components onto an existing structural wall in the identical method as if the components were hung on Unite panels. The wall track consists of slotted 16-gauge steel with powder-coat finish in panel trim colors.

Adjustable Wall Mount

Adjustable wall mounts consist of a formed steel channel and $7/8$ " thick cork/rubber washers enclosed in a steel "U" channel to allow panels to be attached to existing building walls. Each unit features an adjustable depth of 1 " to $111/16$ " in $1/16$ " increments (steel washer shims). Method of attachment to the existing building is dependent upon the existing wall construction.

Universal Connector, Unite to Genius Wall

The universal Unite to Genius wall connector enables a Unite panel connection at Genius wall corners, 3-way and end conditions. Unite panels attach to Genius trim with self-drilling screws.

Perpendicular Connector, Unite to Genius Wall

The perpendicular Unite to Genius wall connector enables a Unite panel connection at a Genius in-line connection seam. The Unite panel attaches perpendicular to the Genius wall at the seam using $3/8$ " pem studs and nuts. The perpendicular connector is an aluminum extrusion and is fully hidden.

Gallery Panels

Laminate Gallery Panel

Unite gallery panels are offered in high-pressure laminate (HPL) and thermally-fused laminate (TFL) surface options. HPL has a vertical grain pattern and TFL has a horizontal grain.

Laminate surfaces are applied to both sides of the $11/8$ " thick particle board core for a balanced construction. Gallery panels ship partially assembled with glides pre-installed at both bottom ends. The two-piece glide model includes steel ganger cleat sets. All four edges of the gallery panel receive $11/8$ " wide by 2.0 mm thick polypropylene edge banding.

HPL and TFL gallery panels are part of the Unite Panel System, which is a UL Listed Office Furnishing evaluated to ANSI/UL 1286. When tested to UL 723, the gallery panels have a flame-spread index of 200 or less and smoke-developed index of 450 or less which equates to Class C, per the International Building Code® for Interior wall finishes.

Gallery panels support a standard Unite panel run, and are installed at either the end of a panel run, or perpendicular along a run. Four gallery panel styles are offered.

End-of-Run Dual-Sided Gallery Panel

A single gallery panel that attaches to a Unite panel end-of-run and extends equally on both sides of the Unite panel run.

High-Pressure Laminate

- Heights: 32", 40", 48", 56" & 64"
- Widths (includes $31/2$ " overlap): 52"

Thermally-Fused Laminate

- Heights: $291/4$ " & 48"
- Widths (includes $31/2$ " overlap): 52", 64" & 76"

End-of-Run Single-Sided Gallery Panel

A single gallery panel that attaches to the end of a run and extends to one side of the Unite panel run. Right- and left-hand models are offered.

High-Pressure Laminate

- Heights: 32", 40", 48", 56" & 64"
- Widths (includes $31/2$ " overlap): $271/4$ ", $333/4$ ", $393/4$ ", $453/4$ ", $513/4$ " & $571/4$ "

Thermally-Fused Laminate

- Heights: $291/4$ " & 48"
- Widths (includes $31/2$ " overlap): $511/4$ ", $631/4$ " & $751/4$ "

End-of-Run Dual-Sided Two-Piece Gallery Panels

Two separate gallery panels that butt together at the end of a Unite panel run. Each panel extends equally on both sides of the panel run.

High-Pressure Laminate

- Heights: 32", 40", 48", 56" & 64"
- Widths (includes $31/2$ " overlap): $601/2$ ", $721/2$ ", $841/2$ ", $961/2$ " & $1081/2$ "

Thermally-Fused Laminate

- Heights: $291/4$ " & 48"
- Widths (includes $31/2$ " overlap): $961/2$ ", $1201/2$ " & $1441/2$ "

Divider Panel

A single Gallery panel that attaches perpendicular along a Unite panel run at any intersection.

High-Pressure Laminate

- Heights: 32", 40", 48", 56" & 64"
- Widths (includes 1 " for attachment): $251/4$ ", $311/4$ ", $361/4$ ", $421/4$ ", $491/4$ " & $551/4$ "

Thermally-Fused Laminate

- Heights: $291/4$ " & 48"
- Widths (includes 1 " for attachment): $491/4$ ", $611/4$ " & $731/4$ "

Attachment Plate

Required for all end-of-run gallery panels. Attaches the gallery panel to the vertical post of a Unite panel frame. Plate is 11-gauge (.120" thick) steel with a powder-coat finish. Plate size is $31/2$ " wide and heights match all end-of-run gallery panel heights. Plates fasten to the gallery panel with #12 flat head screws, and to the Unite panel frame vertical post with $3/8$ -16 x 1 " G5 short neck carriage bolts with steel washers and $3/8$ -16 KEPs nuts.



Gallery Panels Intersections & Trim

Divider Intersection Post
Required for installation of divider gallery panels. "H" shaped is formed of extruded aluminum, with a powder-coat finish. The post dimension is 1.4" x 3.36" with 1.20" wide channels to accept the divider gallery panel. Divider intersection post contains 3.0" x .90" milled passages at beltway and base heights to allow 15 1/2" 10-wire jumpers to pass from panel to panel. Attaches using 3/8-16 x 2 3/4" hex head bolts, 1 1/4" O.D. steel washers and 3/8-16 KEPS locknuts. The divider intersection post connects two adjacent Unite panel frames and adds 1.4" space between the two frames.

- Heights: 32", 40", 48", 56", 64", 72" & 80"

In-Line Divider Intersection Cap
Used at a divider gallery panel intersection. The cap is milled aluminum with a powder-coat finish. Divider intersection cap contains tabs which insert into the aluminum top caps to join in-line, adjacent Unite panels.

End-of-Run Change-of-Height Trim
Required at a height change between the end-of-run gallery panel and the Unite panel run end. Covers the exposed side of Unite panel. Formed from 18-gauge steel with powder-coat finish. Trim includes a milled, aluminum cap which is powder-coat painted, and includes spring steel clips which are installed at the end of a panel frame. Clips are common to what is used with standard Unite trim and attach to the vertical post with 3/8-16 hex head bolts and KEPS nuts. Trim is a snap-fit to the clips and requires no tools.

- Heights: 8", 16", 24", 32" & 40"
- Heights for 29 1/4" High Gallery Panels: 3", 11", 19", 27", 35", 43" & 51"

Dead-End Change-of-Height Trim
Required at a change-of-height along the Unite panel run, and where a divider gallery panel is included at the same intersection. Formed from 18-gauge steel with powder-coat finish. Trim includes a milled, aluminum cap which is powder-coat painted, and includes spring steel clips which are installed at the end of a panel frame. Clips are common to what is used with standard Unite trim and attach to the vertical post with 3/8-16 hex head bolts and KEPS nuts. Trim is a snap-fit to the clips and requires no tools.

- Heights: 8", 16", 24", 32", 40" & 48"

In-Line Change-of-Height Trim
Required when a divider gallery panel is used along a Unite panel run with a change-of-height between the panel run and the gallery panel. A "U" shape aluminum extrusion with powder-coat finish. The trim snaps into the divider intersection post with no tools required.

- Heights: 8", 16", 24", 32", 40" & 48"
- Heights for 29 1/4" High Gallery Panels: 3", 11", 19", 27", 35", 43" & 51"

Electrical

Power Options
The US standard electrical system supplied for Unite is an 810 electrical system. 10-wire rigid wireway can be mounted to any panel frame. Power is available at the following heights:

- Base Height Power – found in the 6" base raceway of the panel.
- Beltway (worksurface) Height Power – The powered tiles allow for installation of worksurface height receptacles. Two duplex receptacles can be mounted in a tile (one in a 24" tile). Receptacles are approximately 32" high.

Power is supplied through one of two available means:

6-2-2

- (6) hot wires
- (2) shared oversized neutral wires
- (2) ground wires – 1 isolated ground and 1 building ground

4-4-2

- (4) hot wires
- (4) independent neutral wires
- (2) ground wires – 1 isolated ground and 1 building ground

10-Wire Rigid Wireways
Each powered panel requires the use of 10-wire rigid wireways to pass power to receptacles. Wireways may be mounted at the base of panels or at beltway height. Wireways are specified by panel width. The wireway design allows for snap connection of one panel's rigid wireway to another panel's wireway through the use of 10-wire panel-to-panel jumpers. All panels 24" and wider accept electrical components.

There are four port locations on each end of every rigid wireway 30" and larger. 24" wireways feature two ports on one end only.

Wireways mount by screws to attached brackets on the underside of the lower frame for base power. For beltway power, rigid wireways attach with screws to brackets that are hooked into the vertical posts at each end.

10-Wire Base Power Infeeds
The electrical system permits power 10-wire infeed at the base raceway of the panel. Base infeeds are constructed of a 6' long, 1/2" liquid-tight flexible metal conduit containing ten wires with a receptacle type design allowing for quick installation and removal. Infeeds rotate 180° to allow for left or right configuration.

10-Wire Top Power Infeeds (Data and/or Power)
Power and data may be brought into a Unite panel through the use of a 10-wire top infeed power pole. Top infeed assembly consists of a 7' or 10' extruded aluminum data and/or power pole, top infeed panel trim cap and ceiling trim cap. The interior of the power pole features a septum to separate power and data cable management. Power infeed wiring consists of ten wires in flexible conduit, exposed at the ceiling end to connect to the building's source power. At the opposite end, the infeed conduit contains a modular connector end to snap into the panel's rigid wireway. Infeed cable must be specified separately.

10-Wire Power Pass-Through Jumpers
The electrical system provides a method of passing power from one powered panel through a non-powered panel to the powered 10-wire rigid wireway of the next panel. The pass-through consists of a standard rigid wireway without receptacles using in-line 10-wire panel-to-panel jumpers. Panel-to-panel jumpers are required to connect adjacent wireways.

10-Wire Panel-to-Panel Jumpers
In-line 10-wire panel-to-panel jumpers are 12" in length and connect between panel rigid wireways at in-line panel intersections. Intersection 10-wire panel-to-panel jumpers are 15 1/2" in length and connect between rigid wireways at various panel intersection conditions. Jumpers feature modular connector ends and nylon mesh casing.



System Jumpers

Designed for interconnection of Manufactured Wiring Systems (such as Genius Wall) to Office Furnishings (such as Unite). Two lengths are available for in-line and 90° connections. Jumpers are constructed with steel corrugated sheathing and steel shielded connectors. KI products are listed below, along with OEI and UNICOR name correlations.

10-Wire Vertical Jumpers

Vertical jumpers are 30" in length and jump power from a rigid wireway at the base raceway, up to the rigid wireway at the beltway height. Jumpers feature modular connector ends and steel corrugated casing.

10-Wire Duplex Receptacles

The duplex receptacles for the modular electrical system feature injection molded components which snap fit into the 10-wire rigid wireways of the panels. The rated capacity of the duplex receptacles is 15 or 20 amps in either 4-4-2 or 6-2-2 circuit configurations. Beltway receptacles come with bezel plate.

Bezels/Filler Plates

Bezels and filler plates are molded in nylon molded in a variety of colors.

Raceway Cable Trough

A formed 22-gauge black steel trough manages cables in raceway. The optional trough installs with a snap fit into raceway clips at each end of a panel without the use of tools.

Electrical System Test Requirements

The Unite Panel System, including the modular US electrical components, meets applicable UL standards and requirements as identified by Underwriters Laboratories, Inc.

Unite Freestanding Table

Tabletops

Tabletops feature balanced construction of 45-pound density particleboard core, with a 1/16" high-pressure laminate face sheet and a 1/16" phenolic backer. Edges are evenly adhered to the worksurface. All worksurfaces are pre-drilled for support legs. Rectangular shapes are available in 24" and 30" depths and 48", 60" and 72" lengths.

Table Supports

Supports are welded and consist of the following:

- Bottom, vertical and horizontal tubes – 14-gauge measuring 1 1/2" x 3/4";
- Top mounting bracket – formed 14-gauge steel.
- Glide – 3/16"-16 x 1" diameter.
- Leg insert (optional) – 18-gauge perforated steel.

Worksurfaces and Accessories

Worksurfaces

Worksurfaces feature balanced construction of 45-pound density particleboard core, with a 1/16" high-pressure laminate face sheet and a 1/16" phenolic backer. Edges are evenly adhered to the worksurface. All worksurfaces are pre-drilled for support brackets and support legs. Worksurface widths of 60" or greater feature integrated steel reinforcement for added strength. Grommet locations are specified.

Rectangular Worksurfaces

The standard rectangular worksurface are available in widths of 6" increments from 24" - 96", and in depths of 18", 22", 24" and 30". Rectangular conference ends are also available.

90° Corner Worksurfaces

90° symmetrical corner worksurfaces are available in 36", 42", and 48" widths, and in 18", 20", and 22" depths.

Shaped Worksurfaces

Peninsula, extended corner (shoe), extended corner reduction (shoe), tapered, 120°, and 60° shaped surfaces are available in a variety of widths and depths. Grommet locations are specified.

Transaction Countertops

Transaction countertops are available from 24" - 84" wide in 6" increments, with a countertop depth of 16". Countertops are also available for 90° corners. Support brackets feature steel locking clips to prevent dislodgment. Optional brackets are available for use on a 32" high panel, appropriate for ADA applications. Transaction countertop add 1 1/4" to finished panel heights. Countertops overhang 2 3/4" on the outside of the cubicle and 9 3/4" on the inside of the cubicle. Countertops accommodate task lighting.

Underhead Worksurfaces

Surfaces are available to hang underhead U-Series storage units. A 15" deep surface sits flush with underhead unit, with 22", 24", and 30" depths also available.

Worksurface Grommets

Worksurface grommets are available to fit a 3" hole in most work surfaces. Grommet is aluminum injection-molded with powder-coat finish.

Worksurface Wire Manager

Wire manager is constructed of black hook-and-loop ribbon, 7 1/2" long by 2" wide. The harness is fastened to the underside of the worksurface with pressure-sensitive adhesive. This wire manager supports cords and communication cables under the worksurface.

Modesty Panel

Modesty panel is constructed with a frameless 1/4" thick sheet of extruded acrylic in cloud or white color. Panels range from 24" to 72" wide in 6" increments. All panels are 10" high. The panel is fastened to a 14-gauge steel rail with a series of 14-gauge "L" shaped steel clips. The rail and clip feature a powder-coat finish available in colors to match the panel trim. Steel screws fasten the acrylic panel to the rail and underside of the worksurface.

Worksurface Support

Worksurface Support Legs

Support legs can provide both worksurface support and panel support in certain configurations. Brackets on the support leg prevent dislodgment from the vertical post of the panel. Worksurface support legs are specified by worksurface depth or width, depending upon configuration. See "Unite Panel System Planning Guide (KI-62226)" for additional planning rules.

Worksurface End Support Legs

End support legs are available for use at the ends of perpendicular, or peninsula worksurfaces. These legs do not have brackets. See "Unite Panel System Planning Guide (KI-62226)" for additional planning rules.

Worksurface Support Brackets

Two types of worksurface support brackets are available for Unite:

- Standard cantilever brackets.
- Design brackets.

Worksurface Vertical Fillers

3" worksurface vertical filler spans the gap when one worksurface drops from the standard 29" down to an adjacent 26" worksurface. Worksurface vertical fillers are available in 24" and 30" widths to match worksurface depths and are attached to worksurfaces with wood screws. Filler is constructed of 15-gauge powder-coated steel.



Storage and Accessories

U-Series Underhead Storage

Underhead dimensions and specifications match those of overhead units. Underhead may be mounted on any approved panel run (provided one end of the underhead is adjacent to a return). Underhead accommodates standard binders. Storage units include holes in top and bottom for cord drop in conjunction with grommets. Brackets are included for attachment. Legs may be specified separately if desired.

Overhead Cabinet Task Lights

Task lights are available which suspend from the shelf and overhead cabinet. Task light mounts on the underside of the shelf and overhead cabinet, and feature a 9' cord. Cords can be concealed by tucking between the reveal along tiles.

Countertop Task Lights

Task lights are available which suspend from the underside of the countertop. Task lights are offered in standard panel trim colors. The task lights feature an 8' cord which can be concealed by tucking between the reveal along tiles.

Shelf Dividers

Shelf dividers are compatible with Universal and Balance overheads, cabinets, and shelves only. Shelf dividers are powder-coated steel, and may be installed or removed with no tools.

Frameless Markerboards

Frameless steel markerboards are constructed of 22-gauge steel with an erasable white coating and a honeycomb backer to dampen sound. Markerboard surfaces are magnetic and include a 16" x 1 1/2" magnetic removable tray with markers and eraser. Markerboards mount in vertical post rail slots of a panel or wall track. Frameless markerboards mount on module only.

Framed Markerboards

Framed markerboards are constructed of white powder-coated aluminum frame with a white porcelain erasable surface. Markerboard surfaces are magnetic and include a 16" by 2 1/2" magnetic removable tray with markers and eraser. Markerboards mount in vertical post rail slots of a panel or wall track. Framed markerboards mount on module only.

Glass Divider Screens

Glass divider screens are constructed of 3/8" tempered glass mounted in two injection-molded plastic clamps. Glass divider available in clear and satin etch (one side). Three visible edges are polished with two corner radii. Aluminum split top caps trim each side of the glass.

Glass dimensions: 12" above top cap (13" actual) by panel width.

Wall Track

Wall track allows for hanging of components onto an existing structural wall in the identical method as if the components were hung on Unite panels. Wall track is constructed of slotted 16-gauge steel with powder-coat finish.

Tackboards

Tackboards are constructed of 3/4" wood fiber board covered with fabric. The mounting brackets are steel powder-coated and attached to the core with T-nuts and machine screws. Fabric is attached to the core with staples. Tackboards mount in the vertical post rail slots of a panel or wall track. Tackboards mount on module only.

Paper Management Accessories

Tool Rail

Tool rails are fabricated of a powder-coated aluminum extrusion. Tool rails are attached to the panel through the use of steel brackets, and support most paper management accessories. Available for standard panel sizes. Tool rails mount in vertical post rail slots of panel or wall track. Tool rails mount on module only.

Paper Tray Unit

Legal and letter sized paper trays are constructed of injection molded plastic. Trays are supported by the tool rail.

Dimensions: 2" high by 9 1/2" wide by 14" deep.

Dimensions: 2 1/2" high by 7" wide by 12 1/2" deep.

Dimensions: 9" high by 5" wide by 10 1/4" deep.

Diagonal Storage Unit

Diagonal storage units are constructed of injection molded plastic. Three ABS dividers may be used in left or right positions. Units are supported by the tool rail.

Dimensions: 2 1/4" high by 7" wide by 12 1/2" deep.

Accessory Tray

Plastic accessory trays include three hooks for mounting. Trays feature compartments to hold pencils, paper clips and miscellaneous items, and are suspended from tool rail or used freestanding on worksurfaces and shelves.

Dimensions: 2" high by 9 1/2" wide by 10" deep.

Pencil Cup

Injection molded plastic cups provide for storage of pens, pencils and highlighters. One hook is provided for mounting on tool rail.

Dimensions: 4" high by 4" wide by 3 1/2" deep.



Panel, Gallery Panel & Rolling Door - Trim/Paint Color		Nordic		NDS1	features satin etch edge treatment.	Windsor Mahogany		LWY	Nordic grommet	ND	Warm Grey	EWG
Black	BL	Purple Haze	PHS1						Purple Haze grommet	PH	Windsor Mahogany	EWY
Blue Grey	GR	Rainforest	RQS1	Rolling Door - Core Color		Surface Finish - Thermally-Fused Laminate for Gallery Panels			Rainforest grommet	RQ	Zesty Lime	EZL
Bronze Metallic	ZM	Raw Jasper	RJS1	Fluted Clear Plastic Core	CP	Italian Silver Ash	LIT		Raw Jasper grommet	RJ	Multiplex available on 74P edge ONLY.	
Cayenne	CY	Rubber Ducky	RKS1	Fluted Opal Plastic Core	OP	Kensington Maple	LKM		Rubber Duck grommet	RK		
Champagne Metallic	CM	Sand	SAS1			River Cherry	LRY		Sand grommet	SA		
Cool Grey	CG	Starlight Silver Metallic	SXS1	Rolling Door - Threshold Finish/Anodized Color		Electrical - Bezel Color			Starlight Silver grommet	SX	Worksurface - Bracket Color (Countertops)	
Cottonwood	CO	Surf's Up	SPS1	Black	BL	Black	BBL		Surf's Up grommet	SP	Black	BL
Earthen Clay	EY	Tarragon	TQS1	Clear	CL	Blue Grey	BGR		Tarragon grommet	TQ	Blue Grey	GR
Espresso Metallic	EX	Twilight Shadow	TIS1	Surface Finish--Laminate - Worksurfaces, Universal Overhead, Balance Overhead, U-Series Overhead and High Pressure Laminate for Gallery Panel		Cool Grey	BCG		Twilight Shadow grommet	TI	Bronze Metallic	ZM
Everglade Shade	EV	Ultra Blue	UBS1	Beigewood.	LBZ	Light Tone	BLG		Ultra Blue grommet	UB	Cayenne	CY
Flannel	FN	Warm Grey	WGS1	Belair	LBO	Misty Brown	BMV		Warm Grey grommet	WG	Champagne Metallic	CM
Glitz Metallic	GZ	Zesty Lime	ZLS1	Biltmore Cherry	LBT	Sand	BSA		Zesty Lime grommet	ZL	Cool Grey	CG
Hazy Jade	HJ			Black	LBK	Warm Grey	BWG	Worksurface - Edge Color for 74P, KN Edge Style and Gallery Panel Edge Color			Cottonwood	CO
Honey Bee	HY	Paint Color includes Steel Segments/Steel Inserts.		Brighton Walnut	LBW			Beigewood	EBZ		Earthen Clay	EY
Light Tone	LG	Panel - Perforated Color		Canyon Zephyr	LCA	Electrical - Receptacle Color		Belair	EBD		Espresso Metallic	EX
Mardi Gras	MG	Black	IBL	Castle Oak	LCO	Black	BL	Black	EBT		Everglade Shade	EV
Misty Brown	MY	Blue Grey	IGR	Casual Linen	LCU	Blue Grey	GR	Biltmore Cherry	EBL		Flannel	FN
Nemo	NE	Bronze Metallic	IZM	Cherry Storm	LCH	Cool Grey	CG	Black	EGR		Glitz Metallic	GZ
Nordic	ND	Cayenne	ICY	Classic Linen	LCL	Light Tone	LG	Blue Grey	EBW		Hazy Jade	HJ
Purple Haze	PH	Champagne Metallic	ICM	Cloud Zephyr	LCL	Misty Brown	MY	Brighton Walnut	ECO		Honey Bee	HY
Rainforest	RQ	Cool Grey	ICG	Cocobala	LCC	Sand	SA	Castle Oak	ECY		Light Tone	LG
Raw Jasper	RJ	Cottonwood	ICO	Crisp Linen	LRI	Warm Grey	WG	Cayenne	ECC		Mardi Gras	MG
Rubber Ducky	RK	Earthen Clay	IEY	Desert Zephyr	LDZ			Cherry Storm	ECX		Misty Brown	MY
Sand	SA	Espresso Metallic	IEX	Designer White	LDR	Controlled Receptacle Color		Cocobala	ECC		Nemo	NE
Starlight Silver Metallic	SX	Everglade Shade	IEV	Dave Grey	LDG	Black	BL	Cool Grey	ECG		Nordic	ND
Surf's Up	SP	Flannel	IFN	Flax Linen	LXF	Light Tone	LG	Designer White	EDR		Purple Haze	PH
Tarragon	TQ	Glitz Metallic	ISZ	Florence Walnut	LFC	Sand	SA	Earthen Clay	EEY		Rainforest	RQ
Twilight Shadow	TI	Hazy Jade	IHJ	Forged Steel	LOL	Warm Grey	WG	Everglade Shade	EEV		Raw Jasper	RJ
Ultra Blue	UB	Honey Bee	IHY	Friston Ash	LFL	Electrical - Exposed Infeed Coating		Flannel	EFN		Rubber Ducky	RK
Warm Grey	WG	Mardi Gras	IMG	Frosted White	LFW	Black	BL	Florence Walnut	EFC		Sand	SA
Zesty Lime	ZL	Misty Brown	IMY	Graphite Nebula	LGN	Blue Grey	GR	Friston Ash	EFH		Starlight Silver Metallic	SX
		Nemo	INE	Grey	LGE	Cool Grey	CG	Frosted White	EFW		Surf's Up	SP
		Nordic	IND	High Rise	LHE	Light Tone	LG	Hazy Jade	EHJ		Tarragon	TQ
		Purple Haze	IPH	Hollyberry	LHY	Misty Brown	MY	Honey Bee	EHY		Twilight Shadow	TI
		Rainforest	IRQ	Island	LID	Sand	SA	Italian Silver Ash	EIT		Ultra Blue	UB
		Raw Jasper	IRJ	Italian Silver Ash	LIT	Warm Grey	WG	Kensington Maple	EKM		Warm Grey	WG
		Rubber Ducky	IRK	Kensington Maple	LKM	Worksurface - Grommet Color		Light Tone	ELG		Zesty Lime	ZL
		Sand	ISA	Lapis Blue	LLB	Black grommet	BL	Mardi Gras	EMG	Universal Overhead - Paint Color		
		Starlight Silver Metallic	ISX	Markerboard White	LMK	Blue Grey grommet	BL	Misty Brown	EMY	Black	BL	
		Surf's Up	ISP	Misted Zephyr	LMR	Bronze Metallic grommet	GR	Monticello Maple	EMT	Blue Grey	GR	
		Tarragon	ITQ	Monticello Maple	LMT	Cayenne grommet	ZM	Multiplex	EMB	Bronze Metallic	ZM	
		Twilight Shadow	ITI	North Sea	LNA	Champagne Metallic grommet	CY	Nemo	ENE	Cayenne	CY	
		Ultra Blue	IUB	Ocean	LON	Cool Grey grommet	CM	Nordic	END	Champagne Metallic	CM	
		Warm Grey	IWG	Pearl Bisque	LPB	Cottonwood grommet	CG	Pinnacle Walnut	EPW	Cool Grey	CG	
		Zesty Lime	IZL	Pinnacle Walnut	LPW	Earthen Clay grommet	CO	Poppy Red	EPR	Cottonwood	CO	
				Pressed Linen	LPV	Espresso Metallic grommet	EY	Purple Haze	EPH	Earthen Clay	EY	
				River Cherry	LRY	Everglade Shade grommet	EX	Rainforest	ERQ	Espresso Metallic	EX	
				Satin Stainless	LSS	Flannel grommet	EV	River Cherry	ERY	Everglade Shade	EV	
				Shadow Zephyr	LSR	Glitz Metallic grommet	FN	Rubber Ducky	ERK	Flannel	FN	
				Silicon evolv	LSV	Hazy Jade grommet	GZ	Sand	ESA	Glitz Metallic	GZ	
				Sterling Ash	LXZ	Honey Bee grommet	HJ	Sky Blue	ESK	Hazy Jade	HJ	
				Tailored Linen	LTL	Light Tone grommet	HY	Sterling Ash	EAZ	Honey Bee	HY	
				Titanium evolv	LTV	Mardi Gras grommet	LG	Surf's Up	ESP	Light Tone	LG	
				White Nebula	LWL	Misty Brown grommet	MG	Tarragon	ETO	Misty Brown	MY	
				White Sand	LWN	Nemo grommet	MY	Twilight Shadow	ETI	Nordic	ND	
							NE	Ultra Blue	EUB	Sand	SA	

Finish Cards

View color swatches for items listed within this document.

<u>Paints</u>	<u>Wood/Veneer</u>	<u>Molded Edges</u>	<u>Hard Plastics</u>
<u>Plastics/Poly</u>	<u>Laminates</u>	<u>Edge Styles</u>	<u>Glass</u>

Certain options referenced may not be available on GSA Schedule.



Starlight Silver Metallic	SX	Warm Grey	WG	Raw Jasper	RJ	Zesty Lime	EZL	Tarragon	TQ
Twilight Shadow	TI	Zesty Lime	ZL	Rubber Ducky	RK	Accessories - Glass Divider Screen		Twilight Shadow	TI
Warm Grey	WG	Balance® Overhead - Upper Door Solid Color		Sand	SA			Ultra Blue	UB
				Sky Blue	SK		GLV	Warm Grey	WG
				Whites & All Metallics	SX		GLA	Zesty Lime	ZL
				Surf's Up	SP				
Universal Overhead Door Handles are plastic. The plastic trim color is automatically coordinated with the paint color as follows:		Black	UBL	Tarragon	TQ	Clear glass features polished edge treatment. Satin etch glass features satin etch edge treatment.	Lock Color		
		Blue Grey	UGR	Twilight Shadow	TI			Black	BLL
		Cool Grey	UCG	Ultra Blue	UB			Satin Chrome	SCL
		Light Tone	ULG	Warm Grey	WG				
		Misty Brown	UMY	Zesty Lime	ZL				
		Sand	USA			Accessories/Paper Management - Trim Color			
Light Tone plastic trim coordinates with; Champagne Metallic and Light Tone paint		Translucent	UTR			Black	BL		
Cool Grey plastic trim coordinates with; Cool Grey paint		Warm Grey	UWG			Blue Grey	GR		
Sand plastic trim coordinates with; Cottonwood, Glitz Metallic, Honey Bee and Sand paint		Balance® Overhead - Shelf Divider Paint Color		*All white & metallic paints require an upcharge. See price list.		Cool Grey	CG		
						Earthen Clay	EY		
						Everglade Shade	EV		
						Glitz Metallic	GZ		
						Hazy Jade	HJ		
Universal Overhead - Trim Color				U-Series™ - Edge Color					
Black	BL	Black	BL	Beigewood	EBZ	Honey Bee	HY		
Blue Grey	GR	Blue Grey	GR	Belair	EBO	Light Tone	LG		
Cool Grey	CG	Cool Grey	CG	Biltmore Cherry	EBT	Misty Brown	MY		
Cottonwood	CO	Flannel	FN	Black	EBL	Sand	SA		
Flannel	FN	Light Tone	LG	Blue Grey	EGR	Starlight Silver Metallic	SX		
Light Tone	LG	Misty Brown	MY	Brighton Walnut	EBW	Twilight Shadow	TI		
Misty Brown	MY	Sand	SA	Castle Oak	ECO	Warm Grey	WG		
Sand	SA	Warm Grey	WG	Cherry Storm	ECX	Accessories/Paper Management - Modesty Panel Acrylic Insert			
Warm Grey	WG	Balance® Overhead - Laminate Door Edge Color		Cocobala	ECC	Cloud Acrylic	ACD		
				Cool Grey	ECG	Ghost White Acrylic	AGE		
				Designer White	EDR	In-Line Coat Hook & Top Cap Picture/Coat Hook			
				Earthen Clay	EEY	Black	BL		
				Everglade Shade	EEV	Blue Grey	GR		
Balance® Overhead - Cabinet Paint Color				Flannel	EFN	Bronze Metallic	ZM		
Black	BL	Black laminate door edge	EBL	Florence Walnut	EFC	Cayenne	CY		
Blue Grey	GR	Blue Grey laminate door edge	EGR	Friston Ash	EFH	Champagne Metallic	CM		
Bronze Metallic	ZM	Cool Grey laminate door edge	ECG	Frosty White	EFW	Cool Grey	CG		
Cayenne	CY	Light Tone laminate door edge	ELG	Hazy Jade	EHJ	Cottonwood	CO		
Champagne Metallic	CM	Misty Brown laminate door edge	EMY	Honey Bee	EHY	Earthen Clay	EY		
Cool Grey	CG	Sand laminate door edge	ESA	Italian Silver Ash	EIT	Espresso Metallic	EX		
Cottonwood	CO	Warm Grey laminate door edge	EWG	Kensington Maple	EKM	Everglade Shade	EV		
Earthen Clay	EY	U-Series™ - Unit Color/Paint Color				Flannel	FN		
Espresso Metallic	EX	Black	BL	Light Tone	ELG	Glitz Metallic	GZ		
Everglade Shade	EV	Blue Grey	GR	Mardi Gras	EMG	Hazy Jade	HJ		
Flannel	FN	Bronze Metallic	ZM	Misty Brown	EMY	Honey Bee	HY		
Glitz Metallic	GZ	Cayenne	CY	Monticello Maple	EMT	Light Tone	LG		
Hazy Jade	HJ	Champagne Metallic	CM	Multiplex	EMB	Mardi Gras	MG		
Honey Bee	HY	Cool Grey	CG	Nemo	ENE	Misty Brown	MY		
Light Tone	LG	Cottonwood	CO	Pinnacle Walnut	EPW	Nemo	NE		
Mardi Gras	MG	Earthen Clay	EY	Poppy Red	EPR	Nordic	ND		
Misty Brown	MY	Espresso Metallic	EX	Purple Haze	EPH	Poppy Red	PR		
Nemo	NE	Everglade Shade	EV	Rainforest	ERO	Purple Haze	PH		
Nordic	ND	Flannel	FN	River Cherry	ERY	Rainforest	RQ		
Purple Haze	PH	Glitz Metallic	GZ	Rubber Ducky	ERK	Raw Jasper	RJ		
Rainforest	RQ	Hazy Jade	HJ	Sand	ESA	Rubber Ducky	RK		
Raw Jasper	RJ	Honey Bee	HY	Sky Blue	ESK	Sand	SA		
Rubber Ducky	RK	Light Tone	LG	Sterling Ash	EAZ	Sky Blue	SK		
Sand	SA	Mardi Gras	MG	Surf's Up	ESP	Starlight Silver Metallic	SX		
Starlight Silver Metallic	SX	Misty Brown	MY	Tarragon	ETQ	Surf's Up	SP		
Surf's Up	SP	Nemo	NE	Twilight Shadow	ETI				
Tarragon	TQ	Nordic	ND	Ultra Blue	EUB				
Twilight Shadow	TI	Glitz Metallic	GZ	Warm Grey	EWG				
Ultra Blue	UB	Hazy Jade	HJ	Windsor Mahogany	EWY				

Finish Cards

View color swatches for items listed within this document.

Paints

Plastics/Poly

Wood/Veneer

Laminates

Molded Edges

Edge Styles

Hard Plastics

Glass

Certain options referenced may not be available on GSA Schedule.


Preconfigured Monolithic Fabric Panel

Standard Base Raceway



Preconfigured Monolithic Fabric Panel

Standard Base Raceway

			MODEL NUMBER											
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 UMFR	Monolithic Fabric Panel - 32" H - Standard base raceway on both sides accepts power and data cable distribution - Includes monolithic fabric tiles for both sides - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, and base raceway - Side 1 and side 2 finishes are specified separately 30-72" wide panels feature two power knockouts per side 24" wide panels feature one power knockout per side 72" wide panels feature split tiles - Electrical components are specified separately	24 x 32	UMFR2432	☐	☐	☐	☐	☐	34.6#	\$ 424	\$ 444	\$ 459	\$ 470	\$ 503
		30 x 32	UMFR3032	☐	☐	☐	☐	☐	39.4#	481	504	521	534	571
		36 x 32	UMFR3632	☐	☐	☐	☐	☐	44.3#	524	548	568	581	620
		42 x 32	UMFR4232	☐	☐	☐	☐	☐	49.2#	560	585	607	623	661
		48 x 32	UMFR4832	☐	☐	☐	☐	☐	54.1#	589	617	637	653	696
		54 x 32	UMFR5432	☐	☐	☐	☐	☐	58.9#	644	672	695	711	759
		60 x 32	UMFR6032	☐	☐	☐	☐	☐	63.8#	733	765	795	812	866
		72 x 32	UMFR7232	☐	☐	☐	☐	☐	77.4#	934	977	1011	1037	1107
UMFR	Monolithic Fabric Panel - 40" H	24 x 40	UMFR2440	☐	☐	☐	☐	☐	39.4#	\$ 457	\$ 479	\$ 495	\$ 506	\$ 542
		30 x 40	UMFR3040	☐	☐	☐	☐	☐	44.7#	517	542	559	574	612
		36 x 40	UMFR3640	☐	☐	☐	☐	☐	50.1#	584	611	634	649	691
		42 x 40	UMFR4240	☐	☐	☐	☐	☐	55.6#	640	666	693	708	757
		48 x 40	UMFR4840	☐	☐	☐	☐	☐	61.0#	661	694	718	735	784
		54 x 40	UMFR5440	☐	☐	☐	☐	☐	66.4#	705	737	762	782	836
		60 x 40	UMFR6040	☐	☐	☐	☐	☐	71.8#	788	825	853	877	934
		72 x 40	UMFR7240	☐	☐	☐	☐	☐	87.6#	1041	1089	1128	1156	1231
UMFR	Monolithic Fabric Panel - 48" H	24 x 48	UMFR2448	☐	☐	☐	☐	☐	44.3#	\$ 501	\$ 521	\$ 542	\$ 556	\$ 590
		30 x 48	UMFR3048	☐	☐	☐	☐	☐	50.2#	568	594	614	629	670
		36 x 48	UMFR3648	☐	☐	☐	☐	☐	56.1#	649	681	703	719	769
		42 x 48	UMFR4248	☐	☐	☐	☐	☐	62.1#	749	782	809	829	883
		48 x 48	UMFR4848	☐	☐	☐	☐	☐	68.0#	772	807	836	856	915
		54 x 48	UMFR5448	☐	☐	☐	☐	☐	73.9#	815	854	883	906	967
		60 x 48	UMFR6048	☐	☐	☐	☐	☐	79.8#	911	950	985	1010	1076
		72 x 48	UMFR7248	☐	☐	☐	☐	☐	90.0#	1168	1223	1266	1297	1384
			A	B	C	D	E	F						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- C1** - Chicago, 1 side w/cutouts
- D1** - Domestic, 1 side w/cutouts
- D** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F** Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, freight prepaid, Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Fabric Panel

Standard Base Raceway



Preconfigured Monolithic Fabric Panel

Standard Base Raceway

		MODEL NUMBER												
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 UMFR	Monolithic Fabric Panel - 56" H	24 x 56	UMFR2456	☐	☐	☐	☐	☐	49.2#	\$ 547	\$ 571	\$ 590	\$ 607	\$ 648
	• Standard base raceway on both sides accepts power and data cable distribution	30 x 56	UMFR3056	☐	☐	☐	☐	☐	55.6#	650	681	703	721	769
	• Includes monolithic fabric tiles for both sides	36 x 56	UMFR3656	☐	☐	☐	☐	☐	62.1#	707	738	763	784	837
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 56	UMFR4256	☐	☐	☐	☐	☐	68.6#	776	811	839	861	920
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	48 x 56	UMFR4856	☐	☐	☐	☐	☐	75.0#	837	876	905	928	989
	• Side 1 and side 2 finishes are specified separately	54 x 56	UMFR5456	☐	☐	☐	☐	☐	81.4#	906	947	981	1008	1075
	• 30-72" wide panels feature two power knockouts per side	60 x 56	UMFR6056	☐	☐	☐	☐	☐	87.9#	1030	1077	1115	1146	1220
	• 24" wide panels feature one power knockout per side	72 x 56	UMFR7256	☐	☐	☐	☐	☐	108.4#	1280	1340	1386	1420	1515
	• 72" wide panels feature split tiles													
	• Electrical components are specified separately													
UMFR	Monolithic Fabric Panel - 64" H	24 x 64	UMFR2464	☐	☐	☐	☐	☐	53.6#	\$ 571	\$ 596	\$ 618	\$ 634	\$ 679
		30 x 64	UMFR3064	☐	☐	☐	☐	☐	60.5#	666	699	724	744	790
		36 x 64	UMFR3664	☐	☐	☐	☐	☐	67.5#	728	761	789	809	862
		42 x 64	UMFR4264	☐	☐	☐	☐	☐	74.5#	800	837	865	887	945
		48 x 64	UMFR4864	☐	☐	☐	☐	☐	81.5#	858	898	931	954	1015
		54 x 64	UMFR5464	☐	☐	☐	☐	☐	88.4#	930	972	1008	1032	1100
		60 x 64	UMFR6064	☐	☐	☐	☐	☐	95.4#	1054	1102	1143	1169	1249
		72 x 64	UMFR7264	☐	☐	☐	☐	☐	118.2#	1331	1392	1439	1476	1572
			A	B	C	D	E	F						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
N - No topcap
- C** Select electrical code.
- CP** - Chicago - with cutouts
DN - Domestic, no cutouts
DP - Domestic - with cutouts
C1 - Chicago, 1 side w/cutouts
D1 - Domestic, 1 side w/cutouts
- D** Select trim color.
Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
Refer to ki.com/fabrics
- F** Select fabric side 2.
Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Fabric Panel

Elevated Base



Preconfigured Monolithic Fabric Panel

Elevated Base

			MODEL NUMBER										
			Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Monolithic Fabric Panel - 32" H	24 x 32	UMFL2432	☐	☐	☐	☐	32.4#	\$ 424	\$ 444	\$ 459	\$ 470	\$ 503
	• Elevated base does not accept cable distribution	30 x 32	UMFL3032	☐	☐	☐	☐	36.5#	481	504	521	534	571
	• Includes monolithic fabric tiles for both sides	36 x 32	UMFL3632	☐	☐	☐	☐	40.5#	524	548	568	581	620
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 32	UMFL4232	☐	☐	☐	☐	44.6#	560	585	607	623	661
	• Trim is metal and includes top cap, bottom trim channel, and foot shroud	48 x 32	UMFL4832	☐	☐	☐	☐	48.7#	589	617	637	653	696
	• Side 1 and side 2 finishes are specified separately	54 x 32	UMFL5432	☐	☐	☐	☐	52.7#	644	672	695	711	759
	• 72" wide panels feature split tiles	60 x 32	UMFL6032	☐	☐	☐	☐	56.8#	733	765	795	812	866
		72 x 32	UMFL7232	☐	☐	☐	☐	68.8#	934	977	1011	1037	1107
UMFL													
UMFL	Monolithic Fabric Panel - 40" H	24 x 40	UMFL2440	☐	☐	☐	☐	37.2#	\$ 457	\$ 479	\$ 495	\$ 506	\$ 542
		30 x 40	UMFL3040	☐	☐	☐	☐	41.8#	517	542	559	574	612
		36 x 40	UMFL3640	☐	☐	☐	☐	46.4#	584	611	634	649	691
		42 x 40	UMFL4240	☐	☐	☐	☐	51.0#	640	666	693	708	757
		48 x 40	UMFL4840	☐	☐	☐	☐	55.6#	661	694	718	735	784
		54 x 40	UMFL5440	☐	☐	☐	☐	60.2#	705	737	762	782	836
		60 x 40	UMFL6040	☐	☐	☐	☐	64.8#	788	825	853	877	934
		72 x 40	UMFL7240	☐	☐	☐	☐	79.0#	1041	1089	1128	1156	1231
UMFL	Monolithic Fabric Panel - 48" H	24 x 48	UMFL2448	☐	☐	☐	☐	42.1#	\$ 501	\$ 521	\$ 542	\$ 556	\$ 590
		30 x 48	UMFL3048	☐	☐	☐	☐	47.2#	568	594	614	629	670
		36 x 48	UMFL3648	☐	☐	☐	☐	52.3#	649	681	703	719	769
		42 x 48	UMFL4248	☐	☐	☐	☐	57.5#	749	782	809	829	883
		48 x 48	UMFL4848	☐	☐	☐	☐	62.6#	772	807	836	856	915
		54 x 48	UMFL5448	☐	☐	☐	☐	67.7#	815	854	883	906	967
		60 x 48	UMFL6048	☐	☐	☐	☐	72.9#	911	950	985	1010	1076
		72 x 48	UMFL7248	☐	☐	☐	☐	89.4#	1168	1223	1266	1297	1384
			A	B	C	D	E						

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D** Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- E** Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Fabric Panel

Elevated Base



Preconfigured Monolithic Fabric Panel

Elevated Base

			MODEL NUMBER										
MODEL		W x H	Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Monolithic Fabric Panel - 56" H	24 x 56	UMFL2456	☐	☐	☐	☐	47.0#	\$ 547	\$ 571	\$ 590	\$ 607	\$ 648
	• Elevated base does not accept cable distribution	30 x 56	UMFL3056	☐	☐	☐	☐	52.7#	650	681	703	721	769
	• Includes monolithic fabric tiles for both sides	36 x 56	UMFL3656	☐	☐	☐	☐	58.3#	707	738	763	784	837
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 56	UMFL4256	☐	☐	☐	☐	64.0#	776	811	839	861	920
	• Trim is metal and includes top cap, bottom trim channel, and foot shroud	48 x 56	UMFL4856	☐	☐	☐	☐	69.7#	837	876	905	928	989
	• Side 1 and side 2 finishes are specified separately	54 x 56	UMFL5456	☐	☐	☐	☐	75.3#	906	947	981	1008	1075
	• 72" wide panels feature split tiles	60 x 56	UMFL6056	☐	☐	☐	☐	81.0#	1030	1077	1115	1146	1220
		72 x 56	UMFL7256	☐	☐	☐	☐	99.8#	1280	1340	1386	1420	1515
UMFL													
UMFL	Monolithic Fabric Panel - 64" H	24 x 64	UMFL2464	☐	☐	☐	☐	51.4#	\$ 571	\$ 596	\$ 618	\$ 634	\$ 679
		30 x 64	UMFL3064	☐	☐	☐	☐	57.5#	666	699	724	744	790
		36 x 64	UMFL3664	☐	☐	☐	☐	63.7#	728	761	789	809	862
		42 x 64	UMFL4264	☐	☐	☐	☐	69.9#	800	837	865	887	945
		48 x 64	UMFL4864	☐	☐	☐	☐	76.1#	858	898	931	954	1015
		54 x 64	UMFL5464	☐	☐	☐	☐	82.3#	930	972	1008	1032	1100
		60 x 64	UMFL6064	☐	☐	☐	☐	88.5#	1054	1102	1143	1169	1249
		72 x 64	UMFL7264	☐	☐	☐	☐	109.6#	1331	1392	1439	1476	1572
			A	B	C	D	E						

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select trim color. Refer to the **Product Color Options** page in this price list.
- D** Select fabric side 1. Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- E** Select fabric side 2. Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Monolithic Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER													
MODEL			W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
 UMFT	Monolithic Fabric Panel - 32" H • Side 1: tile-to-floor base does not accept cable distribution • Side 2: standard base raceway accepts power and data cable distribution • Includes monolithic fabric tiles for both sides • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, and base raceway • Side 1 and side 2 finishes are specified separately • 30-72" wide tiles feature two power knockouts on side 2 • 24" wide tiles feature one power knockout on side 2 • 72" wide panels feature split tiles • Electrical components are specified separately	24 x 32	UMFT2432	☐	☐	☐	☐	☐	☐	33.6#	\$ 424	\$ 444	\$ 459	\$ 470	\$ 503	
		30 x 32	UMFT3032	☐	☐	☐	☐	☐	☐	☐	38.1#	481	504	521	534	571
		36 x 32	UMFT3632	☐	☐	☐	☐	☐	☐	☐	42.7#	524	548	568	581	620
		42 x 32	UMFT4232	☐	☐	☐	☐	☐	☐	☐	47.3#	560	585	607	623	661
		48 x 32	UMFT4832	☐	☐	☐	☐	☐	☐	☐	51.9#	589	617	637	653	696
		54 x 32	UMFT5432	☐	☐	☐	☐	☐	☐	☐	56.4#	644	672	695	711	759
		60 x 32	UMFT6032	☐	☐	☐	☐	☐	☐	☐	61.0#	733	765	795	812	866
		72 x 32	UMFT7232	☐	☐	☐	☐	☐	☐	☐	74.0#	934	977	1011	1037	1107
UMFT	Monolithic Fabric Panel - 40" H	24 x 40	UMFT2440	☐	☐	☐	☐	☐	☐	38.4#	\$ 457	\$ 479	\$ 495	\$ 506	\$ 542	
		30 x 40	UMFT3040	☐	☐	☐	☐	☐	☐	43.4#	517	542	559	574	612	
		36 x 40	UMFT3640	☐	☐	☐	☐	☐	☐	48.5#	584	611	634	649	691	
		42 x 40	UMFT4240	☐	☐	☐	☐	☐	☐	53.7#	640	666	693	708	757	
		48 x 40	UMFT4840	☐	☐	☐	☐	☐	☐	58.8#	661	694	718	735	784	
		54 x 40	UMFT5440	☐	☐	☐	☐	☐	☐	63.9#	705	737	762	782	836	
		60 x 40	UMFT6040	☐	☐	☐	☐	☐	☐	69.0#	788	825	853	877	934	
		72 x 40	UMFT7240	☐	☐	☐	☐	☐	☐	84.2#	1041	1089	1128	1156	1231	
UMFT	Monolithic Fabric Panel - 48" H	24 x 48	UMFT2448	☐	☐	☐	☐	☐	☐	43.3#	\$ 501	\$ 521	\$ 542	\$ 556	\$ 590	
		30 x 48	UMFT3048	☐	☐	☐	☐	☐	☐	48.9#	568	594	614	629	670	
		36 x 48	UMFT3648	☐	☐	☐	☐	☐	☐	54.5#	649	681	703	719	769	
		42 x 48	UMFT4248	☐	☐	☐	☐	☐	☐	60.2#	749	782	809	829	883	
		48 x 48	UMFT4848	☐	☐	☐	☐	☐	☐	65.8#	772	807	836	856	915	
		54 x 48	UMFT5448	☐	☐	☐	☐	☐	☐	71.4#	815	854	883	906	974	
		60 x 48	UMFT6048	☐	☐	☐	☐	☐	☐	77.1#	911	950	985	1010	1076	
		72 x 48	UMFT7248	☐	☐	☐	☐	☐	☐	94.6#	1168	1223	1266	1297	1384	
			A	B	C	D	E	F								

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- CP** - Chicago - with cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- D** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
- Refer to ki.com/fabrics
- F** Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Monolithic Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER												
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 UMFT	Monolithic Fabric Panel - 56" H	24 x 56	UMFT2456	☐	☐	☐	☐	☐	48.2#	\$ 547	\$ 571	\$ 590	\$ 607	\$ 648
	• Side 1: tile-to-floor base does not accept cable distribution	30 x 56	UMFT3056	☐	☐	☐	☐	☐	54.3#	650	681	703	721	769
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 56	UMFT3656	☐	☐	☐	☐	☐	60.5#	707	738	763	784	837
	• Includes monolithic fabric tiles for both sides	42 x 56	UMFT4256	☐	☐	☐	☐	☐	66.7#	776	811	839	861	920
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 56	UMFT4856	☐	☐	☐	☐	☐	72.8#	837	876	905	928	989
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	54 x 56	UMFT5456	☐	☐	☐	☐	☐	79.0#	906	947	981	1008	1075
	• Side 1 and side 2 finishes are specified separately	60 x 56	UMFT6056	☐	☐	☐	☐	☐	85.2#	1030	1077	1115	1146	1220
	• 30-72" wide tiles feature two power knockouts on side 2	72 x 56	UMFT7256	☐	☐	☐	☐	☐	105.0#	1280	1340	1386	1420	1515
	• 24" wide tiles feature one power knockout on side 2													
	• 72" wide panels feature split tiles													
	• Electrical components are specified separately													
UMFT	Monolithic Fabric Panel - 64" H	24 x 64	UMFT2464	☐	☐	☐	☐	☐	52.5#	\$ 571	\$ 596	\$ 618	\$ 634	\$ 679
		30 x 64	UMFT3064	☐	☐	☐	☐	☐	59.2#	666	699	724	744	790
		36 x 64	UMFT3664	☐	☐	☐	☐	☐	65.9#	728	761	789	809	862
		42 x 64	UMFT4264	☐	☐	☐	☐	☐	72.6#	800	837	865	887	945
		48 x 64	UMFT4864	☐	☐	☐	☐	☐	79.3#	858	898	931	954	1015
		54 x 64	UMFT5464	☐	☐	☐	☐	☐	86.0#	930	972	1008	1032	1100
		60 x 64	UMFT6064	☐	☐	☐	☐	☐	92.7#	1054	1102	1143	1169	1249
		72 x 64	UMFT7264	☐	☐	☐	☐	☐	114.8#	1331	1392	1439	1476	1572
			A	B	C	D	E	F						

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
N - No topcap
- C** Select electrical code.
- CP** - Chicago - with cutouts
DN - Domestic, no cutouts
DP - Domestic - with cutouts
- D** Select trim color.
Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
Refer to ki.com/fabrics
- F** Select fabric side 2.
Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Fabric Panel (Beltway Power)

Standard Base Raceway



Preconfigured Monolithic Fabric Panel (Beltway Power)

Standard Base Raceway

		MODEL NUMBER													
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 UMFR	Monolithic Fabric Panel - 40" H	24 x 40	UMFRBW2440	☐	☐	☐	☐	☐	☐	39.4#	\$ 509	\$ 534	\$ 552	\$ 568	\$ 603
	• Standard base raceway on both sides accepts power and data cable distribution	30 x 40	UMFRBW3040	☐	☐	☐	☐	☐	☐	44.7#	592	620	642	656	699
	• Above worksurface beltway accepts power and data cable distribution	36 x 40	UMFRBW3640	☐	☐	☐	☐	☐	☐	50.1#	651	683	706	723	772
	• Includes monolithic fabric tiles for both sides	42 x 40	UMFRBW4240	☐	☐	☐	☐	☐	☐	55.6#	711	746	772	790	842
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 40	UMFRBW4840	☐	☐	☐	☐	☐	☐	61.0#	735	771	798	816	873
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	54 x 40	UMFRBW5440	☐	☐	☐	☐	☐	☐	66.4#	785	823	851	875	931
	• Side 1 and side 2 finishes are specified separately	60 x 40	UMFRBW6040	☐	☐	☐	☐	☐	☐	71.8#	882	924	956	981	1048
	• 30-72" wide panels feature two power knockouts at base and two knockouts with bezels at beltway per side	72 x 40	UMFRBW7240	☐	☐	☐	☐	☐	☐	87.6#	1172	1225	1268	1301	1388
	• 24" wide panels each feature one power knockout and one at beltway per side														
	• 72" wide panels feature split tiles														
UMFR	Monolithic Fabric Panel - 48" H	24 x 48	UMFRBW2448	☐	☐	☐	☐	☐	☐	44.3#	\$ 549	\$ 574	\$ 595	\$ 611	\$ 650
		30 x 48	UMFRBW3048	☐	☐	☐	☐	☐	☐	50.2#	637	666	691	708	755
		36 x 48	UMFRBW3648	☐	☐	☐	☐	☐	☐	56.1#	723	755	782	801	855
		42 x 48	UMFRBW4248	☐	☐	☐	☐	☐	☐	62.1#	823	858	887	887	974
		48 x 48	UMFRBW4848	☐	☐	☐	☐	☐	☐	68.0#	840	879	912	934	996
		54 x 48	UMFRBW5448	☐	☐	☐	☐	☐	☐	73.9#	888	928	961	986	1051
		60 x 48	UMFRBW6048	☐	☐	☐	☐	☐	☐	79.8#	988	1035	1070	1098	1168
		72 x 48	UMFRBW7248	☐	☐	☐	☐	☐	☐	98.0#	1310	1371	1417	1454	1551
UMFR	Monolithic Fabric Panel - 56" H	24 x 56	UMFRBW2456	☐	☐	☐	☐	☐	☐	49.2#	\$ 608	\$ 635	\$ 656	\$ 674	\$ 718
		30 x 56	UMFRBW3056	☐	☐	☐	☐	☐	☐	55.6#	718	751	777	798	850
		36 x 56	UMFRBW3656	☐	☐	☐	☐	☐	☐	62.1#	788	825	853	876	932
		42 x 56	UMFRBW4256	☐	☐	☐	☐	☐	☐	68.6#	879	920	950	976	1040
		48 x 56	UMFRBW4856	☐	☐	☐	☐	☐	☐	75.0#	931	976	1009	1035	1102
		54 x 56	UMFRBW5456	☐	☐	☐	☐	☐	☐	81.4#	997	1022	1079	1107	1178
		60 x 56	UMFRBW6056	☐	☐	☐	☐	☐	☐	87.9#	1121	1172	1212	1242	1329
		72 x 56	UMFRBW7256	☐	☐	☐	☐	☐	☐	108.4#	1438	1504	1557	1594	1703
			A	B	C	D	E	F	G						

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
F ☐ - Flat trim (std)
N ☐ - No topcap
- C** Select electrical code.
DP ☐ - Domestic - with cutouts
D1 ☐ - Domestic, 1 side w/cutouts
- D** Select bezel color.
Refer to the **Product Color Options** page in this price list.
- E** Select trim color.
Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.
Refer to [ki.com/fabrics](#)
- G** Select fabric side 2.
Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Fabric Panel (Beltway Power)

Standard Base Raceway



Preconfigured Monolithic Fabric Panel (Beltway Power)

Standard Base Raceway

	MODEL	W x H	MODEL NUMBER							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2						
 UMFR	Monolithic Fabric Panel - 64" H	24 x 64	UMFRBW2464	☐	☐	☐	☐	☐	☐	53.6#	\$ 647	\$ 679	\$ 697	\$ 715	\$ 762
	• Standard base raceway on both sides accepts power and data cable distribution	30 x 64	UMFRBW3064	☐	☐	☐	☐	☐	☐	60.5#	761	798	825	845	902
	• Above worksurface beltway accepts power and data cable distribution	36 x 64	UMFRBW3664	☐	☐	☐	☐	☐	☐	67.5#	831	870	900	923	983
	• Includes monolithic fabric tiles for both sides	42 x 64	UMFRBW4264	☐	☐	☐	☐	☐	☐	74.5#	908	946	981	1008	1071
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 64	UMFRBW4864	☐	☐	☐	☐	☐	☐	81.5#	972	1014	1052	1077	1150
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	54 x 64	UMFRBW5464	☐	☐	☐	☐	☐	☐	88.4#	1024	1091	1132	1158	1236
	• Side 1 and side 2 finishes are specified separately	60 x 64	UMFRBW6064	☐	☐	☐	☐	☐	☐	95.4#	1180	1235	1278	1309	1398
	• 30-72" wide panels feature two power knockouts at base and two knockouts with bezels at beltway per side	72 x 64	UMFRBW7264	☐	☐	☐	☐	☐	☐	118.2#	1515	1584	1638	1681	1793
	• 24" wide panels each feature one power knockout and one at beltway per side														
	• 72" wide panels feature split tiles														
	• Electrical components are specified separately														
			A	B	C	D	E	F	G						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** ☐ - Flat trim (std)
- N** ☐ - No topcap
- C** Select electrical code.
- DP** ☐ - Domestic - with cutouts
- D1** ☐ - Domestic, 1 side w/cutouts
- D** Select bezel color.
- Refer to the **Product Color Options** page in this price list.
- E** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- G** Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Fabric Panel (Beltway Power)

Elevated Base



Preconfigured Monolithic Fabric Panel (Beltway Power)

Elevated Base

	MODEL	W x H	MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2		
			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1							Fabric Side 2	
 UMFL	Monolithic Fabric Panel - 40" H • 30-72" wide tiles each feature two power knockouts with bezels at above-worksurface beltway • 24" wide tiles each feature one power knockout with bezel at above-worksurface beltway • Raised base does not accept cable distribution • Includes monolithic fabric tiles for both sides • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, and foot shroud • Side 1 and side 2 finishes are specified separately • 72" wide panels feature split tiles • Electrical components are specified separately	24 x 40	UMFLBW2440	☐	☐	☐	☐	☐	☐	37.2#	\$ 509	\$ 534	\$ 552	\$ 568	\$ 603	
		30 x 40	UMFLBW3040	☐	☐	☐	☐	☐	☐	☐	41.8#	592	620	642	656	699
		36 x 40	UMFLBW3640	☐	☐	☐	☐	☐	☐	☐	46.4#	651	683	706	723	772
		42 x 40	UMFLBW4240	☐	☐	☐	☐	☐	☐	☐	51.0#	711	746	772	790	842
		48 x 40	UMFLBW4840	☐	☐	☐	☐	☐	☐	☐	55.6#	735	771	798	816	873
		54 x 40	UMFLBW5440	☐	☐	☐	☐	☐	☐	☐	60.2#	785	823	851	875	931
		60 x 40	UMFLBW6040	☐	☐	☐	☐	☐	☐	☐	64.8#	882	924	956	981	1048
		72 x 40	UMFLBW7240	☐	☐	☐	☐	☐	☐	☐	79.0#	1172	1225	1268	1301	1388
UMFL	Monolithic Fabric Panel - 48" H	24 x 48	UMFLBW2448	☐	☐	☐	☐	☐	☐	42.1#	\$ 549	\$ 574	\$ 595	\$ 611	\$ 650	
		30 x 48	UMFLBW3048	☐	☐	☐	☐	☐	☐	47.2#	637	666	691	708	755	
		36 x 48	UMFLBW3648	☐	☐	☐	☐	☐	☐	52.3#	723	755	782	801	855	
		42 x 48	UMFLBW4248	☐	☐	☐	☐	☐	☐	57.5#	823	858	887	912	974	
		48 x 48	UMFLBW4848	☐	☐	☐	☐	☐	☐	62.6#	840	879	912	934	996	
		54 x 48	UMFLBW5448	☐	☐	☐	☐	☐	☐	67.7#	888	928	961	986	1051	
		60 x 48	UMFLBW6048	☐	☐	☐	☐	☐	☐	72.9#	988	1035	1070	1098	1168	
		72 x 48	UMFLBW7248	☐	☐	☐	☐	☐	☐	89.4#	1310	1371	1417	1454	1551	
UMFL	Monolithic Fabric Panel - 56" H	24 x 56	UMFLBW2456	☐	☐	☐	☐	☐	☐	47.0#	\$ 608	\$ 635	\$ 656	\$ 674	\$ 718	
		30 x 56	UMFLBW3056	☐	☐	☐	☐	☐	☐	52.7#	718	751	777	798	850	
		36 x 56	UMFLBW3656	☐	☐	☐	☐	☐	☐	58.3#	788	825	853	876	932	
		42 x 56	UMFLBW4256	☐	☐	☐	☐	☐	☐	64.0#	879	920	950	976	1040	
		48 x 56	UMFLBW4856	☐	☐	☐	☐	☐	☐	69.7#	931	976	1009	1035	1102	
		54 x 56	UMFLBW5456	☐	☐	☐	☐	☐	☐	75.3#	997	1022	1079	1107	1178	
		60 x 56	UMFLBW6056	☐	☐	☐	☐	☐	☐	81.0#	1121	1172	1212	1242	1329	
		72 x 56	UMFLBW7256	☐	☐	☐	☐	☐	☐	99.8#	1438	1504	1557	1594	1703	
			A	B	C	D	E	F	G							

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- DP** - Domestic - with cutouts
- D** Select bezel color.
- Refer to the **Product Color Options** page in this price list.
- E** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.
- Refer to ki.com/fabrics
- G** Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Fabric Panel (Beltway Power)

Elevated Base



Preconfigured Monolithic Fabric Panel (Beltway Power)

Elevated Base

	MODEL	W x H	MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1							Fabric Side 2
 UMFL	Monolithic Fabric Panel - 64" H	24 x 64	UMFLBW2464	☐	☐	☐	☐	☐	☐	51.4#	\$ 647	\$ 679	\$ 697	\$ 715	\$ 762
	• 30-72" wide tiles each feature two power knockouts with bezels at above-worksurface beltway	30 x 64	UMFLBW3064	☐	☐	☐	☐	☐	☐	57.5#	761	798	825	845	902
	• 24" wide tiles each feature one power knockout with bezel at above-worksurface beltway	36 x 64	UMFLBW3664	☐	☐	☐	☐	☐	☐	63.7#	831	870	900	923	983
	• Raised base does not accept cable distribution	42 x 64	UMFLBW4264	☐	☐	☐	☐	☐	☐	69.9#	908	946	981	1008	1071
	• Includes monolithic fabric tiles for both sides	48 x 64	UMFLBW4864	☐	☐	☐	☐	☐	☐	76.1#	972	1014	1052	1077	1150
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 64	UMFLBW5464	☐	☐	☐	☐	☐	☐	82.3#	1024	1091	1132	1158	1236
	• Trim is metal and includes top cap, bottom trim channel, and foot shroud	60 x 64	UMFLBW6064	☐	☐	☐	☐	☐	☐	88.5#	1180	1235	1278	1309	1398
	• Side 1 and side 2 finishes are specified separately	72 x 64	UMFLBW7264	☐	☐	☐	☐	☐	☐	109.6#	1515	1584	1638	1681	1793
	• 72" wide panels feature split tiles														
	• Electrical components are specified separately														

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- DP** - Domestic - with cutouts
- D** Select bezel color.
- Refer to the **Product Color Options** page in this price list.
- E** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.
- Refer to ki.com/fabrics
- G** Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Fabric Panel (Beltway Power)

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Monolithic Fabric Panel (Beltway Power)

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER														
MODEL			W x H	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
 UMFT	Monolithic Fabric Panel - 40" H • Side 1: tile-to-floor base does not accept cable distribution at base or beltway • Side 2: standard base raceway and above-worksurface beltway accept cable distribution • Includes monolithic fabric tiles for both sides • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, and base raceway • Side 1 and side 2 finishes are specified separately • Side 2: 30-72" wide tiles feature two base and two beltway power knockouts • Side 2: 24" wide tiles feature one base and one beltway power knockout • 72" wide panels feature split tiles • Electrical components are specified separately	24 x 40	UMFTBW2440	☐	☐	☐	☐	☐	☐	☐	38.4#	\$ 509	\$ 534	\$ 552	\$ 568	\$ 603	
		30 x 40	UMFTBW3040	☐	☐	☐	☐	☐	☐	☐	☐	43.4#	592	620	642	656	699
		36 x 40	UMFTBW3640	☐	☐	☐	☐	☐	☐	☐	☐	48.5#	651	683	706	723	772
		42 x 40	UMFTBW4240	☐	☐	☐	☐	☐	☐	☐	☐	53.7#	711	746	772	790	842
		48 x 40	UMFTBW4840	☐	☐	☐	☐	☐	☐	☐	☐	58.8#	735	771	798	816	873
		54 x 40	UMFTBW5440	☐	☐	☐	☐	☐	☐	☐	☐	63.9#	785	823	851	875	931
		60 x 40	UMFTBW6040	☐	☐	☐	☐	☐	☐	☐	☐	69.0#	882	924	956	981	1048
		72 x 40	UMFTBW7240	☐	☐	☐	☐	☐	☐	☐	☐	84.2#	1172	1225	1268	1301	1388
UMFT	Monolithic Fabric Panel - 48" H	24 x 48	UMFTBW2448	☐	☐	☐	☐	☐	☐	☐	43.3#	\$ 549	\$ 574	\$ 595	\$ 611	\$ 650	
		30 x 48	UMFTBW3048	☐	☐	☐	☐	☐	☐	☐	48.9#	637	666	691	708	755	
		36 x 48	UMFTBW3648	☐	☐	☐	☐	☐	☐	☐	54.5#	723	755	782	801	855	
		42 x 48	UMFTBW4248	☐	☐	☐	☐	☐	☐	☐	60.2#	823	858	887	912	974	
		48 x 48	UMFTBW4848	☐	☐	☐	☐	☐	☐	☐	65.8#	840	879	912	934	996	
		54 x 48	UMFTBW5448	☐	☐	☐	☐	☐	☐	☐	71.4#	888	928	961	986	1051	
		60 x 48	UMFTBW6048	☐	☐	☐	☐	☐	☐	☐	77.1#	988	1035	1070	1098	1168	
		72 x 48	UMFTBW7248	☐	☐	☐	☐	☐	☐	☐	94.6#	1310	1371	1417	1454	1551	
UMFT	Monolithic Fabric Panel - 56" H	24 x 56	UMFTBW2456	☐	☐	☐	☐	☐	☐	☐	48.2#	\$ 608	\$ 635	\$ 656	\$ 674	\$ 718	
		30 x 56	UMFTBW3056	☐	☐	☐	☐	☐	☐	☐	54.3#	718	751	777	798	850	
		36 x 56	UMFTBW3656	☐	☐	☐	☐	☐	☐	☐	60.5#	788	825	853	876	932	
		42 x 56	UMFTBW4256	☐	☐	☐	☐	☐	☐	☐	66.7#	879	920	950	976	1040	
		48 x 56	UMFTBW4856	☐	☐	☐	☐	☐	☐	☐	72.8#	931	976	1009	1035	1102	
		54 x 56	UMFTBW5456	☐	☐	☐	☐	☐	☐	☐	79.0#	997	1022	1079	1107	1178	
		60 x 56	UMFTBW6056	☐	☐	☐	☐	☐	☐	☐	85.2#	1121	1172	1212	1242	1329	
		72 x 56	UMFTBW7256	☐	☐	☐	☐	☐	☐	☐	105.0#	1438	1504	1557	1594	1703	
			A	B	C	D	E	F	G								

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- DP** - Domestic - with cutouts
- D** Select bezel color.
- Refer to the **Product Color Options** page in this price list.
- E** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- G** Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

- Grade 2 Fabric
- Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Fabric Panel (Beltway Power)

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Monolithic Fabric Panel (Beltway Power)

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER												
MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 UMFT • Monolithic Fabric Panel - 64" H • Side 1: tile-to-floor base does not accept cable distribution at base or beltway • Side 2: standard base raceway and above-worksurface beltway accept cable distribution • Includes monolithic fabric tiles for both sides • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, and base raceway • Side 1 and side 2 finishes are specified separately • Side 2: 30-72" wide tiles feature two base and two beltway power knockouts • Side 2: 24" wide tiles feature one base and one beltway power knockout • 72" wide panels feature split tiles • Electrical components are specified separately	24 x 64	UMFTBW2464	☐	☐	☐	☐	☐	☐	52.5#	\$ 647	\$ 679	\$ 697	\$ 715	\$ 762
	30 x 64	UMFTBW3064	☐	☐	☐	☐	☐	☐	59.2#	761	798	825	845	902
	36 x 64	UMFTBW3664	☐	☐	☐	☐	☐	☐	65.9#	831	870	900	923	983
	42 x 64	UMFTBW4264	☐	☐	☐	☐	☐	☐	72.6#	908	946	981	1008	1071
	48 x 64	UMFTBW4864	☐	☐	☐	☐	☐	☐	79.3#	972	1014	1052	1077	1150
	54 x 64	UMFTBW5464	☐	☐	☐	☐	☐	☐	86.0#	1024	1091	1132	1158	1236
	60 x 64	UMFTBW6064	☐	☐	☐	☐	☐	☐	92.7#	1180	1235	1278	1309	1398
	72 x 64	UMFTBW7264	☐	☐	☐	☐	☐	☐	114.8#	1515	1584	1638	1681	1793
		A	B	C	D	E	F	G						

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** ☐ - Flat trim (std)
- N** ☐ - No topcap
- C** Select electrical code.
- DP** ☐ - Domestic - with cutouts
- D** Select bezel color.
- Refer to the **Product Color Options** page in this price list.
- E** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.
- Refer to ki.com/fabrics
- G** Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Steel Panels

Standard Base Raceway



Preconfigured Monolithic Steel Panels

Standard Base Raceway

	MODEL	W x H	MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color Side 1	Paint Color Side 2		
 UMSR	Monolithic Steel Panel - 32"H	24 x 32	UMSR2432	☐	☐	☐	☐	☐	39.7#	\$ 574
	• Standard base raceway on both sides accepts power and data cable distribution	30 x 32	UMSR3032	☐	☐	☐	☐	☐	45.7#	617
	• Includes monolithic steel tiles with mounting bars for both sides	36 x 32	UMSR3632	☐	☐	☐	☐	☐	51.8#	653
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 32	UMSR4232	☐	☐	☐	☐	☐	57.9#	670
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	48 x 32	UMSR4832	☐	☐	☐	☐	☐	64.0#	749
	• Side 1 and side 2 finishes are specified separately	54 x 32	UMSR5432	☐	☐	☐	☐	☐	70.1#	850
	• 30-72" wide panels feature two power knockouts per side	60 x 32	UMSR6032	☐	☐	☐	☐	☐	76.2#	1002
	• 24" wide panels feature one power knockout per side	72 x 32	UMSR7232	☐	☐	☐	☐	☐	94.5#	1203
	• 72" wide panels feature split tiles									
	• Electrical components are specified separately									
UMSR	Monolithic Steel Panel - 40"H	24 x 40	UMSR2440	☐	☐	☐	☐	☐	44.8#	\$ 585
		30 x 40	UMSR3040	☐	☐	☐	☐	☐	51.6#	642
		36 x 40	UMSR3640	☐	☐	☐	☐	☐	58.5#	693
		42 x 40	UMSR4240	☐	☐	☐	☐	☐	65.4#	719
		48 x 40	UMSR4840	☐	☐	☐	☐	☐	72.3#	796
		54 x 40	UMSR5440	☐	☐	☐	☐	☐	79.2#	895
		60 x 40	UMSR6040	☐	☐	☐	☐	☐	86.1#	1051
		72 x 40	UMSR7240	☐	☐	☐	☐	☐	107.5#	1265
UMSR	Monolithic Steel Panel - 48"H	24 x 48	UMSR2448	☐	☐	☐	☐	☐	49.9#	\$ 655
		30 x 48	UMSR3048	☐	☐	☐	☐	☐	57.5#	693
		36 x 48	UMSR3648	☐	☐	☐	☐	☐	65.2#	750
UMSR	Monolithic Steel Panel - 56"H	24 x 56	UMSR2456	☐	☐	☐	☐	☐	55.1#	\$ 685
		30 x 56	UMSR3056	☐	☐	☐	☐	☐	63.5#	751
		36 x 56	UMSR3656	☐	☐	☐	☐	☐	72.0#	805
UMSR	Monolithic Steel Panel - 64"H	24 x 64	UMSR2464	☐	☐	☐	☐	☐	60.2#	\$ 816
		30 x 64	UMSR3064	☐	☐	☐	☐	☐	69.5#	879
		36 x 64	UMSR3664	☐	☐	☐	☐	☐	78.8#	941
			A	B	C	D	E	F		

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

price list.

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- C1** - Chicago, 1 side w/cutouts
- D1** - Domestic, 1 side w/cutouts
- D** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E** Select paint color side 1.
- Refer to the **Product Color Options** page in this price list.
- F** Select paint color side 2.
- Refer to the **Product Color Options** page in this

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Steel Panels

Elevated Base



Preconfigured Monolithic Steel Panels

Elevated Base

		MODEL NUMBER						
		Basic Model	Top Cap Style	Trim Color	Paint Color Side 1	Paint Color Side 2		
	MODEL	W x H					Approx. Packaged Weight	Delivered Pricing
	Monolithic Steel Panel - 32"H	24 x 32	UMSL2432	☐	☐	☐	37.1#	\$ 574
	• Raised base does not accept cable distribution	30 x 32	UMSL3032	☐	☐	☐	42.4#	617
	• Includes monolithic steel tiles with mounting bars for both sides	36 x 32	UMSL3632	☐	☐	☐	47.6#	653
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 32	UMSL4232	☐	☐	☐	53.0#	670
	• Trim is metal and includes top cap, bottom trim channel, and foot shroud	48 x 32	UMSL4832	☐	☐	☐	58.2#	749
	• Side 1 and side 2 finishes are specified separately	54 x 32	UMSL5432	☐	☐	☐	63.5#	850
	• 72" wide panels feature split tiles	60 x 32	UMSL6032	☐	☐	☐	68.8#	1002
		72 x 32	UMSL7232	☐	☐	☐	85.5#	1203
UMSL								
UMSL	Monolithic Steel Panel - 40"H	24 x 40	UMSL2440	☐	☐	☐	42.1#	\$ 585
		30 x 40	UMSL3040	☐	☐	☐	48.2#	642
		36 x 40	UMSL3640	☐	☐	☐	54.3#	693
		42 x 40	UMSL4240	☐	☐	☐	60.5#	719
		48 x 40	UMSL4840	☐	☐	☐	66.6#	796
		54 x 40	UMSL5440	☐	☐	☐	72.6#	895
		60 x 40	UMSL6040	☐	☐	☐	78.7#	1051
		72 x 40	UMSL7240	☐	☐	☐	98.5#	1265
UMSL	Monolithic Steel Panel - 48"H	24 x 48	UMSL2448	☐	☐	☐	47.3#	\$ 655
		30 x 48	UMSL3048	☐	☐	☐	54.2#	693
		36 x 48	UMSL3648	☐	☐	☐	61.1#	750
UMSL	Monolithic Steel Panel - 56"H	24 x 56	UMSL2456	☐	☐	☐	52.4#	\$ 685
		30 x 56	UMSL3056	☐	☐	☐	60.2#	751
		36 x 56	UMSL3656	☐	☐	☐	67.9#	805
UMSL	Monolithic Steel Panel - 64"H	24 x 64	UMSL2464	☐	☐	☐	57.6#	\$ 816
		30 x 64	UMSL3064	☐	☐	☐	66.1#	879
		36 x 64	UMSL3664	☐	☐	☐	74.6#	941
			A	B	C	D	E	

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D** Select paint color side 1.
- Refer to the **Product Color Options** page in this price list.
- E** Select paint color side 2.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Steel Panels

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Monolithic Steel Panels

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER								
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color Side 1	Paint Color Side 2	Approx. Packaged Weight	Delivered Pricing
 UMST	Monolithic Steel Panel - 32"H	24 x 32	UMST2432	☐	☐	☐	☐	☐	38.9#	\$ 574
	• Side 1: tile-to-floor base does not accept cable distribution	30 x 32	UMST3032	☐	☐	☐	☐	☐	44.7#	617
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 32	UMST3632	☐	☐	☐	☐	☐	50.5#	653
	• Includes monolithic steel tiles with mounting bars for both sides	42 x 32	UMST4232	☐	☐	☐	☐	☐	56.4#	670
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 32	UMST4832	☐	☐	☐	☐	☐	62.2#	749
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	54 x 32	UMST5432	☐	☐	☐	☐	☐	68.0#	850
	• Side 1 and side 2 finishes are specified separately	60 x 32	UMST6032	☐	☐	☐	☐	☐	73.9#	1002
	• Side 2: 30-72" wide panels feature two power knockouts	72 x 32	UMST7232	☐	☐	☐	☐	☐	91.8#	1203
	• Side 2: 24" wide panels feature one power knockout									
	• Electrical components are specified separately									
UMST	Monolithic Steel Panel - 40"H	24 x 40	UMST2440	☐	☐	☐	☐	☐	44.0#	\$ 585
		30 x 40	UMST3040	☐	☐	☐	☐	☐	50.6#	642
		36 x 40	UMST3640	☐	☐	☐	☐	☐	57.2#	693
		42 x 40	UMST4240	☐	☐	☐	☐	☐	63.9#	719
		48 x 40	UMST4840	☐	☐	☐	☐	☐	70.6#	796
		54 x 40	UMST5440	☐	☐	☐	☐	☐	77.2#	895
		60 x 40	UMST6040	☐	☐	☐	☐	☐	83.9#	1051
		72 x 40	UMST7240	☐	☐	☐	☐	☐	104.8#	1265
UMST	Monolithic Steel Panel - 48"H	24 x 48	UMST2448	☐	☐	☐	☐	☐	49.1#	\$ 655
		30 x 48	UMST3048	☐	☐	☐	☐	☐	56.5#	693
		36 x 48	UMST3648	☐	☐	☐	☐	☐	64.0#	750
UMST	Monolithic Steel Panel - 56"H	24 x 56	UMST2456	☐	☐	☐	☐	☐	54.3#	\$ 685
		30 x 56	UMST3056	☐	☐	☐	☐	☐	62.5#	751
		36 x 56	UMST3656	☐	☐	☐	☐	☐	70.8#	805
UMST	Monolithic Steel Panel - 64"H	24 x 64	UMST2464	☐	☐	☐	☐	☐	59.4#	\$ 816
		30 x 64	UMST3064	☐	☐	☐	☐	☐	68.5#	879
		36 x 64	UMST3664	☐	☐	☐	☐	☐	77.6#	941
			A	B	C	D	E	F		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

• The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- CP** - Chicago - with cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- D** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E** Select paint color side 1.
- Refer to the **Product Color Options** page in this price list.
- F** Select paint color side 2.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Steel Panels (Beltway Power)

Standard Base Raceway



Preconfigured Monolithic Steel Panels (Beltway Power)

Standard Base Raceway

		MODEL NUMBER									
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Paint Color Side 1	Paint Color Side 2	Approx. Packaged Weight	Delivered Pricing
 UMSR	Monolithic Steel Panel - 40"H	24 x 40	UMSRBW2440	☐	☐	☐	☐	☐	☐	44.8#	\$ 602
	• Standard base raceway on both sides accepts power and data cable distribution	30 x 40	UMSRBW3040	☐	☐	☐	☐	☐	☐	51.6#	668
	• Above worksurface beltway accepts power and data cable distribution	36 x 40	UMSRBW3640	☐	☐	☐	☐	☐	☐	58.5#	721
	• Includes monolithic steel tiles with mounting bars for both sides	42 x 40	UMSRBW4240	☐	☐	☐	☐	☐	☐	65.4#	750
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 40	UMSRBW4840	☐	☐	☐	☐	☐	☐	72.3#	825
	• Trim is metal and includes top cap, bottom trim channel, and base raceway	54 x 40	UMSRBW5440	☐	☐	☐	☐	☐	☐	79.2#	924
	• Side 1 and side 2 finishes are specified separately	60 x 40	UMSRBW6040	☐	☐	☐	☐	☐	☐	86.1#	1078
	• 30-72" wide panels each feature two power knockouts at base and two knock-outs with bezels at beltway per side	72 x 40	UMSRBW7240	☐	☐	☐	☐	☐	☐	107.5#	1322
	• 24" wide panels each feature one power knockout and one at beltway per side										
	• 72" wide panels feature split tiles										

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to the **Product Color Options** page in this price list.

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- DP** - Domestic - with cutouts
- D1** - Domestic, 1 side w/cutouts
- D** Select bezel color.
- Refer to the **Product Color Options** page in this price list.
- E** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- F** Select paint color side 1.
- Refer to the **Product Color Options** page in this price list.
- G** Select paint color side 2.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Steel Panels (Beltway Power)

Elevated Base



Preconfigured Monolithic Steel Panels (Beltway Power)

Elevated Base

			MODEL NUMBER								
MODEL			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Paint Color Side 1	Paint Color Side 2	Approx. Packaged Weight	Delivered Pricing
 UMSL	Monolithic Steel Panel - 40"H	24 x 40	UMSLBW2440	☐	☐	☐	☐	☐	☐	42.1#	\$ 602
	• Includes monolithic steel tiles with mounting bars for both sides	30 x 40	UMSLBW3040	☐	☐	☐	☐	☐	☐	48.2#	688
	• 30-72" wide tiles each feature two power knockouts with bezels at above-worksur-face beltway	36 x 40	UMSLBW3640	☐	☐	☐	☐	☐	☐	54.3#	721
	• 24" wide tiles each feature one power knockout with bezel at above-worksur-face beltway	42 x 40	UMSLBW4240	☐	☐	☐	☐	☐	☐	60.5#	750
	• Raised base does not accept cable distribution	48 x 40	UMSLBW4840	☐	☐	☐	☐	☐	☐	66.6#	825
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	UMSLBW5440	☐	☐	☐	☐	☐	☐	72.6#	924
	• Trim is metal and includes top cap, bottom trim channel, and foot shroud	60 x 40	UMSLBW6040	☐	☐	☐	☐	☐	☐	78.7#	1078
	• Side 1 and side 2 finishes are specified separately	72 x 40	UMSLBW7240	☐	☐	☐	☐	☐	☐	98.5#	1322
	• 72" wide panels feature split tiles										
UMSL	Monolithic Steel Panel - 48"H	24 x 48	UMSLBW2448	☐	☐	☐	☐	☐	☐	47.3#	\$ 672
		30 x 48	UMSLBW3048	☐	☐	☐	☐	☐	☐	54.2#	721
		36 x 48	UMSLBW3648	☐	☐	☐	☐	☐	☐	61.1#	780
UMSL	Monolithic Steel Panel - 56"H	24 x 56	UMSLBW2456	☐	☐	☐	☐	☐	☐	52.4#	\$ 701
		30 x 56	UMSLBW3056	☐	☐	☐	☐	☐	☐	60.2#	781
		36 x 56	UMSLBW3656	☐	☐	☐	☐	☐	☐	67.9#	837
UMSL	Monolithic Steel Panel - 64"H	24 x 64	UMSLBW2464	☐	☐	☐	☐	☐	☐	57.6#	\$ 831
		30 x 64	UMSLBW3064	☐	☐	☐	☐	☐	☐	66.1#	911
		36 x 64	UMSLBW3664	☐	☐	☐	☐	☐	☐	74.6#	972
			A	B	C	D	E	F	G		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

price list.

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- DP** - Domestic - with cutouts
- D** Select bezel color.
- Refer to the **Product Color Options** page in this price list.
- E** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- F** Select paint color side 1.
- Refer to the **Product Color Options** page in this price list.
- G** Select paint color side 2.
- Refer to the **Product Color Options** page in this

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Monolithic Steel Panels (Beltway Power)

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Monolithic Steel Panels (Beltway Power)

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER									
			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Paint Color Side 1	Paint Color Side 2	Approx. Packaged Weight	Delivered Pricing	
 UMST	Monolithic Steel Panel - 40"H • Side 1: tile-to-floor base does not accept cable distribution at base or beltway • Side 2: standard base raceway and above-worksurface beltway power accept cable distribution • Includes monolithic steel tiles with mounting bars for both sides • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, and base raceway • Side 1 and side 2 finishes are specified separately • Side 2: 30-72" wide tiles feature two base knockouts and two beltway power knockouts with bezels • Side 2: 24" wide tiles feature one base power knockout and one beltway knockout with bezel • 72" wide panels feature split tiles • Electrical components are specified separately	24 x 40	UMSTBW2440	☐	☐	☐	☐	☐	☐	44.0#	\$ 602	
		30 x 40	UMSTBW3040	☐	☐	☐	☐	☐	☐	☐	50.6#	668
		36 x 40	UMSTBW3640	☐	☐	☐	☐	☐	☐	☐	57.2#	721
		42 x 40	UMSTBW4240	☐	☐	☐	☐	☐	☐	☐	63.9#	750
		48 x 40	UMSTBW4840	☐	☐	☐	☐	☐	☐	☐	70.6#	825
		54 x 40	UMSTBW5440	☐	☐	☐	☐	☐	☐	☐	77.2#	924
		60 x 40	UMSTBW6040	☐	☐	☐	☐	☐	☐	☐	83.9#	1078
		72 x 40	UMSTBW7240	☐	☐	☐	☐	☐	☐	☐	104.8#	1322
UMST	Monolithic Steel Panel - 48"H	24 x 48	UMSTBW2448	☐	☐	☐	☐	☐	☐	49.1#	\$ 672	
		30 x 48	UMSTBW3048	☐	☐	☐	☐	☐	☐	56.5#	721	
		36 x 48	UMSTBW3648	☐	☐	☐	☐	☐	☐	64.0#	780	
UMST	Monolithic Steel Panel - 56"H	24 x 56	UMSTBW2456	☐	☐	☐	☐	☐	☐	54.3#	\$ 701	
		30 x 56	UMSTBW3056	☐	☐	☐	☐	☐	☐	62.5#	781	
		36 x 56	UMSTBW3656	☐	☐	☐	☐	☐	☐	70.8#	837	
UMST	Monolithic Steel Panel - 64"H	24 x 64	UMSTBW2464	☐	☐	☐	☐	☐	☐	59.4#	\$ 831	
		30 x 64	UMSTBW3064	☐	☐	☐	☐	☐	☐	68.5#	911	
		36 x 64	UMSTBW3664	☐	☐	☐	☐	☐	☐	77.6#	972	
			A	B	C	D	E	F	G			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

price list.

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- DP** - Domestic - with cutouts
- D** Select bezel color.
- Refer to the **Product Color Options** page in this price list.
- E** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- F** Select paint color side 1.
- Refer to the **Product Color Options** page in this price list.
- G** Select paint color side 2.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Open Panels

Standard Base Raceway



Preconfigured Monolithic Open Panels

Standard Base Raceway

	MODEL	W x H	MODEL NUMBER				Approx. Packaged Weight	Delivered Pricing
			Basic Model	Top Cap Style	Electrical Code	Trim Color		
 UMOR	Monolithic Open Panel - 32"H	24 x 32	UMOR2432	☐	☐	☐	39.0#	\$ 737
	• Standard base raceway on both sides accepts power and data cable distribution	30 x 32	UMOR3032	☐	☐	☐	45.0#	799
	• Aluminum powder coated open frame allows pass-through accessibility range of 8" to 29" from floor	36 x 32	UMOR3632	☐	☐	☐	51.0#	828
	• Panel assembly includes frame, trim, and panel-to-panel connecting hardware	42 x 32	UMOR4232	☐	☐	☐	57.0#	917
	• Trim is metal and includes top cap, bottom trim channel, and base raceway and open frame	48 x 32	UMOR4832	☐	☐	☐	64.0#	947
	• 30-60" wide panels feature two power knockouts per side	54 x 32	UMOR5432	☐	☐	☐	68.0#	1024
	• 24" wide panels feature one power knockout per side	60 x 32	UMOR6032	☐	☐	☐	76.0#	1161
	• Electrical components are specified separately							
			A	B	C	D		

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select electrical code.
- | | |
|-----------|------------------------------|
| CP | - Chicago, 2 sides w/cutouts |
| DN | - Domestic, no cutouts |
| DP | - Domestic - with cutouts |
| CI | - Chicago, 1 side w/cutouts |
| DI | - Domestic, 1 side w/cutouts |
- D** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Monolithic Open Panels

Elevated Base



Preconfigured Monolithic Open Panels

Elevated Base

	MODEL	W x H	MODEL NUMBER			Approx. Packaged Weight		Delivered Pricing
			Basic Model	Top Cap Style	Trim Color			
 UMOL	Monolithic Open Panel - 32"H	24 x 32	UMOL2432	☐	☐	37.0#		\$ 711
	• Elevated base is non-powered and does not accept cable distribution	30 x 32	UMOL3032	☐	☐	42.0#		771
	• Features powder coated aluminum frame	36 x 32	UMOL3632	☐	☐	47.0#		796
	• Open frame allows pass-through accessibility range of 8" to 29" from floor	42 x 32	UMOL4232	☐	☐	53.0#		878
	• Panel assembly includes frame, trim, and panel-to-panel connecting hardware	48 x 32	UMOL4832	☐	☐	58.0#		903
	• Trim is metal and includes top cap, bottom trim channel, and base raceway and open frame	54 x 32	UMOL5432	☐	☐	70.0#		964
		60 x 32	UMOL6032	☐	☐	68.0#		1084
			A	B	C			

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel

Standard Base Raceway



Preconfigured Segmented Fabric Panel

Standard Base Raceway

		MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2						
 USFR	Segmented Fabric Panel - 40"H	24 x 40	USFR2440	☐	☐	☐	☐	39.0#	\$ 547	\$ 571	\$ 590	\$ 607	\$ 648
	• Includes upper and lower segmented fabric tiles for both sides	30 x 40	USFR3040	☐	☐	☐	☐	44.4#	620	649	670	689	733
	• Upper and lower segments must be identically specified	36 x 40	USFR3640	☐	☐	☐	☐	50.0#	672	703	727	746	796
	• Standard base raceway on both sides accepts power and data cable distribution	42 x 40	USFR4240	☐	☐	☐	☐	55.6#	734	771	796	816	870
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 40	USFR4840	☐	☐	☐	☐	61.2#	758	791	823	840	897
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	54 x 40	USFR5440	☐	☐	☐	☐	66.7#	812	849	880	900	961
	• Side 1 and side 2 finishes are specified separately	60 x 40	USFR6040	☐	☐	☐	☐	72.3#	915	956	989	1013	1082
	• 30-72" wide panels feature two power knockouts per side	72 x 40	USFR7240	☐	☐	☐	☐	88.5#	1224	1282	1329	1360	1449
	• 24" wide panels feature one power knockout per side												
	• 72" wide panels feature split tiles												
	• Electrical components are specified separately												
USFR	Segmented Fabric Panel - 48"H	24 x 48	USFR2448	☐	☐	☐	☐	44.3#	\$ 592	\$ 620	\$ 642	\$ 656	\$ 699
		30 x 48	USFR3048	☐	☐	☐	☐	50.3#	664	696	721	738	788
		36 x 48	USFR3648	☐	☐	☐	☐	56.4#	727	760	785	805	861
		42 x 48	USFR4248	☐	☐	☐	☐	62.5#	811	849	879	900	959
		48 x 48	USFR4848	☐	☐	☐	☐	68.6#	831	870	900	923	985
		54 x 48	USFR5448	☐	☐	☐	☐	74.7#	884	925	957	981	1048
		60 x 48	USFR6048	☐	☐	☐	☐	80.8#	989	1036	1071	1100	1172
		72 x 48	USFR7248	☐	☐	☐	☐	99.3#	1330	1389	1438	1475	1572
USFR	Segmented Fabric Panel - 56"H	24 x 56	USFR2456	☐	☐	☐	☐	48.6#	\$ 622	\$ 650	\$ 672	\$ 690	\$ 734
		30 x 56	USFR3056	☐	☐	☐	☐	55.2#	710	745	771	789	840
		36 x 56	USFR3656	☐	☐	☐	☐	61.8#	782	816	845	866	924
		42 x 56	USFR4256	☐	☐	☐	☐	68.5#	877	916	946	974	1037
		48 x 56	USFR4856	☐	☐	☐	☐	75.1#	897	937	974	996	1060
		54 x 56	USFR5456	☐	☐	☐	☐	81.7#	928	972	1007	1032	1100
		60 x 56	USFR6056	☐	☐	☐	☐	88.3#	1014	1062	1100	1128	1203
		72 x 56	USFR7256	☐	☐	☐	☐	109.1#	1428	1493	1544	1584	1691
			A	B	C	D	E	F					

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- C1** - Chicago, 1 side w/cutouts
- D1** - Domestic, 1 side w/cutouts
- D** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F** Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel

Standard Base Raceway



Preconfigured Segmented Fabric Panel

Standard Base Raceway

		MODEL NUMBER											
MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR - Segmented Fabric Panel - 64"H - Includes upper and lower segmented fabric tiles for both sides - Upper and lower segments must be identically specified - Standard base raceway on both sides accepts power and data cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 1 and side 2 finishes are specified separately 30-72" wide panels feature two power knockouts per side 24" wide panels feature one power knockout per side 72" wide panels feature split tiles - Electrical components are specified separately	24 x 64	USFR2464	☐	☐	☐	☐	☐	53.0#	\$ 668	\$ 701	\$ 725	\$ 745	\$ 791
	30 x 64	USFR3064	☐	☐	☐	☐	☐	60.0#	790	827	856	878	936
	36 x 64	USFR3664	☐	☐	☐	☐	☐	67.2#	881	922	952	978	1042
	42 x 64	USFR4264	☐	☐	☐	☐	☐	74.4#	937	981	1014	1041	1110
	48 x 64	USFR4864	☐	☐	☐	☐	☐	81.5#	971	1012	1051	1075	1147
	54 x 64	USFR5464	☐	☐	☐	☐	☐	88.6#	1021	1066	1103	1132	1207
	60 x 64	USFR6064	☐	☐	☐	☐	☐	95.8#	1131	1183	1223	1255	1338
	72 x 64	USFR7264	☐	☐	☐	☐	☐	118.9#	1634	1708	1769	1813	1934
		A	B	C	D	E	F						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- C1** - Chicago, 1 side w/cutouts
- D1** - Domestic, 1 side w/cutouts
- D** Select trim color.
Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F** Select fabric side 2.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel

Elevated Base



Preconfigured Segmented Fabric Panel

Elevated Base

		MODEL NUMBER														
MODEL		W x H	Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2			
	Segmented Fabric Panel - 40"H • Includes segmented fabric tiles for both sides • Upper and lower segments must be identically specified • Elevated base does not accept cable distribution • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, and foot shroud • Side 1 and side 2 finishes are specified separately • 72" wide panels feature split tiles	24 x 40	USFL2440	□	□□	□□□□	□□□□	36.7#	\$ 547	\$ 571	\$ 590	\$ 607	\$ 648			
		30 x 40	USFL3040	□	□□	□□□□	□□□□	41.5#	620	649	670	689	733			
		36 x 40	USFL3640	□	□□	□□□□	□□□□	63.4#	672	703	727	746	796			
		42 x 40	USFL4240	□	□□	□□□□	□□□□	51.1#	734	771	796	816	870			
		48 x 40	USFL4840	□	□□	□□□□	□□□□	63.3#	758	791	823	840	897			
		54 x 40	USFL5440	□	□□	□□□□	□□□□	64.3#	812	849	880	900	961			
		60 x 40	USFL6040	□	□□	□□□□	□□□□	65.3#	915	956	989	1013	1082			
		72 x 40	USFL7240	□	□□	□□□□	□□□□	79.7#	1224	1282	1329	1360	1449			
USFL																
USFL	Segmented Fabric Panel - 48"H	24 x 48	USFL2448	□	□□	□□□□	□□□□	42.1#	\$ 592	\$ 620	\$ 642	\$ 656	\$ 699			
		30 x 48	USFL3048	□	□□	□□□□	□□□□	47.3#	664	696	721	738	788			
		36 x 48	USFL3648	□	□□	□□□□	□□□□	69.8#	727	760	785	805	861			
		42 x 48	USFL4248	□	□□	□□□□	□□□□	58.0#	811	849	879	900	959			
		48 x 48	USFL4848	□	□□	□□□□	□□□□	63.3#	831	870	900	923	985			
		54 x 48	USFL5448	□	□□	□□□□	□□□□	68.5#	884	925	957	981	1048			
		60 x 48	USFL6048	□	□□	□□□□	□□□□	73.8#	989	1036	1071	1100	1172			
		72 x 48	USFL7248	□	□□	□□□□	□□□□	90.7#	1330	1389	1438	1475	1572			
USFL	Segmented Fabric Panel - 56"H	24 x 56	USFL2456	□	□□	□□□□	□□□□	46.4#	\$ 622	\$ 650	\$ 672	\$ 690	\$ 734			
		30 x 56	USFL3056	□	□□	□□□□	□□□□	52.2#	710	745	771	789	840			
		36 x 56	USFL3656	□	□□	□□□□	□□□□	58.0#	782	816	845	866	924			
		42 x 56	USFL4256	□	□□	□□□□	□□□□	63.9#	877	916	946	974	1037			
		48 x 56	USFL4856	□	□□	□□□□	□□□□	69.7#	897	937	974	996	1060			
		54 x 56	USFL5456	□	□□	□□□□	□□□□	75.5#	928	972	1007	1032	1100			
		60 x 56	USFL6056	□	□□	□□□□	□□□□	81.3#	1014	1062	1100	1128	1203			
		72 x 56	USFL7256	□	□□	□□□□	□□□□	100.5#	1428	1493	1544	1584	1691			

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- | | |
|----------|-------------------|
| F | - Flat trim (std) |
| N | - No topcap |
- C** Select trim color.
Refer to the **Product Color Options** page in this price list.
- D** Select fabric side 1.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- E** Select fabric side 2.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel

Elevated Base



Preconfigured Segmented Fabric Panel

Elevated Base

		MODEL NUMBER											
MODEL		W x H	Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFL	Segmented Fabric Panel - 64"H	24 x 64	USFL2464	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	50.7#	\$ 688	\$ 701	\$ 725	\$ 745	\$ 791
	• Includes segmented fabric tiles for both sides	30 x 64	USFL3064	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	57.1#	790	827	856	878	936
	• Upper and lower segments must be identically specified	36 x 64	USFL3664	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	63.4#	881	922	952	978	1042
	• Elevated base does not accept cable distribution	42x 64	USFL4264	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	69.8#	937	981	1014	1041	1110
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 64	USFL4864	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	76.2#	971	1012	1051	1075	1147
	• Trim is metal and includes top cap, bottom trim channel, and foot shroud	54 x 64	USFL5464	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	82.5#	1021	1066	1103	1132	1207
	• Side 1 and side 2 finishes are specified separately	60 x 64	USFL6064	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	88.8#	1131	1183	1223	1255	1338
	• 72" wide panels feature split tiles	72 x 64	USFL7264	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	110.3#	1634	1708	1769	1813	1934
			A	B	C	D	E						

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

• The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D** Select fabric side 1.
- Refer to ki.com/fabrics
- E** Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side

			MODEL NUMBER												
MODEL			W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFT	Segmented Fabric Panel - 40"H	24 x 40	USFT2440	☐	☐	☐	☐	☐	☐	37.9#	\$ 547	\$ 571	\$ 590	\$ 607	\$ 648
	• Side 1: tile-to-floor base does not accept cable distribution	30 x 40	USFT3040	☐	☐	☐	☐	☐	☐	43.1#	620	649	670	689	733
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 40	USFT3640	☐	☐	☐	☐	☐	☐	48.4#	672	703	727	746	796
	• Includes segmented fabric tiles for both sides	42 x 40	USFT4240	☐	☐	☐	☐	☐	☐	53.7#	734	771	796	816	870
	• Upper and lower segments must be identically specified	48 x 40	USFT4840	☐	☐	☐	☐	☐	☐	59.0#	758	791	823	840	897
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USFT5440	☐	☐	☐	☐	☐	☐	64.2#	812	849	880	900	961
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	60 x 40	USFT6040	☐	☐	☐	☐	☐	☐	69.5#	915	956	989	1013	1082
	• Side 1 and side 2 finishes are specified separately	72 x 40	USFT7240	☐	☐	☐	☐	☐	☐	85.1#	1224	1282	1329	1360	1449
	• Side 2: 30-72" wide tiles feature two base power knockouts														
	• Side 2: 24" wide tiles feature one power knockout														
	• 72" wide panels feature split tiles														
	• Electrical components are specified separately														
USFT	Segmented Fabric Panel - 48"H	24 x 48	USFT2448	☐	☐	☐	☐	☐	☐	43.2#	\$ 592	\$ 620	\$ 642	\$ 656	\$ 699
		30 x 48	USFT3048	☐	☐	☐	☐	☐	☐	49.0#	664	696	721	739	788
		36 x 48	USFT3648	☐	☐	☐	☐	☐	☐	54.8#	727	760	785	805	861
		42 x 48	USFT4248	☐	☐	☐	☐	☐	☐	60.6#	811	849	879	900	959
		48 x 48	USFT4848	☐	☐	☐	☐	☐	☐	66.4#	831	870	900	923	985
		54 x 48	USFT5448	☐	☐	☐	☐	☐	☐	72.2#	884	925	957	981	1048
		60 x 48	USFT6048	☐	☐	☐	☐	☐	☐	78.0#	989	1036	1071	1100	1172
		72 x 48	USFT7248	☐	☐	☐	☐	☐	☐	95.9#	1330	1389	1438	1475	1572
USFT	Segmented Fabric Panel - 56"H	24 x 56	USFT2456	☐	☐	☐	☐	☐	☐	47.6#	\$ 622	\$ 650	\$ 672	\$ 690	\$ 734
		30 x 56	USFT3056	☐	☐	☐	☐	☐	☐	53.9#	710	745	771	789	840
		36 x 56	USFT3656	☐	☐	☐	☐	☐	☐	60.2#	782	816	845	866	924
		42 x 56	USFT4256	☐	☐	☐	☐	☐	☐	66.6#	877	916	946	974	1037
		48 x 56	USFT4856	☐	☐	☐	☐	☐	☐	72.9#	897	937	974	996	1060
		54 x 56	USFT5456	☐	☐	☐	☐	☐	☐	79.2#	928	972	1007	1032	1100
		60 x 56	USFT6056	☐	☐	☐	☐	☐	☐	85.5#	1014	1062	1100	1128	1203
		72 x 56	USFT7256	☐	☐	☐	☐	☐	☐	105.7#	1428	1493	1544	1584	1691
			A	B	C	D	E	F							

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- CP** - Chicago - with cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- D** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F** Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER											
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2						
MODEL	W x H							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFT	Segmented Fabric Panel - 64"H	24 x 64	USFT2464	☐	☐	☐	☐	51.9#	\$ 688	\$ 701	\$ 725	\$ 745	\$ 791
	• Side 1: tile-to-floor base does not accept cable distribution	30 x 64	USFT3064	☐	☐	☐	☐	58.7#	790	827	856	878	936
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 64	USFT3664	☐	☐	☐	☐	65.6#	881	922	952	978	1042
	• Includes segmented fabric tiles for both sides	42x 64	USFT4264	☐	☐	☐	☐	72.5#	937	981	1014	1041	1110
	• Upper and lower segments must be identically specified	48 x 64	USFT4864	☐	☐	☐	☐	79.3#	971	1012	1051	1075	1147
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 64	USFT5464	☐	☐	☐	☐	86.1#	1021	1066	1103	1132	1207
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	60 x 64	USFT6064	☐	☐	☐	☐	93.0#	1131	1183	1223	1255	1338
	• Side 1 and side 2 finishes are specified separately	72 x 64	USFT7264	☐	☐	☐	☐	115.5#	1634	1708	1769	1813	1934
	• Side 2: 30-72" wide tiles feature two base power knockouts												
	• Side 2: 24" wide tiles feature one power knockout												
	• 72" wide panels feature split tiles												
	• Electrical components are specified separately												
			A	B	C	D	E	F					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
N - No topcap
- C** Select electrical code.
- CP** - Chicago - with cutouts
DN - Domestic, no cutouts
DP - Domestic - with cutouts
- D** Select trim color.
Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
Refer to [ki.com/fabrics](#)
- F** Select fabric side 2.
Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Beltway Power

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Beltway Power

Standard Base Raceway

	MODEL	W x H	MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
			Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1						
 USFR	Segmented Fabric Panel - 40"H	24 x 40	USFRBW2440	☐	☐	☐	☐	☐	39.0#	\$ 569	\$ 594	\$ 615	\$ 630	\$ 672
	• Includes fabric tiles for both sides	30 x 40	USFRBW3040	☐	☐	☐	☐	☐	44.4#	658	681	714	733	782
	• Upper and lower segments must be identically specified	36 x 40	USFRBW3640	☐	☐	☐	☐	☐	50.0#	712	746	772	790	844
	• Standard base raceway on both sides accepts power and data cable distribution	42 x 40	USFRBW4240	☐	☐	☐	☐	☐	55.6#	776	811	840	862	920
	• Above worksurface beltway accepts power and data cable distribution	48 x 40	USFRBW4840	☐	☐	☐	☐	☐	61.2#	799	836	865	884	945
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USFRBW5440	☐	☐	☐	☐	☐	66.7#	851	890	923	945	1008
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	60 x 40	USFRBW6040	☐	☐	☐	☐	☐	72.3#	954	998	1035	1058	1129
	• Side 1/side 2 finishes specified separately	72 x 40	USFRBW7240	☐	☐	☐	☐	☐	88.5#	1305	1364	1411	1449	1544
	• 30-72" wide panels each feature two power knockouts at base and two knockouts with bezels at beltway per side													
	• 24" wide panels each feature one power knockout and one knockout with bezel at beltway per side													
	• 72" wide panels feature split tiles													
	• Electrical components are specified separately													
USFR	Segmented Fabric Panel - 48"H	24 x 48	USFRBW2448	☐	☐	☐	☐	☐	44.3#	\$ 609	\$ 637	\$ 657	\$ 679	\$ 721
		30 x 48	USFRBW3048	☐	☐	☐	☐	☐	50.3#	706	738	763	784	837
		36 x 48	USFRBW3648	☐	☐	☐	☐	☐	56.4#	769	803	829	851	909
		42 x 48	USFRBW4248	☐	☐	☐	☐	☐	62.5#	851	890	923	945	1009
		48 x 48	USFRBW4848	☐	☐	☐	☐	☐	68.6#	875	914	945	971	1035
		54 x 48	USFRBW5448	☐	☐	☐	☐	☐	74.7#	925	968	1002	1027	1093
		60 x 48	USFRBW6048	☐	☐	☐	☐	☐	80.8#	1035	1080	1118	1147	1222
		72 x 48	USFRBW7248	☐	☐	☐	☐	☐	99.3#	1408	1475	1525	1563	1667
USFR	Segmented Fabric Panel - 56"H	24 x 56	USFRBW2456	☐	☐	☐	☐	☐	48.6#	\$ 645	\$ 674	\$ 696	\$ 714	\$ 761
		30 x 56	USFRBW3056	☐	☐	☐	☐	☐	55.2#	751	785	812	836	888
		36 x 56	USFRBW3656	☐	☐	☐	☐	☐	61.8#	823	858	888	914	975
		42 x 56	USFRBW4256	☐	☐	☐	☐	☐	68.5#	917	957	990	1015	1084
		48 x 56	USFRBW4856	☐	☐	☐	☐	☐	75.1#	937	981	1014	1041	1110
		54 x 56	USFRBW5456	☐	☐	☐	☐	☐	81.7#	970	1013	1049	1077	1147
		60 x 56	USFRBW6056	☐	☐	☐	☐	☐	88.3#	1057	1108	1147	1175	1252
		72 x 56	USFRBW7256	☐	☐	☐	☐	☐	109.1#	1507	1577	1631	1675	1785
			A	B	C	D	E	F	G					

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- DP** - Domestic - with cutouts
- D1** - Domestic, 1 side w/cutouts
- D** Select bezel color.
- Refer to the **Product Color Options** page in this price list.
- E** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.
- Refer to [ki.com/fabrics](#)
- G** Select fabric side 2.
- Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

USER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select top cap style.

F	- Flat trim (std)
N	- No topcap

C Select electrical code.

DP	- Domestic - with cutouts
D1	- Domestic, 1 side w/cutouts

D Select hazel color.

Refer to the **Product Color Options** page in this price list.

E Select trim color.

Refer to the **Product Color Options** page in this price list.

F Select fabric side 1.

Refer to ki.com/fabrics

G Select fabric side 2.

Refer to ki.com/fabrics

direction the fabric is to be applied.

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Beltway Power
Elevated Base



Preconfigured Segmented Fabric Panel w/Beltway Power
Elevated Base

		MODEL NUMBER							Approx. Packaged Weight		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2							
 USFL	Segmented Fabric Panel - 40"H	24 x 40	USFLBW2440	☐	☐	☐	☐	☐	36.7#		\$ 569	\$ 594	\$ 615	\$ 630	\$ 672
	• Includes segmented fabric tiles for both sides	30 x 40	USFLBW3040	☐	☐	☐	☐	☐	41.5#		658	681	714	733	782
	• Upper and lower segments must be identically specified	36 x 40	USFLBW3640	☐	☐	☐	☐	☐	46.3#		712	746	772	790	844
	• 30-72" wide tiles each feature two power knockouts with bezels at above-worksur-	42 x 40	USFLBW4240	☐	☐	☐	☐	☐	51.1#		776	811	840	862	920
	face beltway	48 x 40	USFLBW4840	☐	☐	☐	☐	☐	55.8#		799	836	865	884	945
	• 24" wide tiles each feature one power knockout with bezel at above-worksur-	54 x 40	USFLBW5440	☐	☐	☐	☐	☐	60.5#		851	890	923	945	1008
	face beltway	60 x 40	USFLBW6040	☐	☐	☐	☐	☐	65.3#		954	998	1035	1058	1129
	• Elevated base does not accept cable distribution	72 x 40	USFLBW7240	☐	☐	☐	☐	☐	79.7#		1305	1364	1411	1449	1544
	• Panel assembly includes frame, trim, and panel-to-panel connectors														
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud														
	• Side 1 and side 2 finishes are specified separately														
	• 72" wide panels feature split tiles														
USFL	Segmented Fabric Panel - 48"H	24 x 48	USFLBW2448	☐	☐	☐	☐	☐	42.1#		\$ 609	\$ 637	\$ 657	\$ 679	\$ 721
		30 x 48	USFLBW3048	☐	☐	☐	☐	☐	47.3#		706	738	763	784	837
		36 x 48	USFLBW3648	☐	☐	☐	☐	☐	52.6#		769	803	829	851	909
		42 x 48	USFLBW4248	☐	☐	☐	☐	☐	58.0#		851	890	923	945	1009
		48 x 48	USFLBW4848	☐	☐	☐	☐	☐	63.3#		875	914	945	971	1035
		54 x 48	USFLBW5448	☐	☐	☐	☐	☐	68.5#		925	968	1002	1027	1093
		60 x 48	USFLBW6048	☐	☐	☐	☐	☐	73.8#		1035	1080	1118	1147	1222
		72 x 48	USFLBW7248	☐	☐	☐	☐	☐	90.7#		1408	1475	1525	1563	1667
USFL	Segmented Fabric Panel - 56"H	24 x 56	USFLBW2456	☐	☐	☐	☐	☐	46.4#		\$ 645	\$ 674	\$ 696	\$ 714	\$ 761
		30 x 56	USFLBW3056	☐	☐	☐	☐	☐	52.2#		751	785	812	836	888
		36 x 56	USFLBW3656	☐	☐	☐	☐	☐	58.0#		823	858	888	914	975
		42 x 56	USFLBW4256	☐	☐	☐	☐	☐	63.9#		917	957	990	1015	1084
		48 x 56	USFLBW4856	☐	☐	☐	☐	☐	69.7#		937	981	1014	1041	1110
		54 x 56	USFLBW5456	☐	☐	☐	☐	☐	75.5#		970	1013	1049	1077	1147
		60 x 56	USFLBW6056	☐	☐	☐	☐	☐	81.3#		1057	1108	1147	1175	1252
		72 x 56	USFLBW7256	☐	☐	☐	☐	☐	100.5#		1507	1577	1631	1675	1785
			A	B	C	D	E	F	G						

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- DP** - Domestic - with cutouts
- D** Select bezel color.
- Refer to the **Product Color Options** page in this price list.
- E** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.
- Refer to ki.com/fabrics
- G** Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

- Grade 2 Fabric
- Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Beltway Power

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Beltway Power

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER													
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Segmented Fabric Panel - 40"H	24 x 40	USFTBW2440	☐	☐	☐	☐	☐	☐	37.9#	\$ 569	\$ 594	\$ 615	\$ 630	\$ 672
	• Side 1: tile-to-floor base does not accept cable distribution at base or beltway	30 x 40	USFTBW3040	☐	☐	☐	☐	☐	☐	43.1#	658	681	714	733	782
	• Side 2: standard base raceway and above-worksurface beltway accept cable distribution	36 x 40	USFTBW3640	☐	☐	☐	☐	☐	☐	48.4#	712	746	772	790	844
	• Includes fabric tiles for both sides	42 x 40	USFTBW4240	☐	☐	☐	☐	☐	☐	53.7#	776	811	840	862	920
	• Upper and lower segments must be identically specified	48 x 40	USFTBW4840	☐	☐	☐	☐	☐	☐	59.0#	799	836	865	884	945
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USFTBW5440	☐	☐	☐	☐	☐	☐	64.2#	851	890	923	945	1008
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	60 x 40	USFTBW6040	☐	☐	☐	☐	☐	☐	69.5#	954	998	1035	1058	1129
	• Side 1 and side 2 finishes are specified separately	72 x 40	USFTBW7240	☐	☐	☐	☐	☐	☐	85.1#	1305	1364	1411	1449	1544
	• Side 2: 30-72" wide tiles feature two base power knockouts and two beltway power knockouts with bezels														
	• Side 2: 24" wide tiles feature one base and one beltway power knockout with bezel														
• 72" wide panels feature split tiles															
• Electrical components are specified separately															
USFT	Segmented Fabric Panel - 48"H	24 x 48	USFTBW2448	☐	☐	☐	☐	☐	☐	43.2#	\$ 609	\$ 637	\$ 657	\$ 679	\$ 721
		30 x 48	USFTBW3048	☐	☐	☐	☐	☐	☐	49.0#	706	738	763	784	837
		36 x 48	USFTBW3648	☐	☐	☐	☐	☐	☐	54.8#	769	803	829	851	909
		42 x 48	USFTBW4248	☐	☐	☐	☐	☐	☐	60.6#	851	890	923	945	1009
		48 x 48	USFTBW4848	☐	☐	☐	☐	☐	☐	66.4#	875	914	945	971	1035
		54 x 48	USFTBW5448	☐	☐	☐	☐	☐	☐	72.2#	925	968	1002	1027	1093
		60 x 48	USFTBW6048	☐	☐	☐	☐	☐	☐	78.0#	1035	1080	1118	1147	1222
USFT	Segmented Fabric Panel - 56"H	24 x 56	USFTBW2456	☐	☐	☐	☐	☐	☐	47.6#	\$ 645	\$ 674	\$ 696	\$ 714	\$ 761
		30 x 56	USFTBW3056	☐	☐	☐	☐	☐	☐	53.9#	751	785	812	836	888
		36 x 56	USFTBW3656	☐	☐	☐	☐	☐	☐	60.2#	823	858	888	914	975
		42 x 56	USFTBW4256	☐	☐	☐	☐	☐	☐	66.6#	917	957	990	1015	1084
		48 x 56	USFTBW4856	☐	☐	☐	☐	☐	☐	72.9#	937	981	1014	1041	1110
		54 x 56	USFTBW5456	☐	☐	☐	☐	☐	☐	79.2#	970	1013	1049	1077	1147
		60 x 56	USFTBW6056	☐	☐	☐	☐	☐	☐	85.5#	1057	1108	1147	1175	1252
	72 x 56	USFTBW7256	☐	☐	☐	☐	☐	☐	105.7#	1507	1577	1631	1675	1785	
			A	B	C	D	E	F	G						

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- DP** - Domestic - with cutouts
- D** Select bezel color.
- Refer to the **Product Color Options** page in this price list.
- E** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.
- Refer to ki.com/fabrics
- G** Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Beltway Power

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Beltway Power

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER													
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFT	Segmented Fabric Panel - 64"H	24 x 64	USFTBW2464	☐	☐	☐	☐	☐	☐	51.9#	\$ 694	\$ 725	\$ 751	\$ 771	\$ 823
	• Side 1: tile-to-floor base does not accept cable distribution at base or beltway	30 x 64	USFTBW3064	☐	☐	☐	☐	☐	☐	58.7#	831	870	900	923	983
	• Side 2: standard base raceway and above-worksurface beltway accept cable distribution	36 x 64	USFTBW3664	☐	☐	☐	☐	☐	☐	65.6#	922	964	998	1023	1090
	• Includes segmented fabric tiles for both sides	42x 64	USFTBW4264	☐	☐	☐	☐	☐	☐	72.5#	980	1023	1058	1087	1158
	• Upper and lower segments must be identically specified	48 x 64	USFTBW4864	☐	☐	☐	☐	☐	☐	79.3#	1011	1057	1093	1122	1199
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 64	USFTBW5464	☐	☐	☐	☐	☐	☐	86.2#	1060	1110	1150	1177	1256
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	60 x 64	USFTBW6064	☐	☐	☐	☐	☐	☐	93.0#	1175	1229	1274	1304	1392
	• Side 1 and side 2 finishes are specified separately	72 x 64	USFTBW7264	☐	☐	☐	☐	☐	☐	115.5#	1713	1793	1856	1904	2027
	• Side 2: 30-72" wide tiles feature two base power knockouts and two beltway power knockouts with bezels														
	• Side 2: 24" wide tiles feature one base and one beltway power knockout with bezel														
	• 72" wide panels feature split tiles														
	• Electrical components are specified separately														
			A	B	C	D	E	F	G						

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- DP** - Domestic - with cutouts
- D** Select bezel color.
- Refer to the **Product Color Options** page in this price list.
- E** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- G** Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Standard Base Raceway



Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Standard Base Raceway

		MODEL NUMBER													
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR	Segmented Steel Panel - 40"H	24 x 40	USSFR2440	☐	☐	☐	☐	☐	☐	43.7#	\$ 683	\$ 701	\$ 712	\$ 738	\$ 765
	• Includes segmented tiles with steel lower and fabric upper segments for both sides	30 x 40	USSFR3040	☐	☐	☐	☐	☐	☐	50.4#	737	759	773	801	828
	• Standard base raceway on both sides accepts power and data cable distribution	36 x 40	USSFR3640	☐	☐	☐	☐	☐	☐	57.1#	789	810	826	856	884
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 40	USSFR4240	☐	☐	☐	☐	☐	☐	64.0#	826	850	865	897	928
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	48 x 40	USSFR4840	☐	☐	☐	☐	☐	☐	70.7#	898	924	941	977	1011
	• Side 1 and side 2 finishes are specified separately	54 x 40	USSFR5440	☐	☐	☐	☐	☐	☐	77.5#	993	1022	1041	1079	1117
	• 30-72" wide panels feature two power knockouts per side	60 x 40	USSFR6040	☐	☐	☐	☐	☐	☐	84.3#	1148	1178	1203	1247	1288
	• 24" wide panels feature one power knockout per side	72 x 40	USSFR7240	☐	☐	☐	☐	☐	☐	105.3#	1453	1495	1520	1580	1634
	• 72" wide panels feature split tiles														
	• Electrical components are specified separately														
USFR	Segmented Steel Panel - 48"H	24 x 48	USSFR2448	☐	☐	☐	☐	☐	☐	49.0#	\$ 728	\$ 750	\$ 762	\$ 791	\$ 822
		30 x 48	USSFR3048	☐	☐	☐	☐	☐	☐	56.2#	785	809	825	853	882
		36 x 48	USSFR3648	☐	☐	☐	☐	☐	☐	63.5#	840	865	881	915	945
		42 x 48	USSFR4248	☐	☐	☐	☐	☐	☐	70.8#	900	924	942	977	1011
		48 x 48	USSFR4848	☐	☐	☐	☐	☐	☐	78.1#	972	998	1015	1054	1089
		54 x 48	USSFR5448	☐	☐	☐	☐	☐	☐	85.4#	1068	1100	1118	1159	1200
		60 x 48	USSFR6048	☐	☐	☐	☐	☐	☐	92.8#	1227	1264	1287	1334	1381
		72 x 48	USSFR7248	☐	☐	☐	☐	☐	☐	116.1#	1558	1599	1631	1692	1750
USFR	Segmented Steel Panel - 56"H	24 x 56	USSFR2456	☐	☐	☐	☐	☐	☐	53.3#	\$ 759	\$ 781	\$ 796	\$ 825	\$ 853
		30 x 56	USSFR3056	☐	☐	☐	☐	☐	☐	61.1#	828	853	869	899	932
		36 x 56	USSFR3656	☐	☐	☐	☐	☐	☐	68.9#	894	921	936	972	1004
		42 x 56	USSFR4256	☐	☐	☐	☐	☐	☐	76.8#	971	996	1014	1053	1088
		48 x 56	USSFR4856	☐	☐	☐	☐	☐	☐	84.6#	1037	1066	1085	1124	1164
		54 x 56	USSFR5456	☐	☐	☐	☐	☐	☐	92.4#	1111	1143	1164	1207	1249
		60 x 56	USSFR6056	☐	☐	☐	☐	☐	☐	100.3#	1252	1288	1310	1360	1407
		72 x 56	USSFR7256	☐	☐	☐	☐	☐	☐	126.0#	1661	1707	1739	1802	1865
			A	B	C	D	E	F	G	H					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select top cap style.

F ☐ - Flat trim (std)

N ☐ - No topcap
- C** Select electrical code.

CP ☐ - Chicago, 2 sides w/cutouts

DN ☐ - Domestic, no cutouts

DP ☐ - Domestic - with cutouts

C1 ☐ - Chicago, 1 side w/cutouts

D1 ☐ - Domestic, 1 side w/cutouts
- D** Select trim color.

Refer to the **Product Color Options** page in this price list.
- E** Select steel bottom color side 1.

Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.

Refer to kl.com/fabrics
- G** Select steel bottom color side 2.

Refer to the **Product Color Options** page in this price list.
- H** Select fabric side 2.

Refer to kl.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Standard Base Raceway



Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Standard Base Raceway

MODEL	W x H	MODEL NUMBER								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2						
 USFR Segmented Steel Panel - 64"H - Includes segmented tiles with steel lower and fabric upper segments for both sides - Standard base raceway on both sides accepts power and data cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel - Side 1 and side 2 finishes are specified separately 30-72" wide panels feature two power knockouts per side 24" wide panels feature one power knockout per side 72" wide panels feature split tiles - Electrical components are specified separately	24 x 64	USSFR2464	☐	☐	☐	☐	☐	☐	☐	57.7#	\$ 809	\$ 834	\$ 849	\$ 879	\$ 912
	30 x 64	USSFR3064	☐	☐	☐	☐	☐	☐	☐	66.0#	915	941	957	991	1027
	36 x 64	USSFR3664	☐	☐	☐	☐	☐	☐	☐	74.3#	997	1025	1048	1084	1122
	42 x 64	USSFR4264	☐	☐	☐	☐	☐	☐	☐	82.7#	1034	1062	1082	1122	1161
	48 x 64	USSFR4864	☐	☐	☐	☐	☐	☐	☐	91.1#	1110	1143	1163	1205	1247
	54 x 64	USSFR5464	☐	☐	☐	☐	☐	☐	☐	99.4#	1224	1250	1256	1305	1349
	60 x 64	USSFR6064	☐	☐	☐	☐	☐	☐	☐	107.8#	1224	1431	1429	1480	1532
	72 x 64	USSFR7264	☐	☐	☐	☐	☐	☐	☐	135.8#	1866	1921	1957	2025	2096
		A	B	C	D	E	F	G	H						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

F

- Flat trim (std)

N

- No topcap

C Select electrical code.

CP

- Chicago, 2 sides w/cutouts

DN

- Domestic, no cutouts

DP

- Domestic - with cutouts

CI

- Chicago, 1 side w/cutouts

DI

- Domestic, 1 side w/cutouts

D Select trim color.

Refer to the **Product Color Options** page in this price list.

E Select steel bottom color side 1.

Refer to the **Product Color Options** page in this price list.

F Select fabric side 1.

Refer to [ki.com/fabrics](#)

G Select steel bottom color side 2.

Refer to the **Product Color Options** page in this price list.

H Select fabric side 2.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Elevated Base



Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Elevated Base

			MODEL NUMBER														
MODEL			W x H	Basic Model	Top Cap Style	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Segmented Steel Panel - 40"H • Includes segmented tiles with steel lower and fabric upper segments for both sides • Elevated base does not accept cable distribution • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud • Side 1 and side 2 finishes are specified separately • 72" wide panels feature split tiles	24 x 40	USSFL2440	☐	☐	☐	☐	☐	☐	☐	41.4#	\$ 683	\$ 701	\$ 712	\$ 738	\$ 765	
		30 x 40	USSFL3040	☐	☐	☐	☐	☐	☐	☐	☐	47.4#	737	759	773	801	828
		36 x 40	USSFL3640	☐	☐	☐	☐	☐	☐	☐	☐	53.4#	789	810	826	856	884
		42 x 40	USSFL4240	☐	☐	☐	☐	☐	☐	☐	☐	59.4#	826	850	865	897	928
		48 x 40	USSFL4840	☐	☐	☐	☐	☐	☐	☐	☐	65.3#	898	924	941	977	1011
		54 x 40	USSFL5440	☐	☐	☐	☐	☐	☐	☐	☐	71.3#	993	1022	1041	1079	1117
		60 x 40	USSFL6040	☐	☐	☐	☐	☐	☐	☐	☐	77.3#	1148	1178	1203	1247	1288
		72 x 40	USSFL7240	☐	☐	☐	☐	☐	☐	☐	☐	96.7#	1453	1495	1520	1580	1634
USFL																	
USFL	Segmented Steel Panel - 48"H	24 x 48	USSFL2448	☐	☐	☐	☐	☐	☐	☐	46.7#	\$ 728	\$ 750	\$ 762	\$ 791	\$ 822	
		30 x 48	USSFL3048	☐	☐	☐	☐	☐	☐	☐	53.2#	785	809	825	853	882	
		36 x 48	USSFL3648	☐	☐	☐	☐	☐	☐	☐	59.7#	840	865	881	915	945	
		42 x 48	USSFL4248	☐	☐	☐	☐	☐	☐	☐	66.3#	900	924	942	977	1011	
		48 x 48	USSFL4848	☐	☐	☐	☐	☐	☐	☐	72.8#	972	998	1015	1054	1089	
		54 x 48	USSFL5448	☐	☐	☐	☐	☐	☐	☐	79.3#	1068	1100	1118	1159	1200	
		60 x 48	USSFL6048	☐	☐	☐	☐	☐	☐	☐	85.8#	1227	1264	1287	1334	1381	
		72 x 48	USSFL7248	☐	☐	☐	☐	☐	☐	☐	107.6#	1558	1599	1631	1692	1750	
USFL	Segmented Steel Panel - 56"H	24 x 56	USSFL2456	☐	☐	☐	☐	☐	☐	☐	51.1#	\$ 759	\$ 781	\$ 796	\$ 825	\$ 853	
		30 x 56	USSFL3056	☐	☐	☐	☐	☐	☐	☐	58.1#	828	853	869	900	932	
		36 x 56	USSFL3656	☐	☐	☐	☐	☐	☐	☐	65.1#	894	921	936	972	1004	
		42 x 56	USSFL4256	☐	☐	☐	☐	☐	☐	☐	72.2#	971	996	1014	1067	1088	
		48 x 56	USSFL4856	☐	☐	☐	☐	☐	☐	☐	79.2#	1037	1066	1085	1124	1164	
		54 x 56	USSFL5456	☐	☐	☐	☐	☐	☐	☐	86.2#	1111	1143	1164	1207	1249	
		60 x 56	USSFL6056	☐	☐	☐	☐	☐	☐	☐	93.3#	1252	1288	1310	1360	1407	
		72 x 56	USSFL7256	☐	☐	☐	☐	☐	☐	☐	117.4#	1661	1707	1739	1802	1865	
			A	B	C	D	E	F	G								

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D** Select steel bottom color side 1.
- Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
- Refer to ki.com/fabrics
- F** Select steel bottom color side 2.
- Refer to the **Product Color Options** page in this price list.
- G** Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Elevated Base



Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Elevated Base

		MODEL NUMBER												
		Basic Model	Top Cap Style	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFL	MODEL													
	Segmented Steel Panel - 64"H	24 x 64	USSFL2464	☐	☐	☐	☐	☐	55.4#	\$ 809	\$ 834	\$ 849	\$ 879	\$ 912
	• Includes segmented tiles with steel lower and fabric upper segments for both sides	30 x 64	USSFL3064	☐	☐	☐	☐	☐	63.0#	915	941	957	991	1027
	• Elevated base does not accept cable distribution	36 x 64	USSFL3664	☐	☐	☐	☐	☐	70.5#	997	1025	1048	1084	1122
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 64	USSFL4264	☐	☐	☐	☐	☐	78.1#	1034	1062	1082	1122	1161
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	48 x 64	USSFL4864	☐	☐	☐	☐	☐	85.7#	1110	1143	1163	1205	1247
	• Side 1 and side 2 finishes are specified separately	54 x 64	USSFL5464	☐	☐	☐	☐	☐	93.2#	1224	1250	1256	1305	1349
	• 72" wide panels feature split tiles	60 x 64	USSFL6064	☐	☐	☐	☐	☐	100.8#	1224	1403	1429	1480	1532
		72 x 64	USSFL7264	☐	☐	☐	☐	☐	127.2#	1866	1921	1957	2025	2096
			A	B	C	D	E	F	G					

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D** Select steel bottom color side 1.
- Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
- Refer to ki.com/fabrics
- F** Select steel bottom color side 2.
- Refer to the **Product Color Options** page in this price list.
- G** Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Steel Panels w/Fabric Top Tiles

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER													
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFT	Segmented Steel Panel - 40"H	24 x 40	USSFT2440	☐	☐	☐	☐	☐	☐	42.9#	\$ 683	\$ 701	\$ 712	\$ 738	\$ 765
	• Side 1: tile-to-floor base does not accept cable distribution	30 x 40	USSFT3040	☐	☐	☐	☐	☐	☐	49.4#	737	759	773	801	828
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 40	USSFT3640	☐	☐	☐	☐	☐	☐	55.9#	789	810	826	856	884
	• Includes segmented tiles with steel lower and fabric upper segments for both sides	42 x 40	USSFT4240	☐	☐	☐	☐	☐	☐	62.5#	826	850	865	897	928
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 40	USSFT4840	☐	☐	☐	☐	☐	☐	69.0#	898	924	941	977	1011
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	54 x 40	USSFT5440	☐	☐	☐	☐	☐	☐	75.5#	993	1022	1041	1079	1117
	• Side 1 and side 2 finishes are specified separately	60 x 40	USSFT6040	☐	☐	☐	☐	☐	☐	82.1#	1148	1178	1203	1247	1288
	• Side 2: 30-72" wide tiles feature two base and two beltway power knockouts	72 x 40	USSFT7240	☐	☐	☐	☐	☐	☐	102.7#	1453	1495	1520	1580	1634
	• Side 2: 24" wide tiles feature one base and one beltway power knockout														
	• 72" wide panels feature split tiles														
USFT	Segmented Steel Panel - 48"H	24 x 48	USSFT2448	☐	☐	☐	☐	☐	☐	48.2#	\$ 728	\$ 750	\$ 762	\$ 791	\$ 822
		30 x 48	USSFT3048	☐	☐	☐	☐	☐	☐	55.2#	785	809	825	853	882
		36 x 48	USSFT3648	☐	☐	☐	☐	☐	☐	62.3#	840	865	881	915	945
		42 x 48	USSFT4248	☐	☐	☐	☐	☐	☐	69.4#	900	924	942	977	1011
		48 x 48	USSFT4848	☐	☐	☐	☐	☐	☐	76.4#	972	998	1015	1054	1089
		54 x 48	USSFT5448	☐	☐	☐	☐	☐	☐	83.5#	1068	1100	1118	1159	1200
		60 x 48	USSFT6048	☐	☐	☐	☐	☐	☐	90.6#	1227	1264	1287	1334	1381
		72 x 48	USSFT7248	☐	☐	☐	☐	☐	☐	113.5#	1558	1599	1631	1692	1750
USFT	Segmented Steel Panel - 56"H	24 x 56	USSFT2456	☐	☐	☐	☐	☐	☐	52.5#	\$ 759	\$ 781	\$ 796	\$ 825	\$ 853
		30 x 56	USSFT3056	☐	☐	☐	☐	☐	☐	60.1#	828	853	869	900	932
		36 x 56	USSFT3656	☐	☐	☐	☐	☐	☐	67.7#	894	921	936	972	1004
		42 x 56	USSFT4256	☐	☐	☐	☐	☐	☐	75.3#	971	996	1014	1053	1088
		48 x 56	USSFT4856	☐	☐	☐	☐	☐	☐	82.9#	1037	1066	1085	1124	1164
		54 x 56	USSFT5456	☐	☐	☐	☐	☐	☐	90.5#	1111	1143	1164	1207	1249
		60 x 56	USSFT6056	☐	☐	☐	☐	☐	☐	98.1#	1252	1288	1310	1360	1407
		72 x 56	USSFT7256	☐	☐	☐	☐	☐	☐	123.4#	1661	1707	1739	1802	1865
			A	B	C	D	E	F	G	H					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

• The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- CP** - Chicago - with cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- D** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E** Select steel bottom color side 1.
- Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.
- Refer to kl.com/fabrics
- G** Select steel bottom color side 2.

Refer to the **Product Color Options** page in this price list.

- H** Select fabric side 2.
- Refer to kl.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select top cap style.

F	- Flat trim (std)
N	- No topcap

C Select electrical code.

CP	- Chicago - with cutouts
DN	- Domestic, no cutouts
DP	- Domestic - with cutouts

D Select trim color.
Refer to the **Product Color Options** page in this price list.

E Select steel bottom color side 1.
Refer to the **Product Color Options** page in this price list.

F Select fabric side 1.
Refer to ki.com/fabrics

G Select steel bottom color side 2.

H Select fabric side 2.
Refer to ku.com/fabrics

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Standard Base Raceway

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Standard Base Raceway

		MODEL NUMBER															
MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2		Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 Side 1 Side 2 USFR	Segmented Steel Panel - 40"H	24 x 40	USSFRBW2440	☐	☐	☐	☐	☐	☐	☐		43.7#	\$ 710	\$ 730	\$ 745	\$ 772	\$ 799
	• Includes segmented tiles with steel lower and fabric upper segments for both sides	30 x 40	USSFRBW3040	☐	☐	☐	☐	☐	☐	☐		50.4#	796	821	834	864	894
	• Standard base raceway on both sides accepts power and data cable distribution	36 x 40	USSFRBW3640	☐	☐	☐	☐	☐	☐	☐		57.1#	842	866	881	915	945
	• Above worksurface beltway on both sides accepts power and data cable distribution	42 x 40	USSFRBW4240	☐	☐	☐	☐	☐	☐	☐		64.0#	879	905	922	954	988
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 40	USSFRBW4840	☐	☐	☐	☐	☐	☐	☐		70.7#	947	977	993	1030	1066
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	54 x 40	USSFRBW5440	☐	☐	☐	☐	☐	☐	☐		77.5#	1047	1077	1093	1134	1175
	• Side 1 and side 2 finishes are specified separately	60 x 40	USSFRBW6040	☐	☐	☐	☐	☐	☐	☐		84.3#	1207	1239	1263	1307	1354
	• 30-72" wide panels each feature two power knockouts at base and two knockouts with bezels at beltway per side	72 x 40	USSFRBW7240	☐	☐	☐	☐	☐	☐	☐		105.3#	1564	1610	1638	1701	1758
	• 24" wide panels each feature one power knockout and one knockout with bezel at beltway per side																
	• 72" wide panels feature split tiles																
• Electrical components are specified separately																	

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to ki.com/fabrics

- A** Select basic model.

B Select top cap style.

C Select electrical code.

D Select bezel color.

E Select trim color.

F Select steel bottom color side 1.

G Select fabric side 1.
- H** Select steel bottom color side 2.

I Select fabric side 2.
- Refer to the **Product Color Options** page in this price list.

Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Standard Base Raceway

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Standard Base Raceway

		MODEL NUMBER														
MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Segmented Steel Panel - 48"H	24 x 48	USSFRBW2448	☐	☐	☐	☐	☐	☐	☐	49.0#	\$ 750	\$ 772	\$ 785	\$ 812	\$ 842
		30 x 48	USSFRBW3048	☐	☐	☐	☐	☐	☐	☐	56.2#	839	864	879	914	943
		36 x 48	USSFRBW3648	☐	☐	☐	☐	☐	☐	☐	63.5#	894	921	936	974	1004
		42 x 48	USSFRBW4248	☐	☐	☐	☐	☐	☐	☐	70.8#	956	983	1002	1038	1075
		48 x 48	USSFRBW4848	☐	☐	☐	☐	☐	☐	☐	78.1#	1023	1054	1074	1111	1151
		54 x 48	USSFRBW5448	☐	☐	☐	☐	☐	☐	☐	85.4#	1121	1154	1174	1216	1260
		60 x 48	USSFRBW6048	☐	☐	☐	☐	☐	☐	☐	92.8#	1284	1320	1344	1395	1441
		72 x 48	USSFRBW7248	☐	☐	☐	☐	☐	☐	☐	116.1#	1664	1711	1741	1807	1868
USFR																
USFR	Segmented Steel Panel - 56"H	24 x 56	USSFRBW2456	☐	☐	☐	☐	☐	☐	☐	53.3#	\$ 788	\$ 810	\$ 826	\$ 855	\$ 883
		30 x 56	USSFRBW3056	☐	☐	☐	☐	☐	☐	☐	61.1#	882	909	924	958	991
		36 x 56	USSFRBW3656	☐	☐	☐	☐	☐	☐	☐	68.9#	949	978	996	1034	1068
		42 x 56	USSFRBW4256	☐	☐	☐	☐	☐	☐	☐	76.8#	1022	1053	1070	1110	1150
		48 x 56	USSFRBW4856	☐	☐	☐	☐	☐	☐	☐	84.6#	1093	1124	1147	1187	1229
		54 x 56	USSFRBW5456	☐	☐	☐	☐	☐	☐	☐	92.4#	1165	1200	1222	1265	1310
		60 x 56	USSFRBW6056	☐	☐	☐	☐	☐	☐	☐	100.3#	1307	1344	1368	1417	1470
		72 x 56	USSFRBW7256	☐	☐	☐	☐	☐	☐	☐	126.0#	1768	1817	1852	1920	1986
USFR	Segmented Steel Panel - 64"H	24 x 64	USSFRBW2464	☐	☐	☐	☐	☐	☐	☐	57.7#	\$ 839	\$ 862	\$ 879	\$ 912	\$ 942
		30 x 64	USSFRBW3064	☐	☐	☐	☐	☐	☐	☐	66.0#	971	996	1013	1052	1087
		36 x 64	USSFRBW3664	☐	☐	☐	☐	☐	☐	☐	74.3#	1053	1080	1101	1143	1180
		42 x 64	USSFRBW4264	☐	☐	☐	☐	☐	☐	☐	82.7#	1087	1117	1137	1178	1220
		48 x 64	USSFRBW4864	☐	☐	☐	☐	☐	☐	☐	91.1#	1164	1200	1220	1265	1307
		54 x 64	USSFRBW5464	☐	☐	☐	☐	☐	☐	☐	99.4#	1255	1294	1317	1366	1410
		60 x 64	USSFRBW6064	☐	☐	☐	☐	☐	☐	☐	107.8#	1426	1466	1493	1547	1599
		72 x 64	USSFRBW7264	☐	☐	☐	☐	☐	☐	☐	135.8#	1972	2030	2065	2141	2217
			A	B	C	D	E	F	G	H	I					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

- A** Select basic model.

B Select top cap style.

C Select electrical code.

D Select bezel color.

E Select trim color.

F Select steel bottom color side 1.

G Select fabric side 1.
- H** Select steel bottom color side 2.

I Select fabric side 2.
- Refer to the **Product Color Options** page in this price list.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power
Elevated Base

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power
Elevated Base



		MODEL NUMBER														
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFL	MODEL	W x H														
	Segmented Steel Panel - 40"H	24 x 40	USSFLBW2440	☐	☐	☐	☐	☐	☐	☐	41.4#	\$ 710	\$ 730	\$ 745	\$ 772	\$ 799
	• Includes segmented tiles with steel lower and fabric upper segments for both sides	30 x 40	USSFLBW3040	☐	☐	☐	☐	☐	☐	☐	47.4#	796	821	834	864	894
	• 30-72" wide tiles each feature two power knockouts with bezels at above-worksurface beltway	36 x 40	USSFLBW3640	☐	☐	☐	☐	☐	☐	☐	53.4#	842	866	881	915	945
	• 24" wide tiles each feature one power knockout with bezel at above-worksurface beltway	42 x 40	USSFLBW4240	☐	☐	☐	☐	☐	☐	☐	59.4#	879	905	922	954	988
	• Elevated base does not accept cable distribution	48 x 40	USSFLBW4840	☐	☐	☐	☐	☐	☐	☐	65.4#	947	977	993	1030	1066
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USSFLBW5440	☐	☐	☐	☐	☐	☐	☐	71.3#	1047	1077	1093	1134	1175
	• Trim is metal and includes top cap, bottom trim channel, segment channel and foot shroud	60 x 40	USSFLBW6040	☐	☐	☐	☐	☐	☐	☐	77.3#	1207	1239	1263	1307	1354
	• Side 1 and side 2 finishes are specified separately	72 x 40	USSFLBW7240	☐	☐	☐	☐	☐	☐	☐	96.7#	1564	1610	1638	1701	1758
	• 72" wide panels feature split tiles															

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.
F ☐ - Flat trim (std)
N ☐ - No topcap

C Select electrical code.
DP ☐ - Domestic - with cutouts

D Select bezel color.
Refer to the **Product Color Options** page in this price list.

E Select trim color.
Refer to the **Product Color Options** page in this price list.

F Select steel bottom color side 1.
Refer to the **Product Color Options** page in this price list.

G Select fabric side 1.
Refer to ki.com/fabrics

H Select steel bottom color side 2.
Refer to the **Product Color Options** page in this price list.

I Select fabric side 2.
Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Specifications and prices are subject to change without prior notice.

USFT

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Tile-to-Floor One Side; Standard Base Raceway One Side

Preconfigured Segmented Steel Panels w/Fabric Top Tiles Beltway/Power

Tile-to-Floor One Side; Standard Base Raceway One Side

MODEL	W x H	MODEL NUMBER									Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
		Basic Model	Top Cap Style	Electrical Code	Bezel Color	Trim Color	Steel Color Side 1	Fabric Side 1	Steel Color Side 2	Fabric Side 2						
Segmented Steel Panel - 48"H	24 x 48	USSFTBW2448	☐	☐	☐	☐	☐	☐	☐	☐	48.2#	\$ 750	\$ 772	\$ 785	\$ 812	\$ 842
	30 x 48	USSFTBW3048	☐	☐	☐	☐	☐	☐	☐	☐	55.2#	839	864	879	914	943
	36 x 48	USSFTBW3648	☐	☐	☐	☐	☐	☐	☐	☐	62.3#	894	921	936	974	1004
	42 x 48	USSFTBW4248	☐	☐	☐	☐	☐	☐	☐	☐	69.4#	956	983	1002	1038	1075
	48 x 48	USSFTBW4848	☐	☐	☐	☐	☐	☐	☐	☐	76.4#	1023	1054	1074	1111	1151
	54 x 48	USSFTBW5448	☐	☐	☐	☐	☐	☐	☐	☐	83.5#	1121	1154	1174	1216	1260
	60 x 48	USSFTBW6048	☐	☐	☐	☐	☐	☐	☐	☐	90.6#	1284	1320	1344	1395	1441
	72 x 48	USSFTBW7248	☐	☐	☐	☐	☐	☐	☐	☐	113.5#	1664	1711	1741	1807	1868
Segmented Steel Panel - 56"H	24 x 56	USSFTBW2456	☐	☐	☐	☐	☐	☐	☐	☐	52.5#	\$ 788	\$ 810	\$ 826	\$ 855	\$ 883
	30 x 56	USSFTBW3056	☐	☐	☐	☐	☐	☐	☐	☐	60.1#	882	909	924	958	991
	36 x 56	USSFTBW3656	☐	☐	☐	☐	☐	☐	☐	☐	67.7#	949	978	996	1034	1068
	42 x 56	USSFTBW4256	☐	☐	☐	☐	☐	☐	☐	☐	75.3#	1022	1053	1070	1110	1150
	48 x 56	USSFTBW4856	☐	☐	☐	☐	☐	☐	☐	☐	82.9#	1093	1124	1147	1187	1229
	54 x 56	USSFTBW5456	☐	☐	☐	☐	☐	☐	☐	☐	90.5#	1165	1200	1222	1265	1310
	60 x 56	USSFTBW6056	☐	☐	☐	☐	☐	☐	☐	☐	98.1#	1307	1344	1368	1417	1470
	72 x 56	USSFTBW7256	☐	☐	☐	☐	☐	☐	☐	☐	123.4#	1768	1817	1852	1920	1986
Segmented Steel Panel - 64"H	24 x 64	USSFTBW2464	☐	☐	☐	☐	☐	☐	☐	☐	56.9#	\$ 839	\$ 862	\$ 879	\$ 912	\$ 942
	30 x 64	USSFTBW3064	☐	☐	☐	☐	☐	☐	☐	☐	65.0#	971	996	1013	1052	1087
	36 x 64	USSFTBW3664	☐	☐	☐	☐	☐	☐	☐	☐	73.1#	1053	1080	1101	1143	1180
	42 x 64	USSFTBW4264	☐	☐	☐	☐	☐	☐	☐	☐	81.2#	1087	1117	1137	1178	1220
	48 x 64	USSFTBW4864	☐	☐	☐	☐	☐	☐	☐	☐	89.3#	1164	1200	1220	1265	1307
	54 x 64	USSFTBW5464	☐	☐	☐	☐	☐	☐	☐	☐	97.4#	1255	1294	1317	1366	1410
	60 x 64	USSFTBW6064	☐	☐	☐	☐	☐	☐	☐	☐	105.6#	1426	1466	1493	1547	1599
	72 x 64	USSFTBW7264	☐	☐	☐	☐	☐	☐	☐	☐	133.2#	1972	2030	2065	2141	2217

A B C D E F G H I

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select top cap style.

C Select electrical code.

D Select bezel color.

E Select trim color.

F Select steel bottom color side 1.

G Select fabric side 1.
- H** Select steel bottom color side 2.

I Select fabric side 2.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid, Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Open Panels w/Fabric Top Tiles

Standard Base Raceway



Preconfigured Segmented Open Panels w/Fabric Top Tiles

Standard Base Raceway

		MODEL NUMBER												
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR	Segmented Open Panel - 40"H	24 x 40	USOR2440	☐	☐	☐	☐	☐	43.0#	\$ 821	\$ 838	\$ 851	\$ 877	\$ 903
	• Segmented panel features open powder coated aluminum frame lower segment and fabric upper segment	30 x 40	USOR3040	☐	☐	☐	☐	☐	50.0#	891	915	927	927	983
	• Standard base raceway on both sides accepts power and data cable distribution	36 x 40	USOR3640	☐	☐	☐	☐	☐	57.0#	936	957	975	1004	1035
	• Open frame allows pass-through accessibility range of 8" to 29" from floor	42 x 40	USOR4240	☐	☐	☐	☐	☐	64.0#	1042	1066	1081	1114	1146
	• Panel assembly includes frame, trim, and panel-to-panel connecting hardware	48 x 40	USOR4840	☐	☐	☐	☐	☐	70.0#	1067	1090	1110	1146	1178
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and open frame	54 x 40	USOR5440	☐	☐	☐	☐	☐	77.0#	1132	1158	1180	1216	1254
	• Side 1 and side 2 fabric finishes are specified separately	60 x 40	USOR6040	☐	☐	☐	☐	☐	84.0#	1265	1295	1319	1362	1405
	• 30-60" wide panels feature two power knockouts per side													
	• 24" wide panels feature one power knockout per side													
	• Electrical components are specified separately													
USFR	Segmented Open Panel - 48"H	24 x 48	USOR2448	☐	☐	☐	☐	☐	49.0#	\$ 865	\$ 887	\$ 900	\$ 930	\$ 957
		30 x 48	USOR3048	☐	☐	☐	☐	☐	56.0#	941	964	980	1008	1038
		36 x 48	USOR3648	☐	☐	☐	☐	☐	63.0#	988	1012	1029	1060	1091
		42 x 48	USOR4248	☐	☐	☐	☐	☐	70.0#	1117	1141	1158	1191	1227
		48 x 48	USOR4848	☐	☐	☐	☐	☐	78.0#	1137	1165	1185	1222	1260
		54 x 48	USOR5448	☐	☐	☐	☐	☐	85.0#	1207	1236	1256	1297	1338
		60 x 48	USOR6048	☐	☐	☐	☐	☐	92.0#	1344	1381	1404	1450	1496
USFR	Segmented Open Panel - 56"H	24 x 56	USOR2456	☐	☐	☐	☐	☐	53.0#	\$ 895	\$ 920	\$ 932	\$ 961	\$ 989
		30 x 56	USOR3056	☐	☐	☐	☐	☐	61.0#	983	1008	1023	1023	1087
		36 x 56	USOR3656	☐	☐	☐	☐	☐	68.0#	1042	1067	1084	1118	1152
		42 x 56	USOR4256	☐	☐	☐	☐	☐	76.0#	1185	1211	1231	1268	1305
		48 x 56	USOR4856	☐	☐	☐	☐	☐	84.0#	1205	1233	1253	1291	1333
		54 x 56	USOR5456	☐	☐	☐	☐	☐	92.0#	1250	1280	1304	1344	1386
		60 x 56	USOR6056	☐	☐	☐	☐	☐	100.0#	1367	1405	1429	1477	1524
			A	B	C	D	E	F						

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- C1** - Chicago, 1 side w/cutouts
- D1** - Domestic, 1 side w/cutouts
- D** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
- Refer to ki.com/fabrics
- F** Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Open Panels w/Fabric Top Tiles

Standard Base Raceway



Preconfigured Segmented Open Panels w/Fabric Top Tiles

Standard Base Raceway

	MODEL	W x H	MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2						
 USFR	Segmented Open Panel - 64"H	24 x 64	USOR2464	☐	☐	☐	☐	☐	57.0#	\$ 945	\$ 972	\$ 985	\$ 1014	\$ 1049
	• Segmented panel features open powder coated aluminum frame lower segment and fabric upper segment	30 x 64	USOR3064	☐	☐	☐	☐	☐	66.0#	1068	1096	1113	1148	1183
	• Standard base raceway on both sides accepts power and data cable distribution	36 x 64	USOR3664	☐	☐	☐	☐	☐	74.0#	1146	1173	1194	1231	1269
	• Open frame allows pass-through accessibility range of 8" to 29" from floor	42 x 64	USOR4264	☐	☐	☐	☐	☐	82.0#	1249	1278	1300	1340	1379
	• Panel assembly includes frame, trim, and panel-to-panel connecting hardware	48 x 64	USOR4864	☐	☐	☐	☐	☐	91.0#	1289	1308	1332	1371	1414
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and open frame	54 x 64	USOR5464	☐	☐	☐	☐	☐	99.0#	1344	1386	1399	1440	1486
	• Side 1 and side 2 fabric finishes are specified separately	60 x 64	USOR6064	☐	☐	☐	☐	☐	107.0#	1480	1547	1547	1595	1647
	• 30-60" wide panels feature two power knockouts per side													
	• 24" wide panels feature one power knockout per side													
	• Electrical components are specified separately													
			A	B	C	D	E	F						

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
N - No topcap
- C** Select electrical code.
- CP** - Chicago, 2 sides w/cutouts
DN - Domestic, no cutouts
DP - Domestic - with cutouts
C1 - Chicago, 1 side w/cutouts
D1 - Domestic, 1 side w/cutouts
- D** Select trim color.
Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F** Select fabric side 2.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Open Panels w/Fabric Top Tiles

Elevated Base



Preconfigured Segmented Open Panels w/Fabric Top Tiles

Elevated Base

		MODEL NUMBER											
MODEL		W x H	Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFL	Segmented Open Panel - 40"H - Segmented panel features open powder coated aluminum frame lower segment and fabric upper segment - Elevated base is non-powered and does not accept cable distribution - Open frame allows pass-through accessibility range of 8" to 29" from floor - Panel assembly includes frame, trim, and panel-to-panel connecting hardware - Trim is metal and includes top cap, bottom trim channel, foot shroud, and open frame - Side 1 and side 2 fabric finishes are specified separately	24 x 40	USOL2440	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	41.0#	\$ 821	\$ 838	\$ 851	\$ 877	\$ 903
		30 x 40	USOL3040	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	47.0#	891	915	927	927	983
		36 x 40	USOL3640	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	53.0#	936	957	975	1004	1035
		42 x 40	USOL4240	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	59.0#	1042	1066	1081	1114	1146
		48 x 40	USOL4840	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	65.0#	1067	1090	1110	1146	1178
		54 x 40	USOL5440	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	71.0#	1132	1158	1180	1216	1254
		60 x 40	USOL6040	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	77.0#	1265	1295	1319	1362	1405
USFL	Segmented Open Panel - 48"H	24 x 48	USOL2448	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	46.0#	\$ 865	\$ 887	\$ 900	\$ 930	\$ 957
		30 x 48	USOL3048	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	53.0#	941	964	980	1008	1038
		36 x 48	USOL3648	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	59.0#	988	1012	1029	1060	1091
		42 x 48	USOL4248	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	66.0#	1117	1141	1158	1191	1227
		48 x 48	USOL4848	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	72.0#	1137	1165	1185	1222	1260
		54 x 48	USOL5448	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	78.5#	1207	1236	1256	1297	1338
		60 x 48	USOL6048	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	85.0#	1344	1381	1404	1450	1496
USFL	Segmented Open Panel - 56"H	24 x 56	USOL2456	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	51.0#	\$ 895	\$ 920	\$ 932	\$ 961	\$ 989
		30 x 56	USOL3056	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	58.0#	983	1008	1023	1023	1087
		36 x 56	USOL3656	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	65.0#	1042	1067	1084	1118	1152
		42 x 56	USOL4256	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	72.0#	1185	1211	1231	1268	1305
		48 x 56	USOL4856	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	79.0#	1205	1233	1253	1291	1333
		54 x 56	USOL5456	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	86.0#	1250	1280	1304	1344	1386
		60 x 56	USOL6056	☐	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	93.0#	1367	1405	1429	1477	1524
			A	B	C	D	E						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D** Select fabric side 1.
- Refer to ki.com/fabrics
- E** Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

USFL

Shipping
Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change
without prior notice.

Preconfigured Segmented Fabric Panel w/Glass Top

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Glass Top

Standard Base Raceway

		MODEL NUMBER							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2								
 USFR	Segmented Fabric Panel - 40"H	24 x 40	USGR2440	☐	☐	☐	☐	☐	46.5#	\$ 831	\$ 883	\$ 937	\$ 990	\$ 1029	\$ 62	\$ 123
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 40	USGR3040	☐	☐	☐	☐	☐	53.2#	911	971	1025	1085	1126	62	123
	• Upper segment features single piece of glass captured in frame	36 x 40	USGR3640	☐	☐	☐	☐	☐	60.0#	981	1045	1108	1169	1214	62	123
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 40	USGR4240	☐	☐	☐	☐	☐	66.8#	1052	1117	1185	1252	1301	62	123
	• Upper frame finish matches trim	48 x 40	USGR4840	☐	☐	☐	☐	☐	73.6#	1117	1188	1262	1333	1383	77	155
	• Standard base raceway on both sides accepts power and data cable distribution	54 x 40	USGR5440	☐	☐	☐	☐	☐	80.4#	1165	1239	1315	1388	1441	77	155
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	60 x 40	USGR6040	☐	☐	☐	☐	☐	87.2#	1283	1363	1444	1528	1586	77	155
	• 30-72" wide panels feature two power knockouts per side	72 x 40	USGR7240	☐	☐	☐	☐	☐	105.8#	1680	1788	1895	2003	2082	77	155
	• 24" wide panels feature one power knockout per side															
	• 72" wide panels feature split tiles															
USFR	Segmented Fabric Panel - 48"H	24 x 48	USGR2448	☐	☐	☐	☐	☐	54.7#	\$ 865	\$ 922	\$ 978	\$ 1034	\$ 1071	\$ 62	\$ 123
		30 x 48	USGR3048	☐	☐	☐	☐	☐	62.6#	943	1004	1066	1126	1168	62	123
		36 x 48	USGR3648	☐	☐	☐	☐	☐	70.5#	1015	1082	1148	1212	1262	62	123
		42 x 48	USGR4248	☐	☐	☐	☐	☐	78.5#	1093	1164	1235	1305	1355	73	146
		48 x 48	USGR4848	☐	☐	☐	☐	☐	86.4#	1163	1238	1310	1388	1440	85	184
		54 x 48	USGR5448	☐	☐	☐	☐	☐	94.3#	1213	1291	1370	1449	1505	95	197
		60 x 48	USGR6048	☐	☐	☐	☐	☐	102.2#	1340	1427	1509	1595	1658	108	223
		72 x 48	USGR7248	☐	☐	☐	☐	☐	124.3#	1746	1859	1970	2083	2162	128	262
USFR	Segmented Fabric Panel - 56"H	24 x 56	USGR2456	☐	☐	☐	☐	☐	62.9#	\$ 905	\$ 961	\$ 1018	\$ 1078	\$ 1121	\$ 85	\$ 184
		30 x 56	USGR3056	☐	☐	☐	☐	☐	71.9#	986	1051	1113	1176	1222	85	184
		36 x 56	USGR3656	☐	☐	☐	☐	☐	81.0#	1067	1134	1205	1274	1320	85	184
		42 x 56	USGR4256	☐	☐	☐	☐	☐	90.1#	1154	1225	1301	1376	1429	85	184
		48 x 56	USGR4856	☐	☐	☐	☐	☐	99.1#	1223	1302	1382	1458	1515	128	262
		54 x 56	USGR5456	☐	☐	☐	☐	☐	108.1#	1268	1353	1436	1516	1575	144	298
		60 x 56	USGR6056	☐	☐	☐	☐	☐	117.2#	1396	1484	1576	1665	1730	169	347
		72 x 56	USGR7256	☐	☐	☐	☐	☐	142.9#	1813	1929	2047	2162	2246	205	420
			A	B	C	D	E	F	G							

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

• The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- C** Select electrical code.
- D** Select trim color.
- E** Select glass color.
- F** Select fabric side 1.
- G** Select fabric side 2.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select top cap style.

F - Flat trim (std)
N - No topcap

C Select electrical code.

CP - Chicago, 2 sides w/cutouts
DN - Domestic, no cutouts
DP - Domestic - with cutouts
C1 - Chicago, 1 side w/cutouts
D1 - Domestic, 1 side w/cutouts

D Select trim color.

Refer to the **Product Color Options** page in this price list.

E Select glass color.

GLA - Clear (std)
GLC - White laminate
GLV - Satin etch one side

See pricing column for glass upcharge.

F Select fabric side 1.
Refer to ki.com/fabrics

Ⓒ Select fabric side 2.
Refer to hi.com/fabrics

direction the fabric is to be applied.

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

$$\text{Upcharge}/2 = \text{Cost for one side}$$

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

Special Carton Marking

With specially marked information N/C


Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Glass Top
Elevated Base



Preconfigured Segmented Fabric Panel w/Glass Top
Elevated Base

			MODEL NUMBER														
MODEL		W x H	Basic Model	Top Cap Style	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge	
	Segmented Fabric Panel - 40"H	24 x 40	USGL2440	☐	☐	☐	☐	☐	44.3#	\$ 831	\$ 883	\$ 937	\$ 990	\$ 1029	\$ 62	\$ 123	
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 40	USGL3040	☐	☐	☐	☐	☐	50.3#	911	971	1025	1085	1126	62	123	
	• Upper segment features single piece of glass captured in frame	36 x 40	USGL3640	☐	☐	☐	☐	☐	56.3#	981	1045	1108	1169	1214	62	123	
	• Upper frame finish matches trim	42 x 40	USGL4240	☐	☐	☐	☐	☐	62.3#	1052	1117	1185	1252	1301	62	123	
	• Elevated base does not accept cable distribution	48 x 40	USGL4840	☐	☐	☐	☐	☐	68.3#	1117	1188	1262	1333	1383	77	155	
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USGL5440	☐	☐	☐	☐	☐	74.2#	1165	1239	1315	1388	1441	77	155	
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	60 x 40	USGL6040	☐	☐	☐	☐	☐	80.2#	1283	1363	1444	1528	1586	77	155	
	• 72" wide panels feature split tiles	72 x 40	USGL7240	☐	☐	☐	☐	☐	97.2#	1680	1788	1895	2003	2082	77	155	
USFL																	
USFL	Segmented Fabric Panel - 48"H	24 x 48	USGL2448	☐	☐	☐	☐	☐	52.5#	\$ 865	\$ 922	\$ 978	\$ 1034	\$ 1071	\$ 62	\$ 123	
		30 x 48	USGL3048	☐	☐	☐	☐	☐	59.6#	943	1004	1066	1126	1168	62	123	
		36 x 48	USGL3648	☐	☐	☐	☐	☐	66.7#	1015	1082	1148	1212	1262	62	123	
		42 x 48	USGL4248	☐	☐	☐	☐	☐	73.9#	1093	1164	1235	1305	1355	73	146	
		48 x 48	USGL4848	☐	☐	☐	☐	☐	81.0#	1163	1238	1310	1388	1440	85	184	
		54 x 48	USGL5448	☐	☐	☐	☐	☐	88.1#	1213	1291	1370	1449	1505	95	197	
		60 x 48	USGL6048	☐	☐	☐	☐	☐	95.2#	1340	1427	1509	1595	1658	108	223	
		72 x 48	USGL7248	☐	☐	☐	☐	☐	115.7#	1746	1859	1970	2083	2162	128	262	
USFL	Segmented Fabric Panel - 56"H	24 x 56	USGL2456	☐	☐	☐	☐	☐	60.7#	\$ 905	\$ 961	\$ 1018	\$ 1078	\$ 1121	\$ 85	\$ 184	
		30 x 56	USGL3056	☐	☐	☐	☐	☐	68.9#	986	1051	1113	1176	1222	85	184	
		36 x 56	USGL3656	☐	☐	☐	☐	☐	77.2#	1067	1134	1205	1274	1320	85	184	
		42 x 56	USGL4256	☐	☐	☐	☐	☐	85.5#	1154	1225	1301	1376	1429	85	184	
		48 x 56	USGL4856	☐	☐	☐	☐	☐	93.8#	1223	1302	1382	1458	1515	128	262	
		54 x 56	USGL5456	☐	☐	☐	☐	☐	102.0#	1268	1353	1436	1516	1575	144	298	
		60 x 56	USGL6056	☐	☐	☐	☐	☐	110.3#	1396	1484	1576	1665	1730	169	347	
		72 x 56	USGL7256	☐	☐	☐	☐	☐	134.3#	1813	1929	2047	2162	2246	205	420	
			A	B	C	D	E	F									

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D** Select glass color.
- GLA** - Clear (std)
- GLC** - White laminate
- GLV** - Satin etch one side
- See pricing column for glass upcharge.
- E** Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F** Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Glass Top
Elevated Base



Preconfigured Segmented Fabric Panel w/Glass Top
Elevated Base

		MODEL NUMBER													
MODEL	W x H	Basic Model	Top Cap Style	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
 Side 1 Side 2 USFL	Segmented Fabric Panel - 64"H	24 x 64	USGL2464	☐	☐	☐	☐	68.9#	\$ 954	\$ 1014	\$ 1076	\$ 1137	\$ 1183	\$ 85	\$ 184
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 64	USGL3064	☐	☐	☐	☐	78.3#	1056	1124	1191	1262	1307	85	184
	• Upper segment features single piece of glass captured in frame	36 x 64	USGL3664	☐	☐	☐	☐	87.7#	1124	1199	1268	1341	1394	128	262
	• Upper frame finish matches trim	42 x 64	USGL4264	☐	☐	☐	☐	97.1#	1214	1294	1371	1449	1506	169	347
	• Elevated base does not accept cable distribution	48 x 64	USGL4864	☐	☐	☐	☐	106.5#	1288	1368	1453	1536	1594	205	420
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 64	USGL5464	☐	☐	☐	☐	115.9#	1338	1421	1508	1594	1656	224	439
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	60 x 64	USGL6064	☐	☐	☐	☐	125.3#	1466	1560	1654	1747	1813	230	487
	• 72" wide panels feature split tiles	72 x 64	USGL7264	☐	☐	☐	☐	152.9#	1893	2014	2135	2257	2345	274	571
		A	B	C	D	E	F								

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
N - No topcap
- C** Select trim color.
Refer to the **Product Color Options** page in this price list.
- D** Select glass color.
- GLA** - Clear (std)
GLC - White laminate
GLV - Satin etch one side
See pricing column for glass upcharge.
- E** Select fabric side 1.
Refer to ki.com/fabrics
- F** Select fabric side 2.
Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Glass Top

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Glass Top

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER														
MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
 USFT	Segmented Fabric Panel - 40"H	24 x 40	USGT2440	☐	☐	☐	☐	☐	46.5#	\$ 831	\$ 883	\$ 937	\$ 990	\$ 1029	\$ 62	\$ 123
	• Side 1: tile to floor base does not accept cable distribution	30 x 40	USGT3040	☐	☐	☐	☐	☐	51.9#	911	971	1025	1085	1126	62	123
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 40	USGT3640	☐	☐	☐	☐	☐	58.4#	981	1045	1108	1169	1214	62	123
	• Lower segment includes fabric tiles for both sides, specified separately	42 x 40	USGT4240	☐	☐	☐	☐	☐	64.9#	1052	1117	1185	1252	1301	62	123
	• Upper segment features single piece of glass captured in frame	48 x 40	USGT4840	☐	☐	☐	☐	☐	71.4#	1117	1188	1262	1333	1383	77	155
	• Upper frame finish matches trim	54 x 40	USGT5440	☐	☐	☐	☐	☐	77.9#	1165	1239	1315	1388	1441	77	155
	• Upper frame finish matches trim includes segmented fabric tiles for both sides	60 x 40	USGT6040	☐	☐	☐	☐	☐	84.4#	1283	1363	1444	1528	1586	77	155
	• Panel assembly includes frame, trim, and panel-to-panel connectors	72 x 40	USGT7240	☐	☐	☐	☐	☐	102.4#	1680	1788	1895	2003	2082	77	155
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel															
	• Side 2: 30-72" wide panels feature two power knockouts															
USFT	Segmented Fabric Panel - 48"H	24 x 48	USGT2448	☐	☐	☐	☐	☐	53.7#	\$ 865	\$ 922	\$ 978	\$ 1034	\$ 1071	\$ 62	\$ 123
		30 x 48	USGT3048	☐	☐	☐	☐	☐	61.3#	943	1004	1066	1126	1168	62	123
		36 x 48	USGT3648	☐	☐	☐	☐	☐	68.9#	1015	1082	1148	1212	1262	62	123
		42 x 48	USGT4248	☐	☐	☐	☐	☐	76.6#	1093	1164	1235	1305	1355	73	146
		48 x 48	USGT4848	☐	☐	☐	☐	☐	84.2#	1163	1238	1310	1388	1440	85	184
		54 x 48	USGT5448	☐	☐	☐	☐	☐	91.8#	1213	1291	1370	1449	1505	95	197
		60 x 48	USGT6048	☐	☐	☐	☐	☐	99.4#	1340	1427	1509	1595	1658	108	223
		72 x 48	USGT7248	☐	☐	☐	☐	☐	121.0#	1746	1859	1970	2083	2162	128	262
USFT	Segmented Fabric Panel - 56"H	24 x 56	USGT2456	☐	☐	☐	☐	☐	61.9#	\$ 905	\$ 961	\$ 1018	\$ 1078	\$ 1121	\$ 85	\$ 184
		30 x 56	USGT3056	☐	☐	☐	☐	☐	70.6#	986	1051	1113	1176	1222	85	184
		36 x 56	USGT3656	☐	☐	☐	☐	☐	79.4#	1067	1134	1205	1274	1320	85	184
		42 x 56	USGT4256	☐	☐	☐	☐	☐	88.2#	1154	1225	1301	1376	1429	85	184
		48 x 56	USGT4856	☐	☐	☐	☐	☐	96.9#	1223	1302	1382	1458	1515	128	262
		54 x 56	USGT5456	☐	☐	☐	☐	☐	105.7#	1268	1353	1436	1516	1575	144	298
		60 x 56	USGT6056	☐	☐	☐	☐	☐	114.5#	1396	1484	1576	1665	1730	169	347
		72 x 56	USGT7256	☐	☐	☐	☐	☐	139.5#	1813	1929	2047	2162	2246	205	420

A B C D E F G

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- C** Select electrical code.
- D** Select trim color.
- E** Select glass color.
- F** Select fabric side 1.

G Select fabric side 2.
Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER														
MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Glass Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	White Laminate Upcharge	Satin Etch One Side Upcharge
 USFT	Segmented Fabric Panel - 64"H	24 x 64	USGT2464	☐	☐	☐	☐	☐	70.1#	\$ 954	\$ 1014	\$ 1076	\$ 1137	\$ 1183	\$ 85	\$ 184
	• Side 1: tile to floor base does not accept cable distribution	30 x 64	USGT3064	☐	☐	☐	☐	☐	79.9#	1056	1124	1191	1262	1307	85	184
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 64	USGT3664	☐	☐	☐	☐	☐	89.8#	1124	1199	1268	1341	1394	128	262
	• Lower segment includes fabric tiles for both sides, specified separately	42 x 64	USGT4264	☐	☐	☐	☐	☐	99.8#	1214	1294	1371	1449	1506	169	347
	• Upper segment features single piece of glass captured in frame	48 x 64	USGT4864	☐	☐	☐	☐	☐	109.7#	1288	1368	1453	1536	1594	205	420
	• Upper frame finish matches trim	54 x 64	USGT5464	☐	☐	☐	☐	☐	117.9#	1338	1421	1508	1594	1656	224	439
	• Upper frame finish matches trim includes segmented fabric tiles for both sides	60 x 64	USGT6064	☐	☐	☐	☐	☐	129.5#	1466	1560	1654	1747	1813	230	487
	• Panel assembly includes frame, trim, and panel-to-panel connectors	72 x 64	USGT7264	☐	☐	☐	☐	☐	158.1#	1893	2014	2135	2257	2345	274	571
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel															
	• Side 2: 30-72" wide panels feature two power knockouts															
• Side 2: 24" wide tiles feature one base power knockout																
• 72" wide panels feature split tiles																
• Electrical components are specified separately																
										</						

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select top cap style.

F	- Flat trim (std)
N	- No topcap

C Select electrical code.

CP	- Chicago - with cutouts
DN	- Domestic, no cutouts
DP	- Domestic - with cutouts

D Select trim color.

Refer to the **Product Color Options** page in this price list.

E Select glass color.

GLA	- Clear (std)
GLC	- White laminate
GLV	- Satin etch one side

See pricing column for glass upcharge.

F Select fabric side 1.

Refer to ki.com/fabrics

④ Select fabric side 2.
Refer to ki.com/fabrics

direction the fabric is to be applied.

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Standard Base Raceway

	MODEL	W x H	MODEL NUMBER						Approx. Packaged Weight		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2							
 USFR	Segmented Fabric Panel - 48"H	24 x 48	USMB1R2448	☐	☐	☐	☐	☐	46.2#		\$ 694	\$ 737	\$ 782	\$ 827	\$ 858
	• Side 1: includes segmented tiles with identically specified fabric lower and upper segments	30 x 48	USMB1R3048	☐	☐	☐	☐	☐	52.7#		785	838	887	937	976
	• Side 2: includes segmented tiles with fabric lower and steel markerboard upper segment	36 x 48	USMB1R3648	☐	☐	☐	☐	☐	59.1#		844	897	950	1008	1045
	• Standard base raceway on both sides accepts power and data cable distribution	42 x 48	USMB1R4248	☐	☐	☐	☐	☐	68.7#		934	993	1054	1114	1156
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 48	USMB1R4848	☐	☐	☐	☐	☐	72.2#		981	1045	1108	1169	1213
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	54 x 48	USMB1R5448	☐	☐	☐	☐	☐	80.0#		1098	1168	1239	1308	1357
	• Side 1 and side 2 finishes are specified separately	60 x 48	USMB1R6048	☐	☐	☐	☐	☐	85.2#		1278	1361	1442	1525	1583
	• Upper and lower fabric finishes on side 1 must be identically specified	72 x 48	USMB1R7248	☐	☐	☐	☐	☐	106.3#		1558	1658	1758	1859	1929
	• 30-72" wide panels feature two power knockouts per side														
	• 24" wide panels feature one power knockout per side														
USFR	Segmented Fabric Panel - 56"H	24 x 56	USMB1R2456	☐	☐	☐	☐	☐	51.0#		\$ 777	\$ 826	\$ 877	\$ 925	\$ 961
		30 x 56	USMB1R3056	☐	☐	☐	☐	☐	58.1#		856	912	967	1022	1060
		36 x 56	USMB1R3656	☐	☐	☐	☐	☐	65.2#		921	980	1038	1098	1141
		42 x 56	USMB1R4256	☐	☐	☐	☐	☐	73.4#		998	1063	1128	1190	1239
		48 x 56	USMB1R4856	☐	☐	☐	☐	☐	79.6#		1144	1214	1288	1362	1414
		54 x 56	USMB1R5456	☐	☐	☐	☐	☐	86.8#		1306	1455	1470	1557	1614
		60 x 56	USMB1R6056	☐	☐	☐	☐	☐	94.0#		1543	1640	1740	1843	1910
		72 x 56	USMB1R7256	☐	☐	☐	☐	☐	118.1#		1702	1810	1920	2027	2104
USFR	Segmented Fabric Panel - 64"H	24 x 64	USMB1R2464	☐	☐	☐	☐	☐	55.7#		\$ 809	\$ 862	\$ 915	\$ 967	\$ 1003
		30 x 64	USMB1R3064	☐	☐	☐	☐	☐	63.5#		943	1004	1066	1126	1169
		36 x 64	USMB1R3664	☐	☐	☐	☐	☐	71.4#		1015	1082	1148	1212	1262
		42 x 64	USMB1R4264	☐	☐	☐	☐	☐	80.1#		1074	1144	1211	1282	1331
		48 x 64	USMB1R4864	☐	☐	☐	☐	☐	87.1#		1184	1262	1337	1411	1467
		54 x 64	USMB1R5464	☐	☐	☐	☐	☐	94.9#		1354	1440	1528	1615	1678
		60 x 64	USMB1R6064	☐	☐	☐	☐	☐	102.7#		1603	1707	1811	1913	1988
		72 x 64	USMB1R7264	☐	☐	☐	☐	☐	129.1#		1895	2016	2140	2263	2347
			A	B	C	D	E	F							

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

• The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- C1** - Chicago, 1 side w/cutouts
- D1** - Domestic, 1 side w/cutouts
- D** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
- Refer to ki.com/fabrics
- F** Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Markerboard on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side

	MODEL	W x H	MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2						
	Segmented Fabric Panel - 48"H	24 x 48	USMB1T2448	☐	☐	☐	☐	☐	45.2#	\$ 694	\$ 737	\$ 782	\$ 827	\$ 858
	• Side 1: includes tile-to-floor segmented tile with identically specified fabric upper and lower segments	30 x 48	USMB1T3048	☐	☐	☐	☐	☐	51.3#	785	838	887	937	976
	• Side 2: includes segmented tiles with fabric lower and steel markerboard upper segment; standard base raceway accepts power and data cable distribution	36 x 48	USMB1T3648	☐	☐	☐	☐	☐	57.6#	844	897	950	1008	1045
	• Panel assembly includes frame, trim, and panel-to-panel connectors	42 x 48	USMB1T4248	☐	☐	☐	☐	☐	66.8#	934	993	1054	1114	1156
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	48 x 48	USMB1T4848	☐	☐	☐	☐	☐	70.0#	981	1045	1108	1169	1213
	• Side 1 and side 2 finishes are specified separately	54 x 48	USMB1T5448	☐	☐	☐	☐	☐	76.2#	1098	1168	1239	1308	1357
	• Upper and lower fabric finishes on side 1 must be identically specified	60 x 48	USMB1T6048	☐	☐	☐	☐	☐	82.4#	1278	1361	1442	1525	1583
	• Side 2: 30-72" wide tiles feature two power knockouts	72 x 48	USMB1T7248	☐	☐	☐	☐	☐	103.0#	1558	1658	1758	1859	1929
	• Side 2: 24" wide tiles feature one power knockout													
	• All 72" wide panels feature split tiles													
	• Electrical components are specified separately													
USFT	Segmented Fabric Panel - 56"H	24 x 56	USMB1T2456	☐	☐	☐	☐	☐	49.9#	\$ 777	\$ 826	\$ 877	\$ 925	\$ 961
		30 x 56	USMB1T3056	☐	☐	☐	☐	☐	56.8#	856	912	967	1022	1060
		36 x 56	USMB1T3656	☐	☐	☐	☐	☐	63.6#	921	980	1038	1098	1141
		42 x 56	USMB1T4256	☐	☐	☐	☐	☐	71.5#	998	1063	1128	1190	1239
		48 x 56	USMB1T4856	☐	☐	☐	☐	☐	77.4#	1144	1214	1288	1362	1414
		54 x 56	USMB1T5456	☐	☐	☐	☐	☐	85.3#	1306	1455	1470	1557	1614
		60 x 56	USMB1T6056	☐	☐	☐	☐	☐	91.2#	1543	1640	1740	1843	1910
		72 x 56	USMB1T7256	☐	☐	☐	☐	☐	114.7#	1702	1810	1920	2027	2104
USFT	Segmented Fabric Panel - 64"H	24 x 64	USMB1T2464	☐	☐	☐	☐	☐	54.7#	\$ 809	\$ 862	\$ 915	\$ 967	\$ 1003
		30 x 64	USMB1T3064	☐	☐	☐	☐	☐	62.2#	943	1004	1066	1126	1169
		36 x 64	USMB1T3664	☐	☐	☐	☐	☐	69.7#	1015	1082	1148	1212	1262
		42 x 64	USMB1T4264	☐	☐	☐	☐	☐	78.2#	1074	1144	1211	1282	1331
		48 x 64	USMB1T4864	☐	☐	☐	☐	☐	84.9#	1184	1262	1337	1411	1467
		54 x 64	USMB1T5464	☐	☐	☐	☐	☐	92.4#	1354	1440	1528	1615	1678
		60 x 64	USMB1T6064	☐	☐	☐	☐	☐	100.0#	1603	1707	1811	1913	1988
		72 x 64	USMB1T7264	☐	☐	☐	☐	☐	126.5#	1895	2016	2140	2263	2347
			A	B	C	D	E	F						

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- CP** - Chicago - with cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- D** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F** Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Markerboard on Both Sides

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Markerboard on Both Sides

Standard Base Raceway

		MODEL NUMBER											
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR	Segmented Fabric Panel - 48"H	24 x 48	USMB2R2448	☐	☐	☐	☐	48.2#	\$ 772	\$ 823	\$ 873	\$ 921	\$ 956
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 48	USMB2R3048	☐	☐	☐	☐	55.0#	879	935	991	1051	1088
	• Upper segments both feature steel markerboard	36 x 48	USMB2R3648	☐	☐	☐	☐	61.9#	932	990	1053	1111	1154
	• Standard base raceway on both sides accepts power and data cable distribution	42 x 48	USMB2R4248	☐	☐	☐	☐	68.9#	1018	1085	1151	1214	1264
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 48	USMB2R4848	☐	☐	☐	☐	75.8#	1091	1163	1231	1304	1354
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	54 x 48	USMB2R5448	☐	☐	☐	☐	82.7#	1268	1353	1431	1514	1572
	• 30-72" wide panels feature two power knockouts per side	60 x 48	USMB2R6048	☐	☐	☐	☐	89.6#	1520	1623	1716	1815	1887
	• 24" wide panels feature one power knockout per side	72 x 48	USMB2R7248	☐	☐	☐	☐	111.9#	1727	1835	1945	2057	2136
	• 72" wide panels feature split tiles												
	• Electrical components are specified separately												
USFR	Segmented Fabric Panel - 56"H	24 x 56	USMB2R2456	☐	☐	☐	☐	53.4#	\$ 909	\$ 967	\$ 1024	\$ 1082	\$ 1124
		30 x 56	USMB2R3056	☐	☐	☐	☐	61.0#	971	1030	1091	1155	1202
		36 x 56	USMB2R3656	☐	☐	☐	☐	68.7#	1025	1091	1158	1223	1269
		42 x 56	USMB2R4256	☐	☐	☐	☐	76.5#	1082	1152	1222	1290	1342
		48 x 56	USMB2R4856	☐	☐	☐	☐	84.2#	1353	1439	1525	1613	1675
		54 x 56	USMB2R5456	☐	☐	☐	☐	91.9#	1580	1679	1780	1881	1957
		60 x 56	USMB2R6056	☐	☐	☐	☐	99.6#	1898	2017	2140	2263	2353
		72 x 56	USMB2R7256	☐	☐	☐	☐	125.0#	1911	2037	2158	2281	2368
USFR	Segmented Fabric Panel - 64"H	24 x 64	USMB2R2464	☐	☐	☐	☐	58.5#	\$ 914	\$ 974	\$ 1029	\$ 1088	\$ 1131
		30 x 64	USMB2R3064	☐	☐	☐	☐	66.9#	1057	1126	1191	1263	1309
		36 x 64	USMB2R3664	☐	☐	☐	☐	75.5#	1113	1184	1255	1329	1379
		42 x 64	USMB2R4264	☐	☐	☐	☐	84.0#	1168	1243	1319	1395	1447
		48 x 64	USMB2R4864	☐	☐	☐	☐	92.6#	1360	1444	1535	1623	1684
		54 x 64	USMB2R5464	☐	☐	☐	☐	101.1#	1650	1755	1860	1967	2041
		60 x 64	USMB2R6064	☐	☐	☐	☐	109.6#	2037	2166	2295	2427	2519
		72 x 64	USMB2R7264	☐	☐	☐	☐	138.1#	2083	2215	2349	2483	2578
			A	B	C	D	E	F					

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- CP** - Chicago, 2 sides w/cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- C1** - Chicago, 1 side w/cutouts
- D1** - Domestic, 1 side w/cutouts
- D** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F** Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Segmented Fabric Panel w/Markerboard on Both Sides

Elevated Base



Preconfigured Segmented Fabric Panel w/Markerboard on Both Sides

Elevated Base

				MODEL NUMBER											
MODEL		W x H	Basic Model	Top Cap Style	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2		
	Segmented Fabric Panel - 48"H	24 x 48	USMB2L2448	☐	☐	☐	☐	46.0#	\$ 772	\$ 823	\$ 873	\$ 921	\$ 956		
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 48	USMB2L3048	☐	☐	☐	☐	52.1#	879	935	991	1051	1088		
	• Upper segments both feature steel markerboard	36 x 48	USMB2L3648	☐	☐	☐	☐	58.2#	932	990	1053	1111	1154		
	• Elevated base does not accept cable distribution	42 x 48	USMB2L4248	☐	☐	☐	☐	64.3#	1018	1085	1151	1214	1264		
	• Panel assembly includes frame, trim, and panel-to-panel connectors	48 x 48	USMB2L4848	☐	☐	☐	☐	70.4#	1091	1163	1231	1304	1354		
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	54 x 48	USMB2L5448	☐	☐	☐	☐	76.5#	1268	1353	1431	1514	1572		
	• 72" wide panels feature split tiles	60 x 48	USMB2L6048	☐	☐	☐	☐	82.6#	1520	1623	1716	1815	1887		
		72 x 48	USMB2L7248	☐	☐	☐	☐	103.3#	1727	1835	1945	2057	2136		
USFL															
USFL	Segmented Fabric Panel - 56"H	24 x 56	USMB2L2456	☐	☐	☐	☐	51.1#	\$ 909	\$ 967	\$ 1024	\$ 1082	\$ 1124		
		30 x 56	USMB2L3056	☐	☐	☐	☐	58.0#	971	1030	1091	1155	1202		
		36 x 56	USMB2L3656	☐	☐	☐	☐	64.9#	1025	1091	1158	1223	1269		
		42 x 56	USMB2L4256	☐	☐	☐	☐	71.9#	1082	1152	1222	1290	1342		
		48 x 56	USMB2L4856	☐	☐	☐	☐	78.8#	1353	1439	1525	1613	1675		
		54 x 56	USMB2L5456	☐	☐	☐	☐	85.7#	1580	1679	1780	1881	1957		
		60 x 56	USMB2L6056	☐	☐	☐	☐	92.6#	1898	2017	2140	2263	2353		
		72 x 56	USMB2L7256	☐	☐	☐	☐	116.4#	1911	2037	2158	2281	2368		
USFL	Segmented Fabric Panel - 64"H	24 x 64	USMB2L2464	☐	☐	☐	☐	56.3#	\$ 914	\$ 974	\$ 1029	\$ 1088	\$ 1131		
		30 x 64	USMB2L3064	☐	☐	☐	☐	64.0#	1057	1126	1191	1263	1309		
		36 x 64	USMB2L3664	☐	☐	☐	☐	71.7#	1113	1184	1255	1329	1379		
		42x 64	USMB2L4264	☐	☐	☐	☐	79.5#	1168	1243	1319	1395	1447		
		48 x 64	USMB2L4864	☐	☐	☐	☐	87.2#	1360	1444	1535	1623	1684		
		54 x 64	USMB2L5464	☐	☐	☐	☐	94.9#	1650	1755	1860	1967	2041		
		60 x 64	USMB2L6064	☐	☐	☐	☐	102.7#	2037	2166	2295	2427	2519		
		72 x 64	USMB2L7264	☐	☐	☐	☐	129.6#	2083	2215	2349	2483	2578		
			A	B	C	D	E								

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D** Select fabric side 1.
- Refer to ki.com/fabrics
- E** Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Standard Base Raceway

	MODEL	W x H	MODEL NUMBER						Approx. Packaged Weight		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2						
 USFR	Segmented Fabric Panel - 40"H	24 x 40	USFPR2440	☐	☐	☐	☐	☐	☐	46.5#	\$ 870	\$ 925	\$ 982	\$ 1038	\$ 1077
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 40	USFPR3040	☐	☐	☐	☐	☐	☐	53.2#	954	1015	1077	1137	1183
	• Upper segment features single piece of perforated steel captured in frame	36 x 40	USFPR3640	☐	☐	☐	☐	☐	☐	60.0#	1075	1144	1212	1282	1332
	• Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical	42 x 40	USFPR4240	☐	☐	☐	☐	☐	☐	66.8#	1146	1217	1290	1363	1416
	• Upper frame finish matches trim	48 x 40	USFPR4840	☐	☐	☐	☐	☐	☐	73.6#	1220	1297	1377	1454	1510
	• Standard base raceway on both sides accepts power and data cable distribution	54 x 40	USFPR5440	☐	☐	☐	☐	☐	☐	80.4#	1278	1361	1441	1525	1584
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 40	USFPR6040	☐	☐	☐	☐	☐	☐	87.2#	1411	1505	1594	1687	1750
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	72 x 40	USFPR7240	☐	☐	☐	☐	☐	☐	105.8#	1852	1970	2089	2207	2290
	• 30-72" wide panels feature two power knockouts per side														
	• 24" wide panels feature one power knockout per side														
USFR	Segmented Fabric Panel - 48"H	24 x 48	USFPR2448	☐	☐	☐	☐	☐	☐	54.7#	\$ 936	\$ 997	\$ 1056	\$ 1117	\$ 1159
		30 x 48	USFPR3048	☐	☐	☐	☐	☐	☐	62.6#	1029	1093	1161	1225	1275
		36 x 48	USFPR3648	☐	☐	☐	☐	☐	☐	70.5#	1144	1214	1289	1362	1415
		42 x 48	USFPR4248	☐	☐	☐	☐	☐	☐	78.5#	1214	1291	1368	1449	1505
		48 x 48	USFPR4848	☐	☐	☐	☐	☐	☐	86.4#	1337	1421	1507	1593	1656
		54 x 48	USFPR5448	☐	☐	☐	☐	☐	☐	94.3#	1401	1492	1582	1670	1736
		60 x 48	USFPR6048	☐	☐	☐	☐	☐	☐	102.2#	1550	1648	1750	1851	1921
		72 x 48	USFPR7248	☐	☐	☐	☐	☐	☐	124.3#	1984	2113	2237	2366	2459
USFR	Segmented Fabric Panel - 56"H	24 x 56	USFPR2456	☐	☐	☐	☐	☐	☐	62.9#	\$ 1008	\$ 1070	\$ 1134	\$ 1201	\$ 1247
		30 x 56	USFPR3056	☐	☐	☐	☐	☐	☐	71.9#	1106	1175	1247	1317	1366
		36 x 56	USFPR3656	☐	☐	☐	☐	☐	☐	81.0#	1235	1313	1394	1471	1528
		42 x 56	USFPR4256	☐	☐	☐	☐	☐	☐	90.1#	1318	1403	1484	1571	1631
		48 x 56	USFPR4856	☐	☐	☐	☐	☐	☐	99.1#	1394	1481	1571	1661	1726
		54 x 56	USFPR5456	☐	☐	☐	☐	☐	☐	108.1#	1495	1590	1687	1781	1851
		60 x 56	USFPR6056	☐	☐	☐	☐	☐	☐	117.2#	1684	1794	1903	2009	2088
		72 x 56	USFPR7256	☐	☐	☐	☐	☐	☐	142.9#	2129	2266	2400	2540	2635

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

• The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- C** Select electrical code.
- D** Select trim and frame color.
- E** Select perforated steel paint color.
- F** Select fabric side 1.

G Select fabric side 2.
Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Perforated Steel Top
Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Perforated Steel Top
Standard Base Raceway

MODEL	W x H	MODEL NUMBER							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
		Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2						
 USFR - Segmented Fabric Panel - 64"H - Lower segment includes fabric tiles for both sides, specified separately - Upper segment features single piece of perforated steel captured in frame - Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical - Upper frame finish matches trim - Standard base raceway on both sides accepts power and data cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel 30-72" wide panels feature two power knockouts per side 24" wide panels feature one power knockout per side 72" wide panels feature split tiles - Electrical components are specified separately	24 x 64	USFPR2464	☐	☐	☐	☐	☐	☐	71.1#	\$ 1117	\$ 1189	\$ 1263	\$ 1333	\$ 1384
	30 x 64	USFPR3064	☐	☐	☐	☐	☐	☐	81.2#	1264	1343	1428	1506	1563
	36 x 64	USFPR3664	☐	☐	☐	☐	☐	☐	91.4#	1410	1504	1593	1684	1748
	42 x 64	USFPR4264	☐	☐	☐	☐	☐	☐	101.7#	1496	1591	1689	1785	1855
	48 x 64	USFPR4864	☐	☐	☐	☐	☐	☐	111.9#	1581	1680	1782	1883	1959
	54 x 64	USFPR5464	☐	☐	☐	☐	☐	☐	122.1#	1740	1854	1966	2075	2157
	60 x 64	USFPR6064	☐	☐	☐	☐	☐	☐	132.3#	2004	2134	2264	2390	2483
	72 x 64	USFPR7264	☐	☐	☐	☐	☐	☐	161.5#	2443	2603	2758	2916	3026
		A	B	C	D	E	F	G						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select top cap style.

C Select electrical code.

D Select trim and frame color.

E Select perforated steel paint color.

F Select fabric side 1.

G Select fabric side 2.

Refer to [ki.com/fabrics](#)

Refer to [ki.com/fabrics](#)

Refer to the **Product Color Options** page in this price list.

Refer to the **Product Color Options** page in this price list.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Elevated Base



Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Elevated Base

			MODEL NUMBER													
MODEL			W x H	Basic Model	Top Cap Style	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
 USFL	Segmented Fabric Panel - 40"H • Lower segment includes fabric tiles for both sides, specified separately • Upper segment features single piece of perforated steel captured in frame • Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical • Upper frame finish matches trim • Elevated base does not accept cable distribution • Panel assembly includes frame, trim, and panel-to-panel connectors • Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud • 72" wide panels feature split tiles	24 x 40	USFPL2440	☐	☐	☐	☐	☐	☐	44.3#	\$ 870	\$ 925	\$ 982	\$ 1038	\$ 1077	
		30 x 40	USFPL3040	☐	☐	☐	☐	☐	☐	☐	50.3#	954	1015	1077	1137	1183
		36 x 40	USFPL3640	☐	☐	☐	☐	☐	☐	☐	56.3#	1075	1144	1212	1282	1332
		42 x 40	USFPL4240	☐	☐	☐	☐	☐	☐	☐	62.3#	1146	1217	1290	1363	1416
		48 x 40	USFPL4840	☐	☐	☐	☐	☐	☐	☐	68.3#	1220	1297	1377	1454	1510
		54 x 40	USFPL5440	☐	☐	☐	☐	☐	☐	☐	74.2#	1278	1361	1441	1525	1584
		60 x 40	USFPL6040	☐	☐	☐	☐	☐	☐	☐	80.2#	1411	1505	1594	1687	1750
		72 x 40	USFPL7240	☐	☐	☐	☐	☐	☐	☐	97.2#	1852	1970	2089	2207	2290
USFL	Segmented Fabric Panel - 48"H	24 x 48	USFPL2448	☐	☐	☐	☐	☐	☐	52.5#	\$ 936	\$ 997	\$ 1056	\$ 1117	\$ 1159	
		30 x 48	USFPL3048	☐	☐	☐	☐	☐	☐	59.6#	1029	1093	1161	1225	1275	
		36 x 48	USFPL3648	☐	☐	☐	☐	☐	☐	66.7#	1144	1214	1289	1362	1415	
		42 x 48	USFPL4248	☐	☐	☐	☐	☐	☐	73.9#	1214	1291	1368	1449	1505	
		48 x 48	USFPL4848	☐	☐	☐	☐	☐	☐	81.0#	1337	1421	1507	1593	1656	
		54 x 48	USFPL5448	☐	☐	☐	☐	☐	☐	88.1#	1401	1492	1582	1670	1736	
		60 x 48	USFPL6048	☐	☐	☐	☐	☐	☐	95.2#	1550	1648	1750	1851	1921	
		72 x 48	USFPL7248	☐	☐	☐	☐	☐	☐	115.7#	1984	2113	2237	2366	2459	
USFL	Segmented Fabric Panel - 56"H	24 x 56	USFPL2456	☐	☐	☐	☐	☐	☐	60.7#	\$ 1008	\$ 1070	\$ 1134	\$ 1201	\$ 1247	
		30 x 56	USFPL3056	☐	☐	☐	☐	☐	☐	68.9#	1106	1175	1247	1317	1366	
		36 x 56	USFPL3656	☐	☐	☐	☐	☐	☐	77.2#	1235	1313	1394	1471	1528	
		42 x 56	USFPL4256	☐	☐	☐	☐	☐	☐	85.5#	1318	1403	1484	1571	1631	
		48 x 56	USFPL4856	☐	☐	☐	☐	☐	☐	93.8#	1394	1481	1571	1661	1726	
		54 x 56	USFPL5456	☐	☐	☐	☐	☐	☐	102.0#	1495	1590	1687	1781	1851	
		60 x 56	USFPL6056	☐	☐	☐	☐	☐	☐	110.3#	1684	1794	1903	2009	2088	
		72 x 56	USFPL7256	☐	☐	☐	☐	☐	☐	134.3#	2129	2266	2400	2540	2635	
			A	B	C	D	E	F								

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select trim and frame color.
- Refer to the **Product Color Options** page in this price list.
- D** Select perforated steel paint color.
- Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F** Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

- Grade 2 Fabric
- Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Ships **knocked down**, FOB Manitowoc, WI 54220, freight prepaid, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Perforated Steel Top
Elevated Base



Preconfigured Segmented Fabric Panel w/Perforated Steel Top
Elevated Base

		MODEL NUMBER												
MODEL		W x H	Basic Model	Top Cap Style	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFL	Segmented Fabric Panel - 64"H	24 x 64	USFPL2464	☐	☐	☐	☐	☐	68.9#	\$ 1117	\$ 1189	\$ 1263	\$ 1333	\$ 1384
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 64	USFPL3064	☐	☐	☐	☐	☐	78.3#	1264	1343	1426	1506	1563
	• Upper segment features single piece of perforated steel captured in frame	36 x 64	USFPL3664	☐	☐	☐	☐	☐	87.7#	1410	1504	1593	1684	1748
	• Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical	42 x 64	USFPL4264	☐	☐	☐	☐	☐	97.1#	1496	1591	1689	1785	1855
	• Upper frame finish matches trim	48 x 64	USFPL4864	☐	☐	☐	☐	☐	106.5#	1581	1680	1782	1883	1959
	• Elevated base does not accept cable distribution	54 x 64	USFPL5464	☐	☐	☐	☐	☐	169.1#	1740	1854	1906	2075	2157
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 64	USFPL6064	☐	☐	☐	☐	☐	125.3#	2004	2134	2264	2390	2483
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	72 x 64	USFPL7264	☐	☐	☐	☐	☐	152.9#	2443	2603	2758	2916	3026
	• 72" wide panels feature split tiles													
			A	B	C	D	E	F						

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
N - No topcap
- C** Select trim and frame color.
Refer to the **Product Color Options** page in this price list.
- D** Select perforated steel paint color.
Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
Refer to ki.com/fabrics
- F** Select fabric side 2.
Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Tile-to-Floor One Side; Standard Base Raceway One Side

	MODEL	W x H	MODEL NUMBER						Apprx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
			Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color	Fabric Side 1							Fabric Side 2
 USFT	Segmented Fabric Panel - 40"H	24 x 40	USFPT2440	☐	☐	☐	☐	☐	☐	45.5#	\$ 870	\$ 925	\$ 982	\$ 1038	\$ 1077
	• Side 1: tile-to-floor base does not accept cable distribution	30 x 40	USFPT3040	☐	☐	☐	☐	☐	☐	51.9#	954	1015	1077	1137	1183
	• Side 2: standard base raceway accepts power and cable distribution	36 x 40	USFPT3640	☐	☐	☐	☐	☐	☐	58.4#	1075	1144	1212	1282	1332
	• Lower segment includes fabric tiles for both sides, specified separately	42 x 40	USFPT4240	☐	☐	☐	☐	☐	☐	64.9#	1146	1217	1290	1363	1416
	• Upper segment features single piece of perforated steel captured in frame	48 x 40	USFPT4840	☐	☐	☐	☐	☐	☐	71.4#	1220	1297	1377	1454	1510
	• Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical	54 x 40	USFPT5440	☐	☐	☐	☐	☐	☐	77.9#	1278	1361	1441	1525	1584
	• Upper frame finish matches trim	60 x 40	USFPT6040	☐	☐	☐	☐	☐	☐	84.4#	1411	1505	1594	1687	1750
	• Panel assembly includes frame, trim, and panel-to-panel connectors	72 x 40	USFPT7240	☐	☐	☐	☐	☐	☐	102.4#	1852	1970	2089	2207	2290
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel														
	• Side 2: 30-72" wide tiles feature two power knockouts														
USFT	Segmented Fabric Panel - 48"H	24 x 48	USFPT2448	☐	☐	☐	☐	☐	☐	53.7#	\$ 936	\$ 997	\$ 1056	\$ 1117	\$ 1159
		30 x 48	USFPT3048	☐	☐	☐	☐	☐	☐	61.3#	1029	1093	1161	1225	1275
		36 x 48	USFPT3648	☐	☐	☐	☐	☐	☐	68.9#	1144	1214	1289	1362	1415
		42 x 48	USFPT4248	☐	☐	☐	☐	☐	☐	76.6#	1214	1291	1368	1449	1505
		48 x 48	USFPT4848	☐	☐	☐	☐	☐	☐	84.2#	1337	1421	1507	1593	1656
		54 x 48	USFPT5448	☐	☐	☐	☐	☐	☐	91.8#	1401	1492	1582	1670	1736
		60 x 48	USFPT6048	☐	☐	☐	☐	☐	☐	99.4#	1550	1648	1750	1851	1921
		72 x 48	USFPT7248	☐	☐	☐	☐	☐	☐	121.0#	1984	2113	2237	2366	2459
USFT	Segmented Fabric Panel - 56"H	24 x 56	USFPT2456	☐	☐	☐	☐	☐	☐	61.9#	\$ 1008	\$ 1070	\$ 1134	\$ 1201	\$ 1247
		30 x 56	USFPT3056	☐	☐	☐	☐	☐	☐	70.6#	1106	1175	1247	1317	1366
		36 x 56	USFPT3656	☐	☐	☐	☐	☐	☐	79.4#	1235	1313	1394	1471	1528
		42 x 56	USFPT4256	☐	☐	☐	☐	☐	☐	88.2#	1318	1403	1484	1571	1631
		48 x 56	USFPT4856	☐	☐	☐	☐	☐	☐	96.9#	1394	1481	1571	1661	1726
		54 x 56	USFPT5456	☐	☐	☐	☐	☐	☐	105.7#	1495	1590	1687	1781	1851
		60 x 56	USFPT6056	☐	☐	☐	☐	☐	☐	114.5#	1684	1794	1903	2009	2088
		72 x 56	USFPT7256	☐	☐	☐	☐	☐	☐	139.5#	2129	2266	2400	2540	2635

A B C D E F G

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to ki.com/fabrics

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- CP** - Chicago - with cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- D** Select trim and frame color.
- Refer to the **Product Color Options** page in this price list.
- E** Select perforated steel paint color.
- Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.
- Refer to ki.com/fabrics
- G** Select fabric side 2.

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Perforated Steel Top

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER													
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Paint Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFT	Segmented Fabric Panel - 64"H	24 x 64	USFPT2464	☐	☐	☐	☐	☐	☐	70.1#	\$ 1117	\$ 1189	\$ 1263	\$ 1333	\$ 1384
	• Side 1: tile-to-floor base does not accept cable distribution	30 x 64	USFPT3064	☐	☐	☐	☐	☐	☐	79.9#	1264	1343	1426	1506	1563
	• Side 2: standard base raceway accepts power and cable distribution	36 x 64	USFPT3664	☐	☐	☐	☐	☐	☐	89.8#	1410	1504	1593	1684	1748
	• Lower segment includes fabric tiles for both sides, specified separately	42 x 64	USFPT4264	☐	☐	☐	☐	☐	☐	99.8#	1496	1591	1689	1785	1855
	• Upper segment features single piece of perforated steel captured in frame	48 x 64	USFPT4864	☐	☐	☐	☐	☐	☐	109.7#	1581	1680	1782	1883	1959
	• Perforated steel insert paint color is specified separately from trim, side 1 and side 2 are identical	54 x 64	USFPT5464	☐	☐	☐	☐	☐	☐	119.6#	1740	1854	1966	2075	2157
	• Upper frame finish matches trim	60 x 64	USFPT6064	☐	☐	☐	☐	☐	☐	129.5#	2004	2134	2264	2390	2483
	• Panel assembly includes frame, trim, and panel-to-panel connectors	72 x 64	USFPT7264	☐	☐	☐	☐	☐	☐	158.1#	2443	2603	2758	2916	3026
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel														
	• Side 2: 30-72" wide tiles feature two power knockouts														
	• Side 2: 24" wide tiles feature one base power knockout														
	• 72" wide panels feature split tiles														
	• Electrical components are specified separately														
					</										

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to ki.com/fabrics

- A** Select basic model.
- B** Select top cap style.
- F** ☐ - Flat trim (std)
- N** ☐ - No topcap
- C** Select electrical code.
- CP** ☐ - Chicago - with cutouts
- DN** ☐ - Domestic, no cutouts
- DP** ☐ - Domestic - with cutouts
- D** Select trim and frame color.
- Refer to the **Product Color Options** page in this price list.
- E** Select perforated steel paint color.
- Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.
- Refer to ki.com/fabrics
- G** Select fabric side 2.

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Standard Base Raceway

		MODEL NUMBER							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
MODEL	W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2						
 USFR	Segmented Fabric Panel - 40"H	24 x 40	USSW1R2440	☐	☐	☐	☐	☐	42.8#	\$ 691	\$ 734	\$ 780	\$ 825	\$ 855
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 40	USSW1R3040	☐	☐	☐	☐	☐	49.0#	774	825	876	923	958
	• Upper segment features slatwall on lowest 8" of tile, and fabric on remaining segment height	36 x 40	USSW1R3640	☐	☐	☐	☐	☐	55.3#	840	894	947	1003	1042
	• Upper and lower fabric segments on each side must be identically specified	42 x 40	USSW1R4240	☐	☐	☐	☐	☐	61.7#	927	986	1048	1107	1148
	• Standard base raceway on both sides accepts power and data cable distribution	48 x 40	USSW1R4840	☐	☐	☐	☐	☐	68.0#	967	1027	1089	1152	1199
	• Panel assembly includes frame, trim, and panel-to-panel connectors	54 x 40	USSW1R5440	☐	☐	☐	☐	☐	74.3#	1021	1087	1152	1217	1266
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	60 x 40	USSW1R6040	☐	☐	☐	☐	☐	80.6#	1135	1210	1283	1356	1408
	• 30-72" wide panels feature two power knockouts per side	72 x 40	USSW1R7240	☐	☐	☐	☐	☐	99.1#	1550	1648	1748	1851	1921
	• 24" wide panels feature one power knockout per side													
	• 72" wide panels feature split tiles													
	• Electrical components are specified separately													
USFR	Segmented Fabric Panel - 48"H	24 x 48	USSW1R2448	☐	☐	☐	☐	☐	47.4#	\$ 781	\$ 829	\$ 880	\$ 931	\$ 968
		30 x 48	USSW1R3048	☐	☐	☐	☐	☐	54.1#	877	932	988	1045	1082
		36 x 48	USSW1R3648	☐	☐	☐	☐	☐	60.9#	952	1013	1075	1134	1178
		42 x 48	USSW1R4248	☐	☐	☐	☐	☐	67.8#	1062	1129	1201	1266	1315
		48 x 48	USSW1R4848	☐	☐	☐	☐	☐	74.7#	1098	1167	1238	1307	1357
		54 x 48	USSW1R5448	☐	☐	☐	☐	☐	81.5#	1152	1225	1301	1371	1427
		60 x 48	USSW1R6048	☐	☐	☐	☐	☐	88.4#	1276	1356	1439	1518	1580
		72 x 48	USSW1R7248	☐	☐	☐	☐	☐	109.9#	1762	1871	1988	2100	2181
USFR	Segmented Fabric Panel - 56"H	24 x 56	USSW1R2456	☐	☐	☐	☐	☐	52.2#	\$ 828	\$ 881	\$ 935	\$ 988	\$ 1025
		30 x 56	USSW1R3056	☐	☐	☐	☐	☐	59.5#	928	988	1049	1109	1151
		36 x 56	USSW1R3656	☐	☐	☐	☐	☐	66.8#	1012	1076	1143	1208	1253
		42 x 56	USSW1R4256	☐	☐	☐	☐	☐	74.2#	1137	1211	1285	1357	1410
		48 x 56	USSW1R4856	☐	☐	☐	☐	☐	81.6#	1177	1253	1331	1404	1458
		54 x 56	USSW1R5456	☐	☐	☐	☐	☐	89.0#	1217	1295	1376	1453	1508
		60 x 56	USSW1R6056	☐	☐	☐	☐	☐	96.4#	1332	1415	1503	1586	1648
		72 x 56	USSW1R7256	☐	☐	☐	☐	☐	121.3#	1879	2000	2121	2240	2327
			A	B	C	D	E	F	G					

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- C** Select electrical code.
- D** Select trim color.
- E** Select paint finish for slat wall section.
- F** Select fabric side 1.
- G** Select fabric side 2.

UPHOLSTERY INFORMATION

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select top cap style.

F - Flat trim (std)
N - No topcap

C Select electrical code.

CP - Chicago, 2 sides w/cutouts
DN - Domestic, no cutouts
DP - Domestic - with cutouts
C1 - Chicago, 1 side w/cutouts
D1 - Domestic, 1 side w/cutouts

D Select trim color.
Refer to the **Product Color Options** page in this price list.

E Select paint finish for slat wall section.
Refer to the **Product Color Options** page in this price list.

F Select fabric side 1.
Refer to ki.com/fabrics

direction the fabric is to be applied.

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

$$\text{Upcharge}/2 = \text{Cost for one side}$$

Grade 1 Fabric
+Cost for one side

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Slat Wall on One Side
Elevated Base



Preconfigured Segmented Fabric Panel w/Slat Wall on One Side
Elevated Base

			MODEL NUMBER											
			Basic Model	Top Cap Style	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
MODEL	W x H													
 USFL	Segmented Fabric Panel - 40"H	24 x 40	USSW1L2440	☐	☐	☐	☐	☐	40.6#	\$ 691	\$ 734	\$ 780	\$ 825	\$ 855
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 40	USSW1L3040	☐	☐	☐	☐	☐	46.1#	774	825	876	923	958
	• Upper segment features slatwall on lowest 8" of tile, and fabric on remaining segment height	36 x 40	USSW1L3640	☐	☐	☐	☐	☐	51.6#	840	894	947	1003	1042
	• Upper and lower fabric segments on each side must be identically specified	42 x 40	USSW1L4240	☐	☐	☐	☐	☐	57.1#	927	986	1048	1107	1148
	• Slatwall paint finish is specified	48 x 40	USSW1L4840	☐	☐	☐	☐	☐	62.7#	967	1027	1089	1152	1199
	• Elevated base does not accept cable distribution	54 x 40	USSW1L5440	☐	☐	☐	☐	☐	68.2#	1021	1087	1152	1217	1266
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 40	USSW1L6040	☐	☐	☐	☐	☐	73.7#	1135	1210	1283	1356	1408
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	72 x 40	USSW1L7240	☐	☐	☐	☐	☐	90.5#	1550	1648	1748	1851	1921
	• 72" wide panels feature split tiles													
USFL	Segmented Fabric Panel - 48"H	24 x 48	USSW1L2448	☐	☐	☐	☐	☐	45.1#	\$ 781	\$ 829	\$ 880	\$ 931	\$ 968
		30 x 48	USSW1L3048	☐	☐	☐	☐	☐	51.2#	877	932	988	1045	1082
		36 x 48	USSW1L3648	☐	☐	☐	☐	☐	57.2#	952	1013	1075	1134	1178
		42 x 48	USSW1L4248	☐	☐	☐	☐	☐	63.3#	1062	1129	1201	1266	1315
		48 x 48	USSW1L4848	☐	☐	☐	☐	☐	69.3#	1098	1167	1238	1307	1357
		54 x 48	USSW1L5448	☐	☐	☐	☐	☐	75.3#	1152	1225	1301	1371	1427
		60 x 48	USSW1L6048	☐	☐	☐	☐	☐	81.4#	1276	1356	1439	1518	1580
		72 x 48	USSW1L7248	☐	☐	☐	☐	☐	101.4#	1762	1871	1988	2100	2181
USFL	Segmented Fabric Panel - 56"H	24 x 56	USSW1L2456	☐	☐	☐	☐	☐	50.0#	\$ 828	\$ 881	\$ 935	\$ 988	\$ 1025
		30 x 56	USSW1L3056	☐	☐	☐	☐	☐	56.5#	928	988	1049	1109	1151
		36 x 56	USSW1L3656	☐	☐	☐	☐	☐	63.1#	1012	1076	1143	1208	1253
		42 x 56	USSW1L4256	☐	☐	☐	☐	☐	69.7#	1137	1211	1285	1357	1410
		48 x 56	USSW1L4856	☐	☐	☐	☐	☐	76.3#	1177	1253	1331	1404	1458
		54 x 56	USSW1L5456	☐	☐	☐	☐	☐	82.8#	1217	1295	1376	1453	1508
		60 x 56	USSW1L6056	☐	☐	☐	☐	☐	89.4#	1332	1415	1503	1586	1648
		72 x 56	USSW1L7256	☐	☐	☐	☐	☐	112.7#	1879	2000	2121	2240	2327
			A	B	C	D	E	F						

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D** Select paint finish for slat wall section.
- Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
- Refer to ki.com/fabrics
- F** Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Elevated Base



Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Elevated Base

		MODEL NUMBER												
MODEL		W x H	Basic Model	Top Cap Style	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFL	Segmented Fabric Panel - 64"H	24 x 64	USSW1L2464	☐	☐	☐	☐	☐	54.3#	\$ 866	\$ 922	\$ 978	\$ 1036	\$ 1074
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 64	USSW1L3064	☐	☐	☐	☐	☐	61.4#	993	1056	1122	1185	1230
	• Upper segment features slatwall on lowest 8" of tile, and fabric on remaining segment height	36 x 64	USSW1L3664	☐	☐	☐	☐	☐	68.5#	1096	1167	1238	1306	1357
	• Upper and lower fabric segments on each side must be identically specified	42 x 64	USSW1L4264	☐	☐	☐	☐	☐	75.6#	1209	1287	1363	1441	1499
	• Slatwall paint finish is specified	48 x 64	USSW1L4864	☐	☐	☐	☐	☐	82.7#	1252	1333	1410	1493	1550
	• Elevated base does not accept cable distribution	54 x 64	USSW1L5464	☐	☐	☐	☐	☐	89.9#	1290	1374	1458	1541	1601
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 64	USSW1L6064	☐	☐	☐	☐	☐	96.9#	1408	1499	1588	1680	1745
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	72 x 64	USSW1L7264	☐	☐	☐	☐	☐	123.1#	2047	2175	2310	2440	2533
	• 72" wide panels feature split tiles													
			A	B	C	D	E	F						

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D** Select paint finish for slat wall section.
- Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- F** Select fabric side 2.
- Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, freight prepaid, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER													
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFT	Segmented Fabric Panel - 40"H	24 x 40	USSW1T2440	☐	☐	☐	☐	☐	☐	41.8#	\$ 691	\$ 734	\$ 780	\$ 825	\$ 855
	• Side 1: tile to floor base does not accept cable distribution	30 x 40	USSW1T3040	☐	☐	☐	☐	☐	☐	47.7#	774	825	876	923	958
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 40	USSW1T3640	☐	☐	☐	☐	☐	☐	53.7#	840	894	947	1003	1042
	• Upper segment features slatwall on lowest 8" of tile, and fabric on remaining segment height	42 x 40	USSW1T4240	☐	☐	☐	☐	☐	☐	59.8#	927	986	1048	1107	1148
	• Upper and lower fabric segments on each side must be identically specified	48 x 40	USSW1T4840	☐	☐	☐	☐	☐	☐	65.8#	967	1027	1089	1152	1199
	• Slatwall paint finish is specified	54 x 40	USSW1T5440	☐	☐	☐	☐	☐	☐	71.8#	1021	1087	1152	1217	1266
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 40	USSW1T6040	☐	☐	☐	☐	☐	☐	77.9#	1135	1210	1283	1356	1408
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	72 x 40	USSW1T7240	☐	☐	☐	☐	☐	☐	95.7#	1550	1648	1748	1851	1921
	• Side 2: 30-72" wide panels feature two power knockouts														
	• Side 2: 24" wide tiles feature one power knockout														
USFT	Segmented Fabric Panel - 48"H	24 x 48	USSW1T2448	☐	☐	☐	☐	☐	☐	46.3#	\$ 781	\$ 829	\$ 880	\$ 931	\$ 968
		30 x 48	USSW1T3048	☐	☐	☐	☐	☐	☐	52.8#	877	932	988	1045	1082
		36 x 48	USSW1T3648	☐	☐	☐	☐	☐	☐	59.3#	952	1013	1075	1134	1178
		42 x 48	USSW1T4248	☐	☐	☐	☐	☐	☐	65.9#	1062	1129	1201	1266	1315
		48 x 48	USSW1T4848	☐	☐	☐	☐	☐	☐	72.5#	1098	1167	1238	1307	1357
		54 x 48	USSW1T5448	☐	☐	☐	☐	☐	☐	79.0#	1152	1225	1301	1371	1427
		60 x 48	USSW1T6048	☐	☐	☐	☐	☐	☐	85.6#	1276	1356	1439	1518	1580
		72 x 48	USSW1T7248	☐	☐	☐	☐	☐	☐	106.6#	1762	1871	1988	2100	2181
USFT	Segmented Fabric Panel - 56"H	24 x 56	USSW1T2456	☐	☐	☐	☐	☐	☐	51.1#	\$ 828	\$ 881	\$ 935	\$ 988	\$ 1025
		30 x 56	USSW1T3056	☐	☐	☐	☐	☐	☐	58.2#	928	988	1049	1109	1151
		36 x 56	USSW1T3656	☐	☐	☐	☐	☐	☐	65.2#	1012	1076	1143	1208	1253
		42 x 56	USSW1T4256	☐	☐	☐	☐	☐	☐	72.3#	1137	1211	1285	1357	1410
		48 x 56	USSW1T4856	☐	☐	☐	☐	☐	☐	79.4#	1177	1253	1331	1404	1458
		54 x 56	USSW1T5456	☐	☐	☐	☐	☐	☐	86.5#	1217	1295	1376	1453	1508
		60 x 56	USSW1T6056	☐	☐	☐	☐	☐	☐	93.6#	1332	1415	1503	1586	1648
		72 x 56	USSW1T7256	☐	☐	☐	☐	☐	☐	117.9#	1879	2000	2121	2240	2327
			A	B	C	D	E	F	G						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to ki.com/fabrics

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- CP** - Chicago - with cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- D** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E** Select paint finish for slat wall section.
- Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.
- Refer to ki.com/fabrics
- G** Select fabric side 2.

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side



Preconfigured Segmented Fabric Panel w/Slat Wall on One Side

Tile-to-Floor One Side; Standard Base Raceway One Side

		MODEL NUMBER													
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFT	Segmented Fabric Panel - 64"H	24 x 64	USSW1T2464	☐	☐	☐	☐	☐	☐	55.5#	\$ 866	\$ 922	\$ 978	\$ 1036	\$ 1074
	• Side 1: tile to floor base does not accept cable distribution	30 x 64	USSW1T3064	☐	☐	☐	☐	☐	☐	63.0#	993	1056	1122	1185	1230
	• Side 2: standard base raceway accepts power and data cable distribution	36 x 64	USSW1T3664	☐	☐	☐	☐	☐	☐	70.6#	1096	1167	1238	1306	1357
	• Upper segment features slatwall on lowest 8" of tile, and fabric on remaining segment height	42 x 64	USSW1T4264	☐	☐	☐	☐	☐	☐	78.3#	1209	1287	1363	1441	1499
	• Upper and lower fabric segments on each side must be identically specified	48 x 64	USSW1T4864	☐	☐	☐	☐	☐	☐	85.9#	1252	1333	1410	1493	1550
	• Slatwall paint finish is specified	54 x 64	USSW1T5464	☐	☐	☐	☐	☐	☐	93.5#	1290	1374	1458	1541	1601
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 64	USSW1T6064	☐	☐	☐	☐	☐	☐	101.1#	1408	1499	1588	1680	1745
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	72 x 64	USSW1T7264	☐	☐	☐	☐	☐	☐	128.3#	2047	2175	2310	2440	2533
	• Side 2: 30-72" wide panels feature two power knockouts														
	• Side 2: 24" wide tiles feature one power knockout														
	• 72" wide panels feature split tiles														
	• Electrical components are specified separately														
			A	B	C	D	E	F	G						

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to ki.com/fabrics

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select electrical code.
- CP** - Chicago - with cutouts
- DN** - Domestic, no cutouts
- DP** - Domestic - with cutouts
- D** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- E** Select paint finish for slat wall section.
- Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.
- Refer to ki.com/fabrics
- G** Select fabric side 2.

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Standard Base Raceway

			MODEL NUMBER														
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish Side 1	Fabric Side 1	Slat Wall Finish Side 2	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
 USFR	Segmented Fabric Panel - 40"H - Lower segment includes fabric tiles for both sides, specified separately - Upper segment features slat wall on lowest 8" of upper tile segment, and fabric on remaining segment height - Upper and lower fabric segments on each side must be identically specified - Slatwall paint finish is specified - Standard base raceway on both sides accepts power and data cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel 30-72" wide panels feature two power knockouts per side 24" wide panels feature one power knockout per side 72" wide panels feature split tiles - Electrical components are specified separately	24 x 40	USSW2R2440	☐	☐	☐	☐	☐	☐	☐	44.4#	\$ 812	\$ 866	\$ 920	\$ 972	\$ 1009	
		30 x 40	USSW2R3040	☐	☐	☐	☐	☐	☐	☐	☐	50.7#	903	959	1018	1076	1118
		36 x 40	USSW2R3640	☐	☐	☐	☐	☐	☐	☐	☐	56.9#	982	1048	1109	1173	1217
		42 x 40	USSW2R4240	☐	☐	☐	☐	☐	☐	☐	☐	63.2#	1098	1167	1238	1306	1357
		48 x 40	USSW2R4840	☐	☐	☐	☐	☐	☐	☐	☐	69.5#	1147	1217	1290	1364	1417
		54 x 40	USSW2R5440	☐	☐	☐	☐	☐	☐	☐	☐	75.7#	1229	1308	1386	1465	1519
		60 x 40	USSW2R6040	☐	☐	☐	☐	☐	☐	☐	☐	82.0#	1384	1475	1563	1654	1714
		72 x 40	USSW2R7240	☐	☐	☐	☐	☐	☐	☐	☐	101.2#	1824	1940	2057	2174	2262
USFR	Segmented Fabric Panel - 48"H	24 x 48	USSW2R2448	☐	☐	☐	☐	☐	☐	☐	48.2#	\$ 950	\$ 1012	\$ 1074	\$ 1133	\$ 1177	
		30 x 48	USSW2R3048	☐	☐	☐	☐	☐	☐	☐	55.0#	1057	1124	1191	1262	1307	
		36 x 48	USSW2R3648	☐	☐	☐	☐	☐	☐	☐	61.8#	1155	1229	1304	1379	1431	
		42 x 48	USSW2R4248	☐	☐	☐	☐	☐	☐	☐	68.5#	1283	1363	1444	1529	1588	
		48 x 48	USSW2R4848	☐	☐	☐	☐	☐	☐	☐	75.4#	1333	1417	1505	1590	1651	
		54 x 48	USSW2R5448	☐	☐	☐	☐	☐	☐	☐	82.1#	1387	1477	1564	1656	1717	
		60 x 48	USSW2R6048	☐	☐	☐	☐	☐	☐	☐	88.9#	1525	1625	1717	1819	1889	
		72 x 48	USSW2R7248	☐	☐	☐	☐	☐	☐	☐	110.5#	2158	2295	2434	2572	2672	
USFR	Segmented Fabric Panel - 56"H	24 x 56	USSW2R2456	☐	☐	☐	☐	☐	☐	☐	53.5#	\$ 1011	\$ 1075	\$ 1141	\$ 1207	\$ 1252	
		30 x 56	USSW2R3056	☐	☐	☐	☐	☐	☐	☐	60.8#	1115	1188	1263	1332	1382	
		36 x 56	USSW2R3656	☐	☐	☐	☐	☐	☐	☐	68.1#	1220	1297	1377	1453	1510	
		42 x 56	USSW2R4256	☐	☐	☐	☐	☐	☐	☐	75.4#	1374	1461	1550	1637	1702	
		48 x 56	USSW2R4856	☐	☐	☐	☐	☐	☐	☐	82.8#	1428	1517	1612	1703	1768	
		54 x 56	USSW2R5456	☐	☐	☐	☐	☐	☐	☐	90.1#	1477	1571	1667	1762	1829	
		60 x 56	USSW2R6056	☐	☐	☐	☐	☐	☐	☐	97.4#	1616	1716	1823	1928	2002	
		72 x 56	USSW2R7256	☐	☐	☐	☐	☐	☐	☐	122.8#	2284	2432	2576	2724	2828	
			A	B	C	D	E	F	G	H							

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- C** Select electrical code.
- D** Select trim color.
- E** Select paint finish for slat wall section side 1.
- F** Select fabric side 1.
- G** Select paint finish for slat wall section side 2.
- H** Select fabric side 2.

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Standard Base Raceway



Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Standard Base Raceway

		MODEL NUMBER														
MODEL		W x H	Basic Model	Top Cap Style	Electrical Code	Trim Color	Slat Wall Finish Side 1	Fabric Side 1	Slat Wall Finish Side 2	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USFR	Segmented Fabric Panel - 64"H	24 x 64	USSW2R2464	☐	☐	☐	☐	☐	☐	☐	57.9#	\$ 1040	\$ 1108	\$ 1175	\$ 1240	\$ 1288
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 64	USSW2R3064	☐	☐	☐	☐	☐	☐	☐	65.7#	1163	1239	1313	1388	1440
	• Upper segment features slat wall on lowest 8" of upper tile segment, and fabric on remaining segment height	36 x 64	USSW2R3664	☐	☐	☐	☐	☐	☐	☐	73.5#	1274	1354	1437	1517	1576
	• Upper and lower fabric segments on each side must be identically specified	42 x 64	USSW2R4264	☐	☐	☐	☐	☐	☐	☐	81.4#	1443	1538	1630	1726	1790
	• Slatwall paint finish is specified	48 x 64	USSW2R4864	☐	☐	☐	☐	☐	☐	☐	89.3#	1503	1595	1694	1789	1859
	• Standard base raceway on both sides accepts power and data cable distribution	54 x 64	USSW2R5464	☐	☐	☐	☐	☐	☐	☐	97.1#	1527	1623	1722	1821	1890
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 64	USSW2R6064	☐	☐	☐	☐	☐	☐	☐	105.0#	1639	1746	1854	1959	2035
	• Trim is metal and includes top cap, bottom trim channel, base raceway, and segment channel	72 x 64	USSW2R7264	☐	☐	☐	☐	☐	☐	☐	133.2#	2395	2549	2704	2856	2969
	• 30-72" wide panels feature two power knockouts per side															
	• 24" wide panels feature one power knockout per side															
	• 72" wide panels feature split tiles															
	• Electrical components are specified separately															
			A	B	C	D	E	F	G	H						

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select top cap style.

F ☐ - Flat trim (std)

N ☐ - No topcap
- C** Select electrical code.

CP ☐ - Chicago, 2 sides w/cutouts

DN ☐ - Domestic, no cutouts

DP ☐ - Domestic - with cutouts

C1 ☐ - Chicago, 1 side w/cutouts

D1 ☐ - Domestic, 1 side w/cutouts
- D** Select trim color.

Refer to the **Product Color Options** page in this price list.
- E** Select paint finish for slat wall section side 1.

Refer to the **Product Color Options** page in this price list.
- F** Select fabric side 1.

Refer to ki.com/fabrics
- G** Select paint finish for slat wall section side 2.

Refer to the **Product Color Options** page in this price list.
- H** Select fabric side 2.

Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Elevated Base



Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Elevated Base

	MODEL	W x H	MODEL NUMBER							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
			Basic Model	Top Cap Style	Trim Color	Slat Wall Finish Side 1	Fabric Side 1	Slat Wall Finish Side 2	Fabric Side 2							
 USFL	Segmented Fabric Panel - 40"H - Lower segment includes fabric tiles for both sides, specified separately - Upper segment features slat wall on lowest 8" of upper tile segment, and fabric on remaining segment height - Upper and lower fabric segments on each side must be identically specified - Slatwall paint finish is specified - Elevated base does not accept cable distribution - Panel assembly includes frame, trim, and panel-to-panel connectors - Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud 72" wide panels feature split tiles	24 x 40	USSW2L2440	☐	☐	☐	☐	☐	☐	44.4#	\$ 812	\$ 866	\$ 920	\$ 972	\$ 1009	
		30 x 40	USSW2L3040	☐	☐	☐	☐	☐	☐	☐	50.7#	903	959	1018	1076	1118
		36 x 40	USSW2L3640	☐	☐	☐	☐	☐	☐	☐	56.9#	982	1048	1109	1173	1217
		42 x 40	USSW2L4240	☐	☐	☐	☐	☐	☐	☐	63.2#	1098	1167	1238	1306	1357
		48 x 40	USSW2L4840	☐	☐	☐	☐	☐	☐	☐	69.5#	1147	1217	1290	1364	1417
		54 x 40	USSW2L5440	☐	☐	☐	☐	☐	☐	☐	73.7#	1229	1308	1386	1465	1519
		60 x 40	USSW2L6040	☐	☐	☐	☐	☐	☐	☐	82.0#	1384	1475	1563	1654	1714
		72 x 40	USSW2L7240	☐	☐	☐	☐	☐	☐	☐	101.2#	1824	1940	2057	2174	2262
USFL	Segmented Fabric Panel - 48"H	24 x 48	USSW2L2448	☐	☐	☐	☐	☐	☐	48.2#	\$ 950	\$ 1012	\$ 1074	\$ 1133	\$ 1177	
		30 x 48	USSW2L3048	☐	☐	☐	☐	☐	☐	55.0#	1057	1124	1191	1262	1307	
		36 x 48	USSW2L3648	☐	☐	☐	☐	☐	☐	61.8#	1155	1229	1304	1379	1431	
		42 x 48	USSW2L4248	☐	☐	☐	☐	☐	☐	68.5#	1283	1363	1444	1529	1588	
		48 x 48	USSW2L4848	☐	☐	☐	☐	☐	☐	75.4#	1333	1417	1505	1590	1651	
		54 x 48	USSW2L5448	☐	☐	☐	☐	☐	☐	80.1#	1387	1477	1564	1656	1717	
		60 x 48	USSW2L6048	☐	☐	☐	☐	☐	☐	88.9#	1525	1625	1717	1819	1889	
		72 x 48	USSW2L7248	☐	☐	☐	☐	☐	☐	110.5#	2158	2295	2434	2572	2672	
USFL	Segmented Fabric Panel - 56"H	24 x 56	USSW2L2456	☐	☐	☐	☐	☐	☐	53.5#	\$ 1011	\$ 1075	\$ 1141	\$ 1207	\$ 1252	
		30 x 56	USSW2L3056	☐	☐	☐	☐	☐	☐	60.8#	1115	1188	1260	1332	1382	
		36 x 56	USSW2L3656	☐	☐	☐	☐	☐	☐	68.1#	1220	1297	1377	1453	1510	
		42 x 56	USSW2L4256	☐	☐	☐	☐	☐	☐	75.4#	1374	1461	1550	1637	1702	
		48 x 56	USSW2L4856	☐	☐	☐	☐	☐	☐	82.8#	1428	1517	1612	1703	1768	
		54 x 56	USSW2L5456	☐	☐	☐	☐	☐	☐	88.1#	1477	1571	1667	1762	1829	
		60 x 56	USSW2L6056	☐	☐	☐	☐	☐	☐	97.4#	1616	1716	1823	1928	2002	
		72 x 56	USSW2L7256	☐	☐	☐	☐	☐	☐	122.8#	2284	2432	2576	2724	2828	
			A	B	C	D	E	F	G							

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D** Select paint finish for slat wall section side 1.
- Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
- Refer to ki.com/fabrics
- F** Select paint finish for slat wall section side 2.
- Refer to the **Product Color Options** page in this price list.
- G** Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Elevated Base



Preconfigured Segmented Fabric Panel w/Slat Wall on Two Sides

Elevated Base

MODEL	W x H	MODEL NUMBER							Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
		Basic Model	Top Cap Style	Trim Color	Slat Wall Finish Side 1	Fabric Side 1	Slat Wall Finish Side 2	Fabric Side 2						
 USFL	Segmented Fabric Panel - 64"H	24 x 64	USSW2L2464	☐	☐	☐	☐	☐	57.9#	\$ 1040	\$ 1108	\$ 1175	\$ 1240	\$ 1288
	• Lower segment includes fabric tiles for both sides, specified separately	30 x 64	USSW2L3064	☐	☐	☐	☐	☐	65.7#	1163	1239	1313	1388	1440
	• Upper segment features slat wall on lowest 8" of upper tile segment, and fabric on remaining segment height	36 x 64	USSW2L3664	☐	☐	☐	☐	☐	73.5#	1274	1354	1437	1517	1576
	• Upper and lower fabric segments on each side must be identically specified	42 x 64	USSW2L4264	☐	☐	☐	☐	☐	81.4#	1443	1538	1630	1726	1790
	• Slatwall paint finish is specified	48 x 64	USSW2L4864	☐	☐	☐	☐	☐	89.3#	1503	1595	1694	1789	1859
	• Elevated base does not accept cable distribution	54 x 64	USSW2L5464	☐	☐	☐	☐	☐	95.1#	1527	1623	1722	1821	1890
	• Panel assembly includes frame, trim, and panel-to-panel connectors	60 x 64	USSW2L6064	☐	☐	☐	☐	☐	105.0#	1639	1746	1854	1959	2035
	• Trim is metal and includes top cap, bottom trim channel, segment channel, and foot shroud	72 x 64	USSW2L7264	☐	☐	☐	☐	☐	133.2#	2395	2549	2704	2856	2969
	• 72" wide panels feature split tiles													
		A	B	C	D	E	F	G						

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
- F** - Flat trim (std)
- N** - No topcap
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D** Select paint finish for slat wall section side 1.
- Refer to the **Product Color Options** page in this price list.
- E** Select fabric side 1.
- Refer to ki.com/fabrics
- F** Select paint finish for slat wall section side 2.
- Refer to the **Product Color Options** page in this price list.
- G** Select fabric side 2.
- Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:

-Grade 2 Fabric

-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric

+Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Stacking Panel
Fabric



Stacking Panel
Fabric

		MODEL NUMBER									
MODEL	W x H	Basic Model	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 USTF	Fabric Stacking Panel - 16" H	24 x 16"	USTF2416	☐	☐ ☐ ☐ ☐	13.2#	\$ 411	\$ 427	\$ 444	\$ 454	\$ 483
	• Side 1 and side 2 fabrics are specified separately	30 x 16"	USTF3016	☐	☐ ☐ ☐ ☐	14.8#	439	459	477	490	520
	• All sizes stack above panels of equal widths	36 x 16"	USTF3616	☐	☐ ☐ ☐ ☐	16.9#	479	502	518	530	568
	• 48"-72" sizes may span multiple panels	42 x 16"	USTF4216	☐	☐ ☐ ☐ ☐	18.5#	527	551	571	584	624
	• Only one stacking section may be added to a frame	48 x 16"	USTF4816	☐	☐ ☐ ☐ ☐	20.1#	536	560	579	595	635
	• No power is available on stacking sections	54 x 16"	USTF5416	☐	☐ ☐ ☐ ☐	21.9#	574	602	622	636	681
	• No storage or accessories may be hung from stacking sections	60 x 16"	USTF6016	☐	☐ ☐ ☐ ☐	23.7#	601	629	651	666	711
	• Panel Assembly includes stacking frame, segment channel, tiles and panel-to-panel connectors	72 x 16"	USTF7216	☐	☐ ☐ ☐ ☐	29.5#	800	838	866	888	946
	• Trim is metal and includes segment channel										

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select fabric side 1.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- D** Select fabric side 2.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Stacking Panel
Solid Steel



Stacking Panel
Solid Steel

	MODEL	W x H	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
			Basic Model	Trim Color	Insert Color		
 USTS	Solid Steel Stacking Panel - 16" H	24 x 16"	USTS2416	☐	☐	15.5#	\$ 519
	• Single steel section captured within aluminum frame	30 x 16"	USTS3016	☐	☐	17.7#	546
	• All sizes stack above panels of equal widths	36 x 16"	USTS3616	☐	☐	20.5#	589
	• 48"-72" sizes may span multiple panels	42 x 16"	USTS4216	☐	☐	22.7#	618
	• Only one stacking section may be added to a frame	48 x 16"	USTS4816	☐	☐	25.0#	689
	• No power is available on stacking sections	54 x 16"	USTS5416	☐	☐	27.4#	705
	• No storage or accessories may be hung from stacking sections	60 x 16"	USTS6016	☐	☐	29.8#	706
	• Steel insert paint color is specified separate from trim, side 1 and side 2 are identical	72 x 16"	USTS7216	☐	☐	34.3#	974
	• Frame matches trim finish						
			A	B	C		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select insert color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

USTS

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select trim color.
Refer to the **Product Color Options** page in this price list.

C Select glass color.

GLA	- Clear
GLC	- White laminate
GLV	- Satin etch one side

Special Carton Marking

With specially marked information: N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER				
		Basic Model	Trim Color	Insert Color	Approx. Packaged Weight	Delivered Pricing
MODEL	W x H					
 USTS	Perforated Steel Stacking Panel - 16" H	24 x 16"	USTP2416	☐ ☐	13.5#	\$ 551
	• Single perforated steel section captured within aluminum frame	30 x 16"	USTP3016	☐ ☐	15.1#	589
	• All sizes stack above panels of equal widths	36 x 16"	USTP3616	☐ ☐	17.2#	656
	• 48"-72" sizes may span multiple panels	42 x 16"	USTP4216	☐ ☐	19.0#	688
	• Only one stacking section may be added to a frame	48 x 16"	USTP4816	☐ ☐	20.6#	789
	• No power is available on stacking sections	54 x 16"	USTP5416	☐ ☐	22.5#	828
	• No storage or accessories may be hung from stacking sections	60 x 16"	USTP6016	☐ ☐	24.4#	853
	• Steel insert paint color is specified separate from trim, side 1 and side 2 are identical	72 x 16"	USTP7216	☐ ☐	27.7#	1087
	• Frame matches trim finish					
		A	B	C		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select insert color.
Refer to the **Product Color Options** page in this price list.


SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select fabric side 2.
Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

Stacking Panel
Markerboard on Both Sides



Stacking Panel
Markerboard on Both Sides

	MODEL	W x H	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model	Trim Color		
	Markerboard on Both-Sides Stacking Panel - 16" H	24 x 16"	USTM22416	☐	18.1#	\$ 557
	• Steel marker board on both sides	30 x 16"	USTM23016	☐	21.1#	615
	• All sizes stack above panels of equal widths	36 x 16"	USTM23616	☐	24.2#	642
	• 48"-72" sizes may span multiple panels	42 x 16"	USTM24216	☐	27.2#	681
	• Only one stacking section may be added to a frame	48 x 16"	USTM24816	☐	30.2#	755
	• No power is available on stacking sections	54 x 16"	USTM25416	☐	33.2#	932
	• No storage or accessories may be hung from stacking sections	60 x 16"	USTM26016	☐	36.2#	1090
		72 x 16"	USTM27216	☐	45.4#	1131
			A	B		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Stacking Panel
Slat Wall on One Side



Stacking Panel
Slat Wall on One Side

	MODEL	W x H	MODEL NUMBER					Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
			Basic Model	Trim Color	Fabric Side 1	Fabric Side 2	Tile Color Side 1						
 USTF	Slat Wall on One-Side Stacking Panel - 16" H	24 x 16"	USTSW12416	☐	☐	☐	☐	15.1#	\$ 624	\$ 652	\$ 680	\$ 694	\$ 737
		30 x 16"	USTSW13016	☐	☐	☐	☐	17.5#	668	701	724	746	795
	• Side 1 features lower 8" section of slat wall and fabric on upper 8"; side 2 is fabric only	36 x 16"	USTSW13616	☐	☐	☐	☐	19.9#	730	762	789	810	864
	• All sizes stack above panels of equal widths	42 x 16"	USTSW14216	☐	☐	☐	☐	22.3#	803	839	870	890	949
	• 48"-72" sizes may span multiple panels	48 x 16"	USTSW14816	☐	☐	☐	☐	24.7#	828	866	897	921	982
	• Only one stacking section may be added to a frame	54 x 16"	USTSW15416	☐	☐	☐	☐	27.1#	844	881	914	935	998
	• No power is available on stacking sections	60 x 16"	USTSW16016	☐	☐	☐	☐	29.5#	908	947	982	1008	1071
	• No storage or accessories may be hung from stacking sections.	72 x 16"	USTSW17216	☐	☐	☐	☐	36.9#	1278	1337	1383	1416	1510
			A	B	C	D	E						

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

• The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select fabric side 1.
Refer to ki.com/fabrics
- D** Select fabric side 2.
Refer to ki.com/fabrics
- E** Select tile color side 1.
Refer to the **Product Color Options** page in this price list.

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing
If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric
+Cost for one side

Combined list price

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

			MODEL NUMBER											
			Basic Model	Trim Color	Fabric Side 1	Fabric Side 2	Tile Color Side 1	Tile Color Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
MODEL	W x H													
 USTF	Slat Wall on Two-Sides Stacking Panel - 16" H	24 x 16"	USTSW22416						20.6#	\$ 826	\$ 864	\$ 894	\$ 917	\$ 978
		30 x 16"	USTSW23016						24.0#	884	927	958	983	1049
	• Both sides feature lower 8" section of slat wall and fabric on upper 8"	36 x 16"	USTSW23616						28.0#	961	1008	1042	1068	1141
	• Fabric on sides 1 and 2 is specified separately	42 x 16"	USTSW24216						31.3#	1062	1111	1151	1178	1256
	• All sizes stack above panels of equal widths	48 x 16"	USTSW24816						34.7#	1108	1156	1200	1225	1307
	• 48"-72" sizes may span multiple panels	54 x 16"	USTSW25416						38.4#	1159	1211	1254	1285	1370
	• Only one stacking section may be added to a frame	60 x 16"	USTSW26016						42.0#	1189	1243	1288	1320	1408
	• No power is available on stacking sections	72 x 16"	USTSW27216						51.5#	1734	1813	1874	1924	2050
	• No storage or accessories may be hung from stacking sections													
			A	B	C	D	E	F						

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

- A** Select basic model.
Refer to the **Product Color Options** page in this price list.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select fabric side 1.
Refer to ki.com/fabrics
- D** Select fabric side 2.
Refer to ki.com/fabrics
- E** Select tile color side 1.
Refer to the **Product Color Options** page in this price list.
- F** Select tile color side 2.
Refer to the **Product Color Options** page in this price list.

direction the fabric is to be applied.

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example:
-Grade 2 Fabric
-Grade 1 Fabric

Upcharge

$$\text{Upcharge}/2 = \text{Cost for one side}$$

Grade 1 Fabric
+Cost for one side

Combined list price


Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER					
MODEL		A B B-A	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing	
	2-Way 90°, "L" Corner, No Height Change	32"	U2W9032	☐	7.3#	\$	154
		40"	U2W9040	☐	9.2#		182
	• Select for 90° corner intersections of two same-height panels	48"	U2W9048	☐	10.3#		186
	• Includes full height corner trim, 90° top cap, connecting blocks, light block and connecting hardware	56"	U2W9056	☐	11.3#		195
		64"	U2W9064	☐	12.4#		219
		72"	U2W9072	☐	14.3#		242
		80"	U2W9080	☐	15.4#		257
UTN							
	2-Way 90°, "L" Corner, with Height Change	32" 40" 8"	U2W901W3240	☐	9.0#	\$	262
		32" 48" 16"	U2W901W3248	☐	10.4#		271
	• Select for 90° corner intersections of one taller and one lower panel	32" 56" 24"	U2W901W3256	☐	11.6#		277
	• Includes corner and change-of-height trim, top cap, connecting blocks, light blocks and connecting hardware	32" 64" 32"	U2W901W3264	☐	12.7#		288
		32" 72" 40"	U2W901W3272	☐	14.1#		301
		32" 80" 48"	U2W901W3280	☐	15.3#		306
		40" 48" 8"	U2W901W4048	☐	10.8#		290
		40" 56" 16"	U2W901W4056	☐	12.2#		300
		40" 64" 24"	U2W901W4064	☐	13.4#		307
		40" 72" 32"	U2W901W4072	☐	14.6#		317
		40" 80" 40"	U2W901W4080	☐	16.0#		333
		48" 56" 8"	U2W901W4856	☐	11.9#		296
		48" 64" 16"	U2W901W4864	☐	13.3#		306
		48" 72" 24"	U2W901W4872	☐	14.3#		308
		48" 80" 32"	U2W901W4880	☐	15.5#		319
		56" 64" 8"	U2W901W5664	☐	13.0#		301
		56" 72" 16"	U2W901W5672	☐	14.2#		311
		56" 80" 24"	U2W901W5680	☐	15.4#		318
		64" 72" 8"	U2W901W6472	☐	14.1#		330
		64" 80" 16"	U2W901W6480	☐	15.3#		338
	72" 80" 8"	U2W901W7280	☐	15.9#		352	

A

B

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

B Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

UTN

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

B Select trim color.
Refer to the **Product Color Options** page in this price list.

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

3-Way 90°



Preconfigured Intersections

3-Way 90°

	MODEL	A B B-A	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model	Trim Color		
	3-Way 90°, "T" Corner, No Height Change • Select for 90° intersections of three same-height panels • Includes one full height trim piece, 90° top cap, connecting blocks, light blocks and connecting hardware	32"	U3W9032	☐	6.5#	\$ 155
		40"	U3W9040	☐	8.3#	186
		48"	U3W9048	☐	9.2#	193
		56"	U3W9056	☐	10.0#	200
		64"	U3W9064	☐	11.0#	219
		72"	U3W9072	☐	12.9#	259
		80"	U3W9080	☐	13.8#	267
UTN						
	3-Way 90°, Trim One Side "T" Corner, with Height Change • Select for 90° three-way intersections of one taller and two lower panels • Includes one flat trim piece, three-sided change-of-height trim, top cap, connecting blocks, light blocks, and connecting hardware	32" 40" 8"	U3W901W3240	☐	7.9#	\$ 268
		32" 48" 16"	U3W901W3248	☐	9.4#	277
		32" 56" 24"	U3W901W3256	☐	10.5#	285
		32" 64" 32"	U3W901W3264	☐	11.7#	295
		32" 72" 40"	U3W901W3272	☐	13.0#	308
		32" 80" 48"	U3W901W3280	☐	14.3#	309
		40" 48" 8"	U3W901W4048	☐	9.8#	297
		40" 56" 16"	U3W901W4056	☐	11.2#	307
		40" 64" 24"	U3W901W4064	☐	12.3#	309
		40" 72" 32"	U3W901W4072	☐	13.5#	322
		40" 80" 40"	U3W901W4080	☐	14.9#	341
		48" 56" 8"	U3W901W4856	☐	10.7#	300
		48" 64" 16"	U3W901W4864	☐	12.1#	309
		48" 72" 24"	U3W901W4872	☐	13.2#	317
		48" 80" 32"	U3W901W4880	☐	14.6#	330
		56" 64" 8"	U3W901W5664	☐	11.6#	309
		56" 72" 16"	U3W901W5672	☐	13.0#	319
		56" 80" 24"	U3W901W5680	☐	14.2#	330
		64" 72" 8"	U3W901W6472	☐	12.5#	331
		64" 80" 16"	U3W901W6480	☐	13.9#	341
		72" 80" 8"	U3W901W7280	☐	14.7#	371
			A	B		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

3-Way 90°



Preconfigured Intersections

3-Way 90°

UTN

MODEL

A B B-A

Basic Model

Trim Color

Approx. Packaged Weight

Delivered Pricing

3-Way 90°, In-Line "T" Corner, with Height Change

- Select for 90° three-way intersections of two taller inline panels and one lower perpendicular panel
- Includes one full height flat trim piece, one change-of-height flat trim piece, 90° top cap, connecting blocks, light blocks, and connecting hardware

32" 40" 8"

U3W90IL3240

☐

8.9#

\$ 201

32" 48" 16"

U3W90IL3248

☐

10.8#

235

32" 56" 24"

U3W90IL3256

☐

11.8#

242

32" 64" 32"

U3W90IL3264

☐

12.8#

262

32" 72" 40"

U3W90IL3272

☐

14.7#

309

32" 80" 48"

U3W90IL3280

☐

15.7#

318

40" 48" 8"

U3W90IL4048

☐

10.7#

227

40" 56" 16"

U3W90IL4056

☐

11.7#

268

40" 64" 24"

U3W90IL4064

☐

13.6#

279

40" 72" 32"

U3W90IL4072

☐

14.6#

301

40" 80" 40"

U3W90IL4080

☐

16.5#

341

48" 56" 8"

U3W90IL4856

☐

11.6#

235

48" 64" 16"

U3W90IL4864

☐

13.5#

281

48" 72" 24"

U3W90IL4872

☐

15.5#

300

48" 80" 32"

U3W90IL4880

☐

15.5#

308

56" 64" 8"

U3W90IL5664

☐

12.5#

255

56" 72" 16"

U3W90IL5672

☐

15.3#

300

56" 80" 24"

U3W90IL5680

☐

16.4#

307

64" 72" 8"

U3W90IL6472

☐

13.4#

275

64" 80" 16"

U3W90IL6480

☐

15.4#

308

72" 80" 8"

U3W90IL7280

☐

15.2#

300

A

B

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



UTN

MODEL

A B B-A

Basic Model

Trim Color

Approx. Packaged Weight

Delivered Pricing

3-Way 90°, Trim Two Sides "T" Corner, with Height Change

- Select for 90° three-way intersections of one taller and one lower inline panels and one perpendicular taller panel
- Includes one flat trim piece, two-sided change-of-height trim, top cap, connecting blocks, light blocks, and connecting hardware

32" 40" 8"

U3W902W3240

☐

8.7#

\$ 219

32" 48" 16"

U3W902W3248

☐

10.6#

238

32" 56" 24"

U3W902W3256

☐

11.6#

248

32" 64" 32"

U3W902W3264

☐

12.7#

259

32" 72" 40"

U3W902W3272

☐

14.6#

283

32" 80" 48"

U3W902W3280

☐

15.6#

290

40" 48" 8"

U3W902W4048

☐

10.5#

248

40" 56" 16"

U3W902W4056

☐

12.4#

271

40" 64" 24"

U3W902W4064

☐

13.4#

277

40" 72" 32"

U3W902W4072

☐

14.5#

287

40" 80" 40"

U3W902W4080

☐

16.4#

297

48" 56" 8"

U3W902W4856

☐

11.4#

251

48" 64" 16"

U3W902W4864

☐

13.3#

274

48" 72" 24"

U3W902W4872

☐

14.3#

281

48" 80" 32"

U3W902W4880

☐

15.4#

293

56" 64" 8"

U3W902W5664

☐

12.3#

262

56" 72" 16"

U3W902W5672

☐

14.2#

283

56" 80" 24"

U3W902W5680

☐

15.3#

293

64" 72" 8"

U3W902W6472

☐

13.2#

279

64" 80" 16"

U3W902W6480

☐

16.0#

301

72" 80" 8"

U3W902W7280

☐

15.0#

336

A

B

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER					
MODEL		A B B-A	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing	
	4-Way 90°, "X", No Height Change	32"	U4W9032	□□	6.3#	\$	152
	• Select for 90° intersections of four same-height panels	40"	U4W9040	□□	8.1#		178
	• Includes 90° top cap, connecting blocks, light blocks, and connecting hardware	48"	U4W9048	□□	9.0#		187
		56"	U4W9056	□□	9.9#		195
		64"	U4W9064	□□	10.7#		201
		72"	U4W9072	□□	12.6#		229
		80"	U4W9080	□□	13.4#		237
UTN							
	4-Way 90°, "X" Trim One Side, with Height Change	32" 40" 8"	U4W901W3240	□□	7.8#	\$	265
		32" 48" 16"	U4W901W3248	□□	9.2#		276
	• Select for 90° four-way intersections of one taller and three lower panels • Includes three-sided change-of-height trim, top cap, connecting blocks, light blocks, and connecting hardware	32" 56" 24"	U4W901W3256	□□	10.4#		279
		32" 64" 32"	U4W901W3264	□□	11.6#		290
		32" 72" 40"	U4W901W3272	□□	12.9#		307
		32" 80" 48"	U4W901W3280	□□	14.1#		308
		40" 48" 8"	U4W901W4048	□□	8.7#		296
		40" 56" 16"	U4W901W4056	□□	10.1#		306
		40" 64" 24"	U4W901W4064	□□	11.2#		308
		40" 72" 32"	U4W901W4072	□□	13.6#		318
		40" 80" 40"	U4W901W4080	□□	13.6#		338
		48" 56" 8"	U4W901W4856	□□	10.5#		298
		48" 64" 16"	U4W901W4864	□□	11.9#		308
		48" 72" 24"	U4W901W4872	□□	13.1#		317
		48" 80" 32"	U4W901W4880	□□	14.2#		325
		56" 64" 8"	U4W901W5664	□□	11.4#		307
		56" 72" 16"	U4W901W5672	□□	12.8#		318
		56" 80" 24"	U4W901W5680	□□	13.9#		322
		64" 72" 8"	U4W901W6472	□□	12.2#		317
		64" 80" 16"	U4W901W6480	□□	14.8#		326
72" 80" 8"	U4W901W7280	□□	14.0#		341		

A

B

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

B Select trim color.
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



UTN

MODEL

A B B-A

Basic Model

Trim Color

Approx. Packaged Weight

Delivered Pricing

4-Way 90°, "X" In-Line Intersection, with Height Change

- Select for 90° four-way intersections of two taller inline panels and two lower perpendicular panels
- Includes two change-of-height flat trim pieces, 90° top cap, connecting blocks, light blocks and connecting hardware

32" 40" 8"
32" 48" 16"
32" 56" 24"
32" 64" 32"
32" 72" 40"
32" 80" 48"
40" 48" 8"
40" 56" 16"
40" 64" 24"
40" 72" 32"
40" 80" 40"
48" 56" 8"
48" 64" 16"
48" 72" 24"
48" 80" 32"
56" 64" 8"
56" 72" 16"
56" 80" 24"
64" 72" 8"
64" 80" 16"
72" 80" 8"

U4W90IL3240
U4W90IL3248
U4W90IL3256
U4W90IL3264
U4W90IL3272
U4W90IL3280
U4W90IL4048
U4W90IL4056
U4W90IL4064
U4W90IL4072
U4W90IL4080
U4W90IL4856
U4W90IL4864
U4W90IL4872
U4W90IL4880
U4W90IL5664
U4W90IL5672
U4W90IL5680
U4W90IL6472
U4W90IL6480
U4W90IL7280

☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐

8.7#
10.7#
11.6#
12.6#
14.6#
15.5#
10.6#
12.5#
13.5#
14.5#
16.4#
11.4#
13.4#
14.3#
16.3#
12.3#
15.2#
15.2#
13.1#
15.1#
15.0#

\$ 231
272
282
304
348
384
259
300
316
337
359
267
308
319
342
272
312
331
283
325
308

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



UTN

MODEL

A B B-A

Basic Model

Trim Color

Approx. Packaged Weight

Delivered Pricing

4-Way 90°, "X" Trim Two Sides, with Height Change

- Select for 90° three-way intersections of two perpendicular taller panels and two perpendicular lower panels
- Includes two-sided change-of-height trim, top cap, connecting blocks, light blocks, and connecting hardware

32" 40" 8"
32" 48" 16"
32" 56" 24"
32" 64" 32"
32" 72" 40"
32" 80" 48"
40" 48" 8"
40" 56" 16"
40" 64" 24"
40" 72" 32"
40" 80" 40"
48" 56" 8"
48" 64" 16"
48" 72" 24"
48" 80" 32"
56" 64" 8"
56" 72" 16"
56" 80" 24"
64" 72" 8"
64" 80" 24"
72" 80" 8"

U4W902W3240
U4W902W3248
U4W902W3256
U4W902W3264
U4W902W3272
U4W902W3280
U4W902W4048
U4W902W4056
U4W902W4064
U4W902W4072
U4W902W4080
U4W902W4856
U4W902W4864
U4W902W4872
U4W902W4880
U4W902W5664
U4W902W5672
U4W902W5680
U4W902W6472
U4W902W6480
U4W902W7280

☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐
☐☐

8.2#
10.0#
11.2#
12.2#
14.0#
15.2#
10.1#
11.9#
13.0#
14.1#
15.9#
10.9#
12.8#
13.9#
14.9#
11.8#
13.6#
14.7#
13.4#
14.5#
14.5#

\$ 218
237
240
253
282
288
240
270
272
282
309
250
274
279
290
259
282
288
268
290
297

A

B

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER				
MODEL	A B B-A	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing	
 UTN	4-Way 90°, "X" Trim Three Sides, with Height Change	32" 40" 8"	U4W903W3240	☐	8.0#	\$ 205
		32" 48" 16"	U4W903W3248	☐	9.9#	253
	• Select for 90° X four-way intersections of three taller panels and one lower panel	32" 56" 24"	U4W903W3256	☐	10.9#	261
	• Includes one change-of-height flat trim piece, top cap, connecting blocks, light blocks, and connecting hardware	32" 64" 32"	U4W903W3264	☐	11.8#	270
		32" 72" 40"	U4W903W3272	☐	13.6#	277
		32" 80" 48"	U4W903W3280	☐	14.5#	281
		40" 48" 8"	U4W903W4048	☐	10.0#	234
		40" 56" 16"	U4W903W4056	☐	11.8#	257
		40" 64" 24"	U4W903W4064	☐	12.7#	268
		40" 72" 32"	U4W903W4072	☐	13.6#	277
		40" 80" 40"	U4W903W4080	☐	15.4#	307
		48" 56" 8"	U4W903W4856	☐	10.8#	238
		48" 64" 16"	U4W903W4864	☐	12.6#	270
		48" 72" 24"	U4W903W4872	☐	13.6#	272
		48" 80" 32"	U4W903W4880	☐	14.5#	282
		56" 64" 8"	U4W903W5664	☐	11.7#	250
		56" 72" 16"	U4W903W5672	☐	14.5#	277
		56" 80" 24"	U4W903W5680	☐	14.4#	285
		64" 72" 8"	U4W903W6472	☐	12.6#	259
		64" 80" 16"	U4W903W6480	☐	14.4#	282
		72" 80" 8"	U4W903W7280	☐	14.4#	283
		A	B			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

2-Way 120°



Preconfigured Intersections

2-Way 120°

		MODEL NUMBER			
	MODEL	A B B-A	Basic Model	Trim Color	Delivered Pricing
	2-Way 120°, "V" Corner, No Height Change • Select for 120° angled intersections of two same-height panels • Includes 2-sided angle trim, 120° top cap, connecting blocks, light block and connecting hardware	32"	U2W12032	☐	\$ 403
		40"	U2W12040	☐	501
		48"	U2W12048	☐	505
		56"	U2W12056	☐	518
		64"	U2W12064	☐	537
		72"	U2W12072	☐	630
		80"	U2W12080	☐	642
UTN					
	2-Way 120°, "V" Corner, with Height Change • Select for 120° angled intersections of one taller and one lower panel • Includes corner and change-of-height trim, 120° top cap, connecting blocks, light block, and connecting hardware	32" 40" 8"	U2W1201W3240	☐	\$ 424
		32" 48" 16"	U2W1201W3248	☐	430
		32" 56" 24"	U2W1201W3256	☐	431
		32" 64" 32"	U2W1201W3264	☐	444
		32" 72" 40"	U2W1201W3272	☐	454
		32" 80" 48"	U2W1201W3280	☐	455
		40" 48" 8"	U2W1201W4048	☐	525
		40" 56" 16"	U2W1201W4056	☐	531
		40" 64" 24"	U2W1201W4064	☐	536
		40" 72" 32"	U2W1201W4072	☐	545
		40" 80" 40"	U2W1201W4080	☐	649
		48" 56" 8"	U2W1201W4856	☐	528
		48" 64" 16"	U2W1201W4864	☐	536
		48" 72" 24"	U2W1201W4872	☐	537
		48" 80" 32"	U2W1201W4880	☐	547
		56" 64" 8"	U2W1201W5664	☐	545
		56" 72" 16"	U2W1201W5672	☐	549
		56" 80" 24"	U2W1201W5680	☐	556
		64" 72" 8"	U2W1201W6472	☐	563
		64" 80" 16"	U2W1201W6480	☐	569
		72" 80" 8"	U2W1201W7280	☐	653
UTN					
		A	B		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

UTN

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

B Select trim color.
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Trim Color		
MODEL	A B B-A			Approx. Packaged Weight	Delivered Pricing
 UTN 3-Way 120° Corner, Trim Two Sides, with Height Change • Select for 120° three-way intersections of two taller panels and one lower panel • Includes one flat trim piece, top cap, connecting blocks, light blocks, and connecting hardware	32" 40" 8"	U3W1202W3240	☐	5.5#	\$ 518
	32" 48" 16"	U3W1202W3248	☐	6.6#	614
	32" 56" 24"	U3W1202W3256	☐	7.3#	623
	32" 64" 32"	U3W1202W3264	☐	8.0#	630
	32" 72" 40"	U3W1202W3272	☐	9.1#	727
	32" 80" 48"	U3W1202W3280	☐	9.9#	734
	40" 48" 8"	U3W1202W4048	☐	6.7#	618
	40" 56" 16"	U3W1202W4056	☐	7.8#	714
	40" 64" 24"	U3W1202W4064	☐	8.5#	723
	40" 72" 32"	U3W1202W4072	☐	9.2#	732
	40" 80" 40"	U3W1202W4080	☐	10.3#	828
	48" 56" 8"	U3W1202W4856	☐	7.3#	712
	48" 64" 16"	U3W1202W4864	☐	8.4#	721
	48" 72" 24"	U3W1202W4872	☐	9.1#	730
	48" 80" 32"	U3W1202W4880	☐	9.8#	734
	56" 64" 8"	U3W1202W5664	☐	8.0#	640
	56" 72" 16"	U3W1202W5672	☐	9.1#	724
	56" 80" 24"	U3W1202W5680	☐	9.8#	733
	64" 72" 8"	U3W1202W6472	☐	8.6#	634
	64" 80" 16"	U3W1202W6480	☐	9.7#	733
	72" 80" 8"	U3W1202W7280	☐	10.2#	821
		A	B		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	H	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model	Trim Color		
	End-of-Run Trim for Full Panel Height Conditions • Select by height for single panel • For seamless end trim when stacking sections are used, specify by combined height of panel and stacker • Includes trim endcap and hardware	32"	UEOR32	☐ ☐	3.6#	\$ 66
		40"	UEOR40	☐ ☐	4.2#	73
		48"	UEOR48	☐ ☐	4.7#	75
		56"	UEOR56	☐ ☐	5.5#	79
		64"	UEOR64	☐ ☐	6.0#	84
		72"	UEOR72	☐ ☐	7.0#	117
		80"	UEOR80	☐ ☐	7.4#	120
UTN						
UTN UST	End-of-Run Trim for Change of Height Conditions • Height listed is the 'height differential' • Specify the distance between the upper panel height and the lower panel height • Includes trim endcap and hardware	8"	UEORV08	☐ ☐	1.8#	\$ 45
		16"	UEORV16	☐ ☐	2.5#	52
		24"	UEORV24	☐ ☐	3.0#	53
		32"	UEORV32	☐ ☐	3.5#	61
		40"	UEORV40	☐ ☐	4.2#	67
		48"	UEORV48	☐ ☐	4.7#	68
			A	B		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
		Basic Model	Trim Color		
 UNS	Adjustable Wall Mount Start • Attaches panel to a wall at the start of a run • Includes mounting plate • Steel construction with painted finish • Adjustable for up to 3/4" of wall deflection • Appropriate wall anchor to drywall must be provided by contractor	UNWM16		6.0#	\$ 152
		UNWM32		11.0#	183
		UNWM40		14.0#	191
		UNWM48		17.0#	200
		UNWM56		20.0#	211
		UNWM64		22.0#	234
		UNWM72		25.0#	300
		UNWM80		28.0#	345

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

Perpendicular Start for Genius® Wall



Preconfigured Intersections

Perpendicular Start for Genius® Wall

	MODEL	H	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model			
 UNS	Perpendicular Start - 32" H • Attaches Units® perpendicularly between two Genius® Wall sections • Includes aluminum mounting track • Hardware for attachment is included • Specify UNGPS32 for all heights of segmented panels with glass, steel or perforated steel (with Aluminum frame) upper segments • Specify all other panel models by finished height (without Aluminum frame) • Stacking sections are allowed and do not require wall attachment	32"	UNGPS32		1.4#	\$ 90
 UNS	Perpendicular Start - 40", 48", 56", 64" H • Attaches Units® perpendicularly between two Genius® Wall sections • Includes aluminum mounting track • Hardware for attachment is included • Specify by finished monolithic or segmented panel height for all fabric, markerboard or slat wall (unframed) upper segments • Stacking sections are allowed and do not require wall attachment	40"	UNGPS40		1.6#	\$ 96
		48"	UNGPS48		1.7#	108
		56"	UNGPS56		1.9#	108
		64"	UNGPS64		2.1#	108

A

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Intersections

Universal Start for Genius® Wall



Preconfigured Intersections

Universal Start for Genius® Wall

		MODEL NUMBER				
MODEL		Basic Model	Approx. Packaged Weight	Delivered Pricing		
 HRDPT	Universal Start • Attaches Unite® at a corner, inline, or 3-Way condition of a Genius® Wall section • Includes all hardware necessary for attachment • Universal Start is drilled directly into, and permanently alters, Genius® trim • Wall start does not impact or require any additional Genius® specification • Retrofittable to most standard Genius® trim sections • For use with unloaded panels only	UNGUS	1.0#	\$	25	
		A				

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	W x H x D	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model	Trim Color		
	Wall Track	1-1/4 x 30 x 1"	UNWT30	☐	3.0#	\$ 39
	• Double slotted track accommodates wall mounting of overhead components and worksurfaces	1-1/4 x 64 x 1"	UNWT64	☐	5.0#	53
	• Steel construction with painted finish					
	• Appropriate wall anchor to drywall must be provided by contractor					
HRDPT			A	B		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.


Preconfigured Stackable Intersections

90° 1-Way, 2-Way, 3-Way and 4-Way



Preconfigured Stackable Intersections

90° 1-Way, 2-Way, 3-Way and 4-Way

		MODEL NUMBER					
MODEL		H	Basic Model	Top Cap Style	Trim Color	Approx. Packaged Weight	Delivered Pricing
 UST	90° 1-Way End - Includes top cap and connecting hardware and light block - Only used in 90° intersections when stacking one panel	16	U1W90S16	F	☐ ☐	4.6#	\$ 112
 UST	90° 2-Way Corner Includes top cap and connecting hardware and light block	16	U2W90S16	F	☐ ☐	5.0#	\$ 120
 UST	90° 3-Way Intersection Includes top cap and connecting hardware and light blocks	16	U3W90S16	F	☐ ☐	4.8#	\$ 103
 UST	90° 4-Way Intersection Includes top cap and connecting hardware and light blocks	16	U4W90S16	F	☐ ☐	4.9#	\$ 78
			A	B	C		

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style:
F ☐ - Flat trim (std)
- C** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Stackable Intersections

2-Way 180° In-Line Spacer



Preconfigured Stackable Intersections

2-Way 180° In-Line Spacer

MODEL	H	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
		Basic Model	Top Cap Style	Trim Color		
 UST	16	U2W180S16	☐	☐ ☐	5.5#	\$ 134
		A	B	C		

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select top cap style.
F - Flat trim (std)
- C Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Preconfigured Stackable Intersections

120° 1-Way, 2-Way, 3-Way and 4-Way



Preconfigured Stackable Intersections

120° 1-Way, 2-Way, 3-Way and 4-Way

		MODEL NUMBER					
MODEL		H	Basic Model	Top Cap Style	Trim Color	Approx. Packaged Weight	Delivered Pricing
	120° 1-Way End - Includes top cap and connecting hardware - Only used in 120° intersections when stacking one panel	16	U1W120S16	☐	☐	3.3#	\$ 420
UST							
	120° 2-Way Corner Includes top cap and connecting hardware and light block	16	U2W120S16	☐	☐	3.4#	\$ 451
UST							
	120° 3-Way Intersection Includes top cap and connecting hardware and light blocks	16	U3W120S16	☐	☐	3.5#	\$ 291
UST							
			A	B	C		

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select top cap style.
F - Flat trim (std)
- C** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



		H	MODEL NUMBER		Approx. Packaged Weight		Delivered Pricing
	MODEL		Basic Model	Trim Color			
	End-of-Run Trim - Stacking Section • Additive vertical trim portion for placement directly above a lower section of end of run trim • Includes end cap	16"	UEORS16	☐ ☐	2.5#		\$ 52
			A	B			

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.


High-Pressure Laminate Gallery Panels

End of Run Dual-Sided



High-Pressure Laminate Gallery Panels

End of Run Dual-Sided

	MODEL	Exposed Width/Side	W x H	MODEL NUMBER				Approx. Packaged Weight	Delivered Pricing
				Basic Model	Trim Color	Surface Finish	Edge Color		
	Dual-Sided Single-Piece	24-1/4	52x32"	UGHEDV4832	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	55.7#	\$ 661
	• For installation at end of run "T" conditions only	24-1/4	52x40"	UGHEDV4840	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	69.3#	827
	• Balanced two-piece high-pressure laminate and particleboard construction with continuous polypropylene edge band	24-1/4	52x48"	UGHEDV4848	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	83.0#	950
	• Overall width spans nominal exposed panel widths from both sides, and panel thickness	24-1/4	52x56"	UGHEDV4856	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	96.6#	977
	• Includes adjustable glides and all attachment hardware	24-1/4	52x64"	UGHEDV4864	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	110.2#	1106
	• Vertical grain direction								
				A	B	C	D		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- D** Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.




High-Pressure Laminate Gallery Panels

End of Run Dual-Sided, Two-piece Construction



High-Pressure Laminate Gallery Panels

End of Run Dual-Sided, Two-piece Construction

	MODEL	Exposed Width/Side	W x H	MODEL NUMBER				Approx. Packaged Weight	Delivered Pricing
				Basic Model	Trim Color	Surface Finish	Edge Color		
 UGPH	Dual-Sided Two Piece 32" High	30-1/4	64x32"	UGHEDV26032	☐	☐	☐	58.8#	\$ 1015
	• For installation at end of run "T" conditions only	36-1/4	76x32"	UGHEDV27232	☐	☐	☐	69.0#	1202
	• Balanced two-piece high-pressure laminate and particleboard construction with continuous polypropylene edge band	42-1/4	88x32"	UGHEDV28432	☐	☐	☐	79.1#	1235
		48-1/4	100x32"	UGHEDV29632	☐	☐	☐	89.2#	1379
	• Overall width spans nominal exposed panel widths from both sides, and panel thickness	54-1/4	112x32"	UGHEDV210832	☐	☐	☐	99.3#	1411
	• Includes adjustable glides and all attachment hardware								
	• Vertical grain direction; grain pattern is not matched								
 UGPH	Dual-Sided Two Piece 40" High	30-1/4	64x40"	UGHEDV26040	☐	☐	☐	73.1#	\$ 1228
		36-1/4	76x40"	UGHEDV27240	☐	☐	☐	85.7#	1408
		42-1/4	88x40"	UGHEDV28440	☐	☐	☐	98.3#	1440
		48-1/4	100x40"	UGHEDV29640	☐	☐	☐	110.9#	1706
		54-1/4	112x40"	UGHEDV210840	☐	☐	☐	123.5#	1737
 UGPH	Dual-Sided Two Piece 48" High	30-1/4	64x48"	UGHEDV26048	☐	☐	☐	87.3#	\$ 1389
		36-1/4	76x48"	UGHEDV27248	☐	☐	☐	102.4#	1693
		42-1/4	88x48"	UGHEDV28448	☐	☐	☐	117.5#	1726
		48-1/4	100x48"	UGHEDV29648	☐	☐	☐	132.6#	1944
		54-1/4	112x48"	UGHEDV210848	☐	☐	☐	147.7#	1975

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

• The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- D** Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


High-Pressure Laminate Gallery Panels

End of Run Dual-Sided, Two-piece Construction



High-Pressure Laminate Gallery Panels

End of Run Dual-Sided, Two-piece Construction

	MODEL	Exposed Width/Side	W x H	MODEL NUMBER				Approx. Packaged Weight	Delivered Pricing
				Basic Model	Trim Color	Surface Finish	Edge Color		
 UGPH	Dual-Sided Two Piece 56" High	30-1/4	64x56"	UGHEDV26056	☐	☐	☐	101.8#	\$ 1462
	• For installation at end of run "T" conditions only	36-1/4	76x56"	UGHEDV27256	☐	☐	☐	119.2#	1763
	• Balanced two-piece high-pressure laminate and particleboard construction with continuous polypropylene edge band	42-1/4	88x56"	UGHEDV28456	☐	☐	☐	136.8#	1796
	• Overall width spans nominal exposed panel widths from both sides, and panel thickness	48-1/4	100x56"	UGHEDV29656	☐	☐	☐	154.6#	2015
	• Includes adjustable glides and all attachment hardware	54-1/4	112x56"	UGHEDV210856	☐	☐	☐	172.0#	2047
	• Vertical grain direction; grain pattern is not matched								
 UGPH	Dual-Sided Two Piece 64" High	30-1/4	64x64"	UGHEDV26064	☐	☐	☐	115.8#	\$ 1630
		36-1/4	76x64"	UGHEDV27264	☐	☐	☐	135.9#	1970
		42-1/4	88x64"	UGHEDV28464	☐	☐	☐	156.0#	1998
		48-1/4	100x64"	UGHEDV29664	☐	☐	☐	176.1#	2254
		54-1/4	112x64"	UGHEDV210864	☐	☐	☐	196.2#	2286
				A	B	C	D		

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- D** Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



High-Pressure Laminate Gallery Panels

End of Run Single-Sided-Left



High-Pressure Laminate Gallery Panels

End of Run Single-Sided-Left

			MODEL NUMBER						
MODEL		Exposed Width/Side	W x H	Basic Model	Trim Color	Surface Finish	Edge Color	Approx. Packaged Weight	Delivered Pricing
	End of Run-Left 32" High	24-1/4	27-3/4x32"	UGHESVL2432	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	31.6#	\$ 437
	• For installation on left side of workstation, perpendicular to panel run	30-1/4	33-3/4x32"	UGHESVL3032	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	37.5#	480
	• Balanced high-pressure laminate and particleboard construction with continuous polypropylene edge band	36-1/4	39-3/4x32"	UGHESVL3632	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	43.5#	573
	• Exposed width is size-matched to nominal panel width	42-1/4	45-3/4x32"	UGHESVL4232	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	49.4#	589
	• Includes adjustable glides and all attachment hardware	48-1/4	51-3/4x32"	UGHESVL4832	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	55.4#	652
	• Vertical grain direction	54-1/4	57-3/4x32"	UGHESVL5432	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	61.4#	668
	End of Run-Left 40" High	24-1/4	27-3/4x40"	UGHESVL2440	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	39.3#	\$ 535
		30-1/4	33-3/4x40"	UGHESVL3040	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	46.7#	587
		36-1/4	39-3/4x40"	UGHESVL3640	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	54.2#	679
		42-1/4	45-3/4x40"	UGHESVL4240	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	61.6#	695
		48-1/4	51-3/4x40"	UGHESVL4840	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	69.0#	812
		54-1/4	57-3/4x40"	UGHESVL5440	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	76.5#	828
	End of Run-Left 48" High	24-1/4	27-3/4x48"	UGHESVL2448	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	47.0#	\$ 612
		30-1/4	33-3/4x48"	UGHESVL3048	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	55.9#	675
		36-1/4	39-3/4x48"	UGHESVL3648	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	64.8#	826
		42-1/4	45-3/4x48"	UGHESVL4248	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	73.7#	842
		48-1/4	51-3/4x48"	UGHESVL4848	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	82.6#	847
		54-1/4	57-3/4x48"	UGHESVL5448	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	91.6#	862
</									

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- D** Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



High-Pressure Laminate Gallery Panels

End of Run Single-Sided-Left



High-Pressure Laminate Gallery Panels

End of Run Single-Sided-Left

				MODEL NUMBER					
MODEL				Basic Model	Trim Color	Surface Finish	Edge Color	Approx. Packaged Weight	Delivered Pricing
	End of Run-Left 56" High	24-1/4	27-3/4x56"	UGHESVL2456	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	54.7#	\$ 638
	• For installation on left side of workstation, perpendicular to panel run	30-1/4	33-3/4x56"	UGHESVL3056	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	65.1#	702
	• Balanced high-pressure laminate and particleboard construction with continuous polypropylene edge band	36-1/4	39-3/4x56"	UGHESVL3656	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	75.5#	853
	• Exposed width is size-matched to nominal panel width	42-1/4	45-3/4x56"	UGHESVL4256	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	85.9#	869
	• Includes adjustable glides and all attachment hardware	48-1/4	51-3/4x56"	UGHESVL4856	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	96.3#	963
	• Vertical grain direction	54-1/4	57-3/4x56"	UGHESVL5456	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	106.7#	980
UGPH									
	End of Run-Left 64" High	24-1/4	27-3/4x64"	UGHESVL2464	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	62.4#	\$ 721
		30-1/4	33-3/4x64"	UGHESVL3064	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	74.3#	794
		36-1/4	39-3/4x64"	UGHESVL3664	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	86.2#	961
		42-1/4	45-3/4x64"	UGHESVL4264	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	98.0#	978
		48-1/4	51-3/4x64"	UGHESVL4864	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	109.9#	1107
		54-1/4	57-3/4x64"	UGHESVL5464	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	121.8#	1123
UGPH									
				A	B	C	D		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

• The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- D** Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

High-Pressure Laminate Gallery Panels

End of Run Single-Sided-Right



High-Pressure Laminate Gallery Panels

End of Run Single-Sided-Right

	MODEL	Exposed Width/Side	W x H	MODEL NUMBER				Approx. Packaged Weight	Delivered Pricing
				Basic Model	Trim Color	Surface Finish	Edge Color		
	End of Run-Right 32" High	24-1/4	27-3/4x32"	UGHESVR2432	☐	☐	☐	31.6#	\$ 437
	• For installation on right side of workstation, perpendicular to panel run	30-1/4	33-3/4x32"	UGHESVR3032	☐	☐	☐	37.5#	480
	• Balanced high-pressure laminate and particleboard construction with continuous polypropylene edge band	36-1/4	39-3/4x32"	UGHESVR3632	☐	☐	☐	43.5#	573
	• Exposed width is size-matched to nominal panel width	42-1/4	45-3/4x32"	UGHESVR4232	☐	☐	☐	49.4#	589
	• Includes adjustable glides and all attachment hardware	48-1/4	51-3/4x32"	UGHESVR4832	☐	☐	☐	55.4#	652
	• Vertical grain direction	54-1/4	57-3/4x32"	UGHESVR5432	☐	☐	☐	61.4#	668
UGPH									
	End of Run-Right 40" High	24-1/4	27-3/4x40"	UGHESVR2440	☐	☐	☐	39.3#	\$ 535
		30-1/4	33-3/4x40"	UGHESVR3040	☐	☐	☐	46.7#	587
		36-1/4	39-3/4x40"	UGHESVR3640	☐	☐	☐	54.2#	679
		42-1/4	45-3/4x40"	UGHESVR4240	☐	☐	☐	61.6#	695
		48-1/4	51-3/4x40"	UGHESVR4840	☐	☐	☐	69.0#	812
		54-1/4	57-3/4x40"	UGHESVR5440	☐	☐	☐	76.5#	828
UGPH									
	End of Run-Right 48" High	24-1/4	27-3/4x48"	UGHESVR2448	☐	☐	☐	47.0#	\$ 612
		30-1/4	33-3/4x48"	UGHESVR3048	☐	☐	☐	55.9#	675
		36-1/4	39-3/4x48"	UGHESVR3648	☐	☐	☐	64.8#	826
		42-1/4	45-3/4x48"	UGHESVR4248	☐	☐	☐	73.7#	842
		48-1/4	51-3/4x48"	UGHESVR4848	☐	☐	☐	82.6#	847
		54-1/4	57-3/4x48"	UGHESVR5448	☐	☐	☐	91.6#	862
UGPH									

A **B** **C** **D**

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- D** Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

High-Pressure Laminate Gallery Panels

End of Run Single-Sided-Right



High-Pressure Laminate Gallery Panels

End of Run Single-Sided-Right

	MODEL	Exposed Width/Side	W x H	MODEL NUMBER				Approx. Packaged Weight	Delivered Pricing
				Basic Model	Trim Color	Surface Finish	Edge Color		
	End of Run-Right 56" High	24-1/4	27-3/4x56"	UGHESVR2456	☐	☐	☐	54.7#	\$ 638
	• For installation on right side of workstation, perpendicular to panel run	30-1/4	33-3/4x56"	UGHESVR3056	☐	☐	☐	65.1#	702
	• Balanced high-pressure laminate and particleboard construction with continuous polypropylene edge band	36-1/4	39-3/4x56"	UGHESVR3656	☐	☐	☐	75.5#	853
	• Exposed width is size-matched to nominal panel width	42-1/4	45-3/4x56"	UGHESVR4256	☐	☐	☐	85.9#	889
	• Includes adjustable glides and all attachment hardware	48-1/4	51-3/4x56"	UGHESVR4856	☐	☐	☐	96.3#	963
	• Vertical grain direction	54-1/4	57-3/4x56"	UGHESVR5456	☐	☐	☐	106.7#	980
UGPH	End of Run-Right 64" High	24-1/4	27-3/4x64"	UGHESVR2464	☐	☐	☐	62.4#	\$ 721
		30-1/4	33-3/4x64"	UGHESVR3064	☐	☐	☐	74.3#	794
		36-1/4	39-3/4x64"	UGHESVR3664	☐	☐	☐	86.2#	961
		42-1/4	45-3/4x64"	UGHESVR4264	☐	☐	☐	98.0#	978
		48-1/4	51-3/4x64"	UGHESVR4864	☐	☐	☐	109.9#	1107
		54-1/4	57-3/4x64"	UGHESVR5464	☐	☐	☐	121.8#	1123
UGPH									
				A	B	C	D		

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- D** Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


High-Pressure Laminate Gallery Panels

Divider



High-Pressure Laminate Gallery Panels

Divider

	MODEL	Exposed Width/Side	W x H	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
				Basic Model	Surface Finish	Edge Color		
 UGPH	Divider 32" High • For perpendicular installation at UGDPD intersection post conditions only, specified separately; may be installed on either or both sides of panel run • Balanced high-pressure laminate and particleboard construction with continuous polypropylene edge band • Exposed width is size-matched to nominal panel width • Includes adjustable glides and all attachment hardware • Vertical grain direction	24-1/4	25-1/4x32"	UGHDSV2432	☐	☐	24.6#	\$ 397
		30-1/4	31-1/4x32"	UGHDSV3032	☐	☐	30.5#	441
		36-1/4	37-1/4x32"	UGHDSV3632	☐	☐	36.4#	534
		42-1/4	43-1/4x32"	UGHDSV4232	☐	☐	42.3#	550
		48-1/4	49-1/4x32"	UGHDSV4832	☐	☐	48.1#	623
		54-1/4	55-1/4x32"	UGHDSV5432	☐	☐	54.0#	637
 UGPH	Divider 40" High	24-1/4	25-1/4x40"	UGHDSV2440	☐	☐	30.8#	\$ 483
		30-1/4	31-1/4x40"	UGHDSV3040	☐	☐	38.2#	537
		36-1/4	37-1/4x40"	UGHDSV3640	☐	☐	45.5#	628
		42-1/4	43-1/4x40"	UGHDSV4240	☐	☐	52.9#	645
		48-1/4	49-1/4x40"	UGHDSV4840	☐	☐	60.2#	777
		54-1/4	55-1/4x40"	UGHDSV5440	☐	☐	67.6#	794
 UGPH	Divider 48" High	24-1/4	25-1/4x48"	UGHDSV2448	☐	☐	37.0#	\$ 508
		30-1/4	31-1/4x48"	UGHDSV3048	☐	☐	45.8#	561
		36-1/4	37-1/4x48"	UGHDSV3648	☐	☐	54.6#	652
		42-1/4	43-1/4x48"	UGHDSV4248	☐	☐	63.4#	669
		48-1/4	49-1/4x48"	UGHDSV4848	☐	☐	72.3#	801
		54-1/4	55-1/4x48"	UGHDSV5448	☐	☐	81.1#	816

A B C

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- C** Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	Exposed Width/Side	W x H	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
				Basic Model	Surface Finish	Edge Color		
 UGPH	Divider 56" High - For perpendicular installation at UGPDP intersection post conditions only, specified separately; may be installed on either or both sides of panel run - Balanced high-pressure laminate and particleboard construction with continuous polypropylene edge band - Exposed width is size-matched to nominal panel width - Includes adjustable glides and all attachment hardware - Vertical grain direction	24-1/4	25-1/4x56"	UGHDSV2456	☐ ☐ ☐	☐ ☐ ☐	43.1#	\$ 575
		30-1/4	31-1/4x56"	UGHDSV3056	☐ ☐ ☐	☐ ☐ ☐	53.4#	637
		36-1/4	37-1/4x56"	UGHDSV3656	☐ ☐ ☐	☐ ☐ ☐	63.7#	789
		42-1/4	43-1/4x56"	UGHDSV4256	☐ ☐ ☐	☐ ☐ ☐	74.0#	804
		48-1/4	49-1/4x56"	UGHDSV4856	☐ ☐ ☐	☐ ☐ ☐	84.3#	914
		54-1/4	55-1/4x56"	UGHDSV5456	☐ ☐ ☐	☐ ☐ ☐	94.6#	931
 UGPH	Divider 64" High	24-1/4	25-1/4x64"	UGHDSV2464	☐ ☐ ☐	☐ ☐ ☐	49.3#	\$ 642
		30-1/4	31-1/4x64"	UGHDSV3064	☐ ☐ ☐	☐ ☐ ☐	61.1#	714
		36-1/4	37-1/4x64"	UGHDSV3664	☐ ☐ ☐	☐ ☐ ☐	72.8#	883
		42-1/4	43-1/4x64"	UGHDSV4264	☐ ☐ ☐	☐ ☐ ☐	84.6#	900
		48-1/4	49-1/4x64"	UGHDSV4864	☐ ☐ ☐	☐ ☐ ☐	96.4#	1027
		54-1/4	55-1/4x64"	UGHDSV5464	☐ ☐ ☐	☐ ☐ ☐	108.2#	1043
				A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- C** Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



Thermally-Fused Laminate Gallery Panels

End of Run Dual-Sided, Single-piece Construction



Thermally-Fused Laminate Gallery Panels

End of Run Dual-Sided, Single-piece Construction

	MODEL	Exposed Width/Side	W x H	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
				Basic Model	Trim Color	Surface Finish		
 UGPT	End of Run Dual-Sided 29" High	24-1/4	52x29-1/4"	UGTEDH4829	☐ ☐ ☐	☐ ☐ ☐	47.7#	\$ 554
	• For installation at end of run "T" conditions only	30-1/4	64x29-1/4"	UGTEDH6029	☐ ☐ ☐	☐ ☐ ☐	57.9#	628
	• Balanced single-piece thermally-fused laminate and particleboard construction with continuous matching polypropylene edge band	36-1/4	76x29-1/4"	UGTEDH7229	☐ ☐ ☐	☐ ☐ ☐	68.1#	734
	• Overall width spans nominal exposed panel widths from both sides and panel thickness							
	• Includes adjustable glides and all attachment hardware							
	• Horizontal grain direction							
	• Edge will match TFL surface finish							
 UGPT	End of Run Dual-Sided 48" High	24-1/4	52x48"	UGTEDH4848	☐ ☐ ☐	☐ ☐ ☐	79.1#	\$ 749
		30-1/4	64x48"	UGTEDH6048	☐ ☐ ☐	☐ ☐ ☐	98.1#	853
		36-1/4	76x48"	UGTEDH7248	☐ ☐ ☐	☐ ☐ ☐	113.1#	996
				A	B	C		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select surface finish.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



UGPT

Specifications and prices are subject to change without prior notice.


Thermally-Fused Laminate Gallery Panels

End of Run Single-Sided



Thermally-Fused Laminate Gallery Panels

End of Run Single-Sided

				MODEL NUMBER				
MODEL				Basic Model	Trim Color	Surface Finish	Approx. Packaged Weight	Delivered Pricing
 UGPT	End of Run Single-Sided-Left	48-1/4	51-3/4x29-1/4"	UGTESHL4829	☐ ☐ ☐	☐ ☐ ☐	47.6#	\$ 554
	• For installation on left side of workstation, perpendicular to panel run	60-1/4	63-3/4x29-1/4"	UGTESHL6029	☐ ☐ ☐	☐ ☐ ☐	57.8#	628
	• 29" nominal height extends extends 1/4" above worksurface	72-1/4	75-3/4x29-1/4"	UGTESHL7229	☐ ☐ ☐	☐ ☐ ☐	67.9#	735
	• Balanced thermally-fused laminate and particleboard construction, with matching continuous polypropylene edge band	48-1/4	51-3/4x48"	UGTESHL4848	☐ ☐ ☐	☐ ☐ ☐	79.0#	756
	• Exposed width is size-matched to nominal panel width	60-1/4	63-3/4x48"	UGTESHL6048	☐ ☐ ☐	☐ ☐ ☐	96.0#	858
	• Includes adjustable glides and all attachment hardware	72-1/4	75-3/4x48"	UGTESHL7248	☐ ☐ ☐	☐ ☐ ☐	113.0#	1002
	• Horizontal grain direction							
	• Edge will match TFL surface finish							
 UGPT	End of Run Single-Sided-Right	48-1/4	51-3/4x29-1/4"	UGTESHR4829	☐ ☐ ☐	☐ ☐ ☐	47.6#	\$ 554
	• For installation on right side of workstation, perpendicular to panel run	60-1/4	63-3/4x29-1/4"	UGTESHR6029	☐ ☐ ☐	☐ ☐ ☐	57.8#	628
	• 29" nominal height extends extends 1/4" above worksurface	72-1/4	75-3/4x29-1/4"	UGTESHR7229	☐ ☐ ☐	☐ ☐ ☐	67.9#	735
	• Balanced thermally-fused laminate and particleboard construction, with matching continuous polypropylene edge band	48-1/4	51-3/4x48"	UGTESHR4848	☐ ☐ ☐	☐ ☐ ☐	79.0#	756
	• Exposed width is size-matched to nominal panel width	60-1/4	63-3/4x48"	UGTESHR6048	☐ ☐ ☐	☐ ☐ ☐	96.0#	858
	• Includes adjustable glides and all attachment hardware	72-1/4	75-3/4x48"	UGTESHR7248	☐ ☐ ☐	☐ ☐ ☐	113.0#	1002
	• Horizontal grain direction							
	• Edge will match TFL surface finish							
				A	B	C		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select surface finish.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


Thermally-Fused Laminate Gallery Panels

Divider



Thermally-Fused Laminate Gallery Panels

Divider

	MODEL	Exposed Width/Side	W x H	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
				Basic Model	Surface Finish		
	Gallery Panel Divider	48-1/4	49-1/4x29-1/4"	UGTDSH4829	☐ ☐ ☐	47.7#	\$ 507
	• For perpendicular installation at UGPDP intersection post conditions only, specified separately; may be installed on right or left of a workstation, on either or both sides of a Unite panel run	60-1/4	61-1/4x29-1/4"	UGTDSH6029	☐ ☐ ☐	57.9#	586
	• Balanced thermally-fused laminate and particleboard construction, with continuous polypropylene edge band	72-1/4	73-1/4x29-1/4"	UGTDSH7229	☐ ☐ ☐	68.1#	693
	• Includes adjustable glides and all attachment hardware	48-1/4	49-1/4x48-1/4"	UGTDSH4848	☐ ☐ ☐	79.1#	699
	• Horizontal grain direction	60-1/4	61-1/4x48-1/4"	UGTDSH6048	☐ ☐ ☐	96.1#	801
	• Edge will match TFL surface finish	72-1/4	73-1/4x48-1/4"	UGTDSH7248	☐ ☐ ☐	113.1#	945
				A	B		

UGPT

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select surface finish. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Gallery Panel Intersection Post and Cap

Divider and Worksurface Support Bracket



Gallery Panel Intersection Post and Cap

Divider and Worksurface Support Bracket

		MODEL NUMBER			
	MODEL	W x H	Basic Model	Trim Color	Delivered Pricing
	Divider Intersection Post	1-2/5x32"	UGPDP32	☐ ☐ ☐	\$ 120
	• For installation of Unite gallery divider panels along a Unite panel run	1-2/5x40"	UGPDP40	☐ ☐ ☐	150
	• Specify by Unite panel run height; one post per intersection accommodates one or two opposing divider panels	1-2/5x48"	UGPDP48	☐ ☐ ☐	161
		1-2/5x56"	UGPDP56	☐ ☐ ☐	206
	• 1-2/5" installed intersection width:	1-2/5x64"	UGPDP64	☐ ☐ ☐	231
	• Top cap specified separately	1-2/5x72"	UGPDP72	☐ ☐ ☐	237
		1-2/5x80"	UGPDP80	☐ ☐ ☐	242
	Stacking Divider Intersection Post	1-2/5x08"	UGPDPS8	☐ ☐ ☐	\$ 86
	• Retrofit Installation Only	1-2/5x16"	UGPDPS16	☐ ☐ ☐	101
	• Used between a pair of stacking sections that are later added to an existing panel configuration with existing Gallery Panel divider(s)	1-2/5x24"	UGPDPS24	☐ ☐ ☐	116
	• Does not require disassembly of existing panel configuration	1-2/5x32"	UGPDPS32	☐ ☐ ☐	146
	• No power pass through				
	In-line Divider Intersection Cap		UGDILC	☐ ☐ ☐	\$ 66
	• For use along a constant height Unite panel run that contains a divider gallery panel at an intersection. The in-line cap and required trim are 1-2/5" wide.				
	Worksurface Edge Support Bracket		UGWESB	☐ ☐ ☐	\$ 19
	• Attaches a worksurface to a gallery panel to provide additional worksurface support				
	• Attachment hardware included				
	• See planning guide for specification rules				

A

B

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Gallery Panel Trim
In-line Change-of-Height for Divider Panel



Gallery Panel Trim
In-line Change-of-Height for Divider Panel

		MODEL NUMBER					
		Basic Model	Trim Color	Approx. Packaged Weight			
MODEL		W x H			Delivered Pricing		
	Change-of-Height Trim for 29" Divider Panels - For use with divider gallery panels when there is a change of height between a 29"H gallery panel and the Unite panel run panel height - Trim inserts into the gallery panel divider post (UGPDF), specified separately - See planning guide for specification rules 1-2/5" installed width	3"	UGDILT03		0.1#	\$	29
		11"	UGDILT11		0.2#		32
		19"	UGDILT19		0.3#		35
		27"	UGDILT27		0.4#		40
		35"	UGDILT35		0.5#		45
		43"	UGDILT43		0.6#		52
		51"	UGDILT51		0.6#		69
	Change-of-Height Trim for Non-29" Divider Panels - For use with divider gallery panels when there is a change of height between all but 29" gallery panel heights and the Unite panel run - Not for use with 29" gallery panels - Trim inserts into the gallery panel divider post (UGPDF), specified separately - See planning guide for specification rules	8"	UGDILT08		0.1#	\$	31
		16"	UGDILT16		0.2#		35
		24"	UGDILT24		0.3#		40
	Change-of-Height or Full-Height Trim for Non-29" Divider Panels - For use with divider gallery panels when there is a change of height between all but 29" gallery panel heights and the Unite panel run, or for full height trim - Not for use with 29" gallery panels - Trim inserts into the gallery panel divider post (UGPDF), specified separately - See planning guide for specification rules	32"	UGDILT32		0.4#	\$	45
		40"	UGDILT40		0.5#		52
		48"	UGDILT48		0.6#		68
		56"	UGDILT56		0.6#		69
		64"	UGDILT64		0.7#		69
		72"	UGDILT72		0.8#		69
		80"	UGDILT80		0.9#		69

A

B

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
B Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down**, FOB Manitowoc, WI 54220, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Gallery Panel Trim

Dead-End Change-of-Height for Divider



Gallery Panel Trim

Dead-End Change-of-Height for Divider

	MODEL	W x H	MODEL NUMBER		Approx. Packaged Weight		Delivered Pricing
			Basic Model	Trim Color			
 UGT	Dead End Divider Panel Change-of-Height Trim	8"	UGDDET08	☐	1.2#		\$ 106
		16"	UGDDET16	☐	2.1#		111
	• For installation along a Unite panel run with a change of panel height and divider gallery panel at the same intersection	24"	UGDDET24	☐	2.8#		116
	• 1-2/5" installed width	32"	UGDDET32	☐	3.7#		124
	• See planning guide for specification rules	40"	UGDDET40	☐	4.5#		130
		48"	UGDDET48	☐	5.1#		132
			A	B			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Gallery Panel Trim

End of Run Change-of-Height



Gallery Panel Trim

End of Run Change-of-Height

		MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
		Basic Model	Trim Color		
	MODEL	W x H			
	End of Run Trim for 29\"H Gallery Panels • For use at the end of a Unite panel run with a change of height between a 29\"H gallery panel and Unite panel run panel height	2-17/20"	UGEORT03	☐ ☐ ☐	\$ 47
		10-17/20"	UGEORT11	☐ ☐ ☐	53
		18-17/20"	UGEORT19	☐ ☐ ☐	56
		26-17/20"	UGEORT27	☐ ☐ ☐	58
		34-17/20"	UGEORT35	☐ ☐ ☐	61
		42-17/20"	UGEORT43	☐ ☐ ☐	69
		50-17/20"	UGEORT51	☐ ☐ ☐	72
UGT					
	End of Run Trim for Non-29\"H Gallery Panels • For use with divider gallery panels when there is a change of height between all but 29\" gallery panel heights and the Unite panel run	7-1/2"	UGEORT08	☐ ☐ ☐	\$ 51
		15-1/2"	UGEORT16	☐ ☐ ☐	55
		23-1/2"	UGEORT24	☐ ☐ ☐	57
		31-1/2"	UGEORT32	☐ ☐ ☐	61
		39-1/2"	UGEORT40	☐ ☐ ☐	69
		47-1/2"	UGEORT48	☐ ☐ ☐	70
UGT					

A

B

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select trim color.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



Plan View of Rolling Door Applications



No Jamb Condition (URDNJ)



180° Inline Condition (URD180)




90° Intersection Condition (URD90)

Plan View of Rolling Door Applications



Dead End Condition (URDDE)



Double Dead End Condition (URDDDE)



Building Wall Condition (URDBW)

GENERAL INFORMATION

Unite Rolling Doors allow for simple privacy in workstation, and are offered with or without a jamb closure. Doors without a closing jamb simply over-lap the external corner of the closing panel intersection condition. Doors with jambs are shipped with a jamb post and a jamb rail (a receiver where the door can nest there by providing additional privacy).

Sizes

Rolling Doors are offered in the following sizes:
36" w X 64" h (monolithic door core)
36" w X 80" h (segmented door core)
42" w X 64" h (monolithic door core)
42" w X 80" h (segmented door core)
The width dimension provided indicates the nominal opening width that the door will span, and the actual door is oversized to allow for panel overlap. 64" high doors are constructed with a single aluminum frame. 80" high doors have a 16" high segmented top section to correspond to a 16" high Unite® stacking section.

Panel Attachment and Specification

The panel to which a Rolling Door is attached must be specified the same width or wider than the nominal Rolling Door model (i.e. 36" w door with 36" or wider attach panel). The "No Jamb" model (URDNJ) must be specified with a 6" or wider attaching panel (i.e. 36" w model with 42" w or wider attaching panel). This prevents the door from extending open into an adjacent walkway. This rule is not required if the attaching panel is a member of a panel run.

Door Height Options

80" high Rolling Doors feature a 16" segmented top frame. The top segment of the door is consistent with a 16" panel stacking section on the Unite® panel. 64" Rolling Door models are monolithic and do not feature any segmentation.

Cores

Rolling doors are available with two optional core inserts that are designated as "clear" and "opal". The insert material is the same and complements KI All Terrain® screens. The insert material is a horizontally fluted polycarbonate sheet. Both cores are semi-trans-

parent and provide basic privacy while allowing light to penetrate into the office space. The opal core is less transparent than the clear.

Handedness of Models

All Rolling Door models are "non-handed". Wheel assemblies are packaged separately from the door for unilateral application. Jamb post assemblies are reversible for right or left side assembly.

Planning Options

Rolling doors can be ordered after a job site has been installed (reconfiguration) or space planned in advance of job site installation. If planned in advance, standard Unite® intersections will be replaced with jamb post intersections. If a job site is reconfigured after installation, standard intersections must be removed and replaced with the appropriate jamb post assembly. The exception is with the "no-jamb" condition which does not require a closing jamb intersection.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



	MODEL	W x H	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
			Basic Model	Core Insert	Trim Color		
 URD	Rolling Door-No Jamb Condition	44-3/8 x 63-15/16"	URDNJ3664	☐	☐	20.0#	\$ 1830
	• Includes door and attachment post	44-3/8 x 79-15/16"	URDNJ3680	☐	☐	26.0#	2169
	• Door extends beyond opening and overlaps Unite® panel edge without jamb closure	50-3/8 x 63-15/16"	URDNJ4264	☐	☐	22.0#	1898
		50-3/8 x 79-15/16"	URDNJ4280	☐	☐	27.0#	2270
	• Door is non-handed and may be used in either right or left position						
	• 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64"						
	• Polycarbonate core inserts feature horizontal fluting pattern						
	• Non-locking						
	• Actual door dimension extends 8" beyond its nominal door opening width						
	• Panel to which door attaches must be at least 6" wider than nominal width of door; see Planning Guide for more details						
			A	B	C		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select core type (plastic fluted core insert).
- | | |
|-----------|---------------------------------------|
| CP | - Fluted Clear Plastic Core |
| OP | - Fluted Opal Plastic Core; add \$216 |
- C** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER					
		Basic Model	Core Insert	Trim Color	Approx. Packaged Weight	Delivered Pricing	
MODEL	W x H						
 URD	Rolling Door-180° Inline Condition	44-3/8 x 63-15/16"	URD1803664	☐	☐	34.0#	\$ 2372
	• Includes door, attachment post, and inline door jamb	44-3/8 x 79-15/16"	URD1803680	☐	☐	44.0#	2814
	• Door is non-handed and may be used in either right or left position	50-3/8 x 63-15/16"	URD1804264	☐	☐	36.0#	2440
	• 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64"	50-3/8 x 79-15/16"	URD1804280	☐	☐	45.0#	2916
	• Polycarbonate core inserts feature horizontal fluting pattern						
	• Non-locking						
	• Actual door dimension extends 10-3/4" beyond its nominal door opening width						
	• Panel to which door attaches must be the same width or wider than the nominal width of door, see Planning Guide for more details						
	• See General Information preceding these pages for all conditions in plan view						
 URD	Rolling Door-90° Intersection Condition	44-3/8 x 63-15/16"	URD903664	☐	☐	42.0#	\$ 2544
	• Includes door, attachment post, and 90° intersection trim with jamb	44-3/8 x 79-15/16"	URD903680	☐	☐	54.0#	2982
	• Door is non-handed and may be used in either right or left position	50-3/8 x 63-15/16"	URD904264	☐	☐	44.0#	2610
	• 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64"	50-3/8 x 79-15/16"	URD904280	☐	☐	55.0#	3086
	• Polycarbonate core inserts feature horizontal fluting pattern						
	• Non-locking						
	• Actual door dimension extends 10-3/4" beyond its nominal door opening width						
	• Panel to which door attaches must be the same width or wider than the nominal width of door, see Planning Guide for more details						
	• See General Information preceding these pages for all conditions in plan view						
		A	B	C			

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select core type (plastic fluted core insert).
- CP** ☐ - Fluted Clear Plastic Core.
- OP** ☐ - Fluted Opal Plastic Core; add \$216
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
MODEL	W x H	Basic Model	Core Insert	Trim Color		
 URD	Rolling Door-Dead End Condition	44-3/8 x 63-15/16"	URDDE3664	☐	43.0#	\$ 2509
	• Includes door, attachment post and 90° dead end jamb	44-3/8 x 79-15/16"	URDDE3680	☐	53.0#	2947
	• Door is non-handed and may be used in either right or left position	50-3/8 x 63-15/16"	URDDE4264	☐	45.0#	2576
	• 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64"	50-3/8 x 79-15/16"	URDDE4280	☐	54.0#	3051
	• Polycarbonate core inserts feature horizontal fluting pattern					
 URD	Rolling Door-Double Dead End Condition	44-3/8 x 63-15/16"	URDDDE3664	☐	65.0#	\$ 4508
	• Includes two doors, two attachment posts and double-sided center jamb post	44-3/8 x 79-15/16"	URDDDE3680	☐	83.0#	5321
	• 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64"	50-3/8 x 63-15/16"	URDDDE4264	☐	69.0#	4610
	• Polycarbonate core inserts feature horizontal fluting pattern	50-3/8 x 79-15/16"	URDDDE4280	☐	86.0#	5458
	• Non-locking					
			A	B	C	

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select core type (plastic fluted core insert).
- | | |
|----|---------------------------------------|
| CP | - Fluted Clear Plastic Core |
| OP | - Fluted Opal Plastic Core; add \$216 |
- C** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER					
MODEL	W x H	Basic Model	Core Insert	Trim Color	Approx. Packaged Weight	Delivered Pricing	
 URD	Rolling Door-Building Wall Condition	44-3/8 x 63-15/16"	URDBW3664	☐ ☐	☐ ☐	24.0#	\$ 2000
	• Includes door, attachment post and jamb rail	44-3/8 x 79-15/16"	URDBW3680	☐ ☐	☐ ☐	31.0#	2408
	• Jamb rail attaches to building wall	50-3/8 x 63-15/16"	URDBW4264	☐ ☐	☐ ☐	26.0#	2066
	• Door is non-handed and may be used in either right or left position	50-3/8 x 79-15/16"	URDBW4280	☐ ☐	☐ ☐	32.0#	2475
	• 64" models are monolithic; 80" models (shown at left) feature segmentation with trim at 64"						
	• Polycarbonate core inserts feature horizontal fluting pattern						
	• Non-locking						
	• Actual door dimension extends 10-3/4" beyond its nominal door opening width						
	• Panel to which door attaches must be the same width or wider than the nominal width of door, see Planning Guide for more details						
	• See General Information preceding these pages for all conditions in plan view						
		A	B	C			

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select core type (plastic fluted core insert).
- | | |
|----|---------------------------------------|
| CP | - Fluted Clear Plastic Core |
| OP | - Fluted Opal Plastic Core; add \$216 |
- C** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER					
	MODEL	L	Basic Model	Finish	Approx. Packaged Weight		Delivered Pricing
 HRDPT	Rolling Door-Threshold for use with Jamb Conditions	77-1/4"	URDT36	☐	5.0#	\$	274
		89-1/4"	URDT42	☐	5.0#		274
	• Thresholds are an accessory, designed as an option to assist door tracking.						
	• Non-handed threshold model are specified by nominal door opening.						
	• Thresholds extend across the door opening and in front of the attachment panel.						
	• Length listed reflects attached endcaps, and corresponds to roughly twice the width of the door opening.						
	• Threshold kits include two types of floor attachment - (1) adhesive back hook pads that are effective on a variety of carpets or (2) double back foam tape pads that are effective on hard floors or hard pile carpet.						
	• Includes two aluminum end caps.						
	• Thresholds are extruded aluminum with either black or clear silver anodize color option.						

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

B Select finish.
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information: N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	L	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model	Finish		
 HRDPT	Rolling Door-Threshold for use with No-Jamb Conditions • Thresholds are an accessory, designed as an option to assist door tracking • Non-handed threshold model are specified by nominal door opening for rolling door in “no jamb” conditions that require wider doors and longer thresholds • Thresholds extend across the door opening and in front of the attachment panel • Length listed reflects attached endcaps, and corresponds to roughly twice the width of the door opening • Threshold kits include two types of floor attachment - (1) adhesive back hook pads that are effective on a variety of carpets or (2) double back foam tape pads that are effective on hard floors or hard pile carpet • Includes two aluminum end caps • Thresholds are extruded aluminum with either black or clear silver anodize color option	83-1/4"	URDTNJ36	☐	5.0#	\$ 274
		95-1/4"	URDTKJ42	☐	5.0#	274
 HRDPT	Rolling Door-Continuous Threshold • Thresholds are an accessory, designed as an option to assist door tracking • Continuous Threshold models are designed to be installed end to end • Consult space plan for the required linear feet • Threshold kits include two types of floor attachment - (1) adhesive back hook pads that are effective on a variety of carpets or (2) double back foam tape pads that are effective on hard floors or hard pile carpet • Includes one threshold and one aluminum end cap. End caps are not required at joints so only one end cap is included per model • Threshold is extruded aluminum with either black or clear silver anodize color option	96-1/4"	URDTC	☐	5.0#	\$ 184

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select finish. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	PANEL WIDTH	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model			
 HRDPT	Rigid Wireway - 6 Circuit - Distributes 10-wire power and allows receptacle mounting - Non-directional - Wireway can be mounted inside the base raceway or at beltway behind tile - Accommodates two duplex receptacles per side; maximum of four per wireway - Receptacles are purchased separately - Beltway power requires UETBWM for mounting	24"	UET6WW.24		2.0#	\$ 129
		30"	UET6WW.30		2.0#	133
		36"	UET6WW.36		3.0#	139
		42"	UET6WW.42		3.0#	144
		48"	UET6WW.48		3.0#	151
		54"	UET6WW.54		4.0#	164
		60"	UET6WW.60		4.0#	164
		72"	UET6WW.72		4.0#	164
 HRDPT	Raceway Cable Trough - 6 Circuit Steel trough manages cords at raceway	24"	UETRT.24		0.9#	\$ 14
		30"	UETRT.30		1.1#	15
		36"	UETRT.36		1.3#	19
		42"	UETRT.42		1.4#	22
		48"	UETRT.48		1.6#	23
		54"	UETRT.54		1.8#	25
		60"	UETRT.60		2.0#	28
		72"	UETRT.72		2.3#	32
 HRDPT	Beltway-Height Harness Mounting Kit - 6 Circuit - Allows harness to mount at beltway height - Includes mounting brackets and hardware		UETBWM		1.3#	\$ 48
 HRDPT	Beltway Cable Trough - 6 Circuit - Steel trough manages cords at beltway - Requires UETBWM for mounting	24"	UETBT.24		0.6#	\$ 14
		30"	UETBT.30		0.8#	15
		36"	UETBT.36		0.9#	19
		42"	UETBT.42		1.1#	22
		48"	UETBT.48		1.3#	23
		54"	UETBT.54		1.5#	25
		60"	UETBT.60		1.6#	28
		72"	UETBT.72		1.9#	32

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER		
	MODEL	PANEL WIDTH	Basic Model	Approx. Packaged Weight	Delivered Pricing
 HRDPT	Harness/Power Pass Through - 6 Circuit • Distributes 10-wire power • Non-directional • Connects to adjacent rigid wireway or another harness/pass through • Receptacle access is not provided • Length is same as corresponding rigid wireway • Pass through requires panel-to-panel jumpers (ordered separately)	24"	UET6PP,24	1.0#	\$ 150
		30"	UET6PP,30	2.0#	157
		36"	UET6PP,36	2.0#	157
		42"	UET6PP,42	2.0#	157
		48"	UET6PP,48	2.0#	164
		54"	UET6PP,54	3.0#	164
		60"	UET6PP,60	3.0#	164
		72"	UET6PP,72	3.0#	164
 HRDPT	In-Line Panel Jumper - 6 Circuit • Used for in-line intersections • Non-directional	12" Length	UET6PJINL	1.0#	\$ 66
 HRDPT	Intersection Panel Jumper - 6 Circuit • Used for intersections • Non-directional	15-1/2" Length	UET6PJINT	1.0#	\$ 73

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	L	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model			
 HRDPT	Genius In-Line Panel Jumper - 6 Circuit • Used to connect Genius® (UL 183) to Unite (UL 1286) at in-line conditions • Jumper is non-directional; however electrical system must originate from Genius® wall and terminate in Unite® panel • Electrical system cannot alternate between Genius® and Unite® • Steel corrugated sheathing and steel shielded connectors	18-1/2" Length	SET6PJINL		1.0#	\$ 109
 HRDPT	Genius Intersection Panel Jumper - 6 Circuit • Used to connect Genius® (UL 183) to Unite (UL 1286) at 90 degree intersection conditions • Jumper is non-directional; however electrical system must originate from Genius® wall and terminate in Unite panel • Electrical system cannot alternate between Genius® and Unite • Steel corrugated sheathing and steel shielded connectors	17-1/2" Length	SET6PJINT		1.0#	\$ 109
 HRDPT	Vertical Jumper - 6 Circuit • Jumps power from base raceway to beltway • Non-directional	38-1/2" Length	UET6VJ		2.0#	\$ 114

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

HOW TO ORDER Indicate the following information on order form: 1. Quantity of each item. 2. Model number, including options. See "How To Build a Model Number". 3. Any special service required. Note: • The ☐ indicates that a choice is required. • The absence of the ☐ indicates that no choice is required. • Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.	HOW TO BUILD A MODEL NUMBER A Select basic model. B Select trim color. Refer to the Product Color Options page in this price list. Metallic finish not available.	SPECIAL SERVICES Special Carton Marking With specially marked information N/C Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70. Specifications and prices are subject to change without prior notice.
--	--	--



		MODEL NUMBER					
MODEL		Features	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing	
 HRDPT	15 Amp Duplex Receptacle for Beltway Use - 6 Circuit • Snaps to wireways of powered panels • Receptacle color is specified only for circuits 1,2 and 3 • 4I, 5I and 6I circuit receptacles are stamped with orange triangle • Bezel is pre-specified within beltway tile • For use at beltway only; raceway receptacles are listed separately	Circuit 1	UET68RC.1	☐	1.0#	\$	32
		Circuit 2	UET68RC.2	☐	1.0#		32
		Circuit 3	UET68RC.3	☐	1.0#		32
		Circuit 4	UET68RC.4I	☐	1.0#		32
		Circuit 5	UET68RC.5I	☐	1.0#		32
		Circuit 6	UET68RC.6I	☐	1.0#		32
 HRDPT	15 Amp Duplex Controlled Receptacle for Beltway Use - 6 Circuit • Marked receptacles are to be used with a customer supplied sensor or timer at the infeed to conserve energy • Not for use for continuous power draw applications • Snaps to wireways of powered panels • Bezel is pre-specified within beltway tile • For use at beltway only; raceway receptacles are listed separately	Circuit 1	UET68RC.1C	☐	1.0#	\$	32
		Circuit 2	UET68RC.2C	☐	1.0#		32
		Circuit 3	UET68RC.3C	☐	1.0#		32
 HRDPT	20 Amp Receptacle for Beltway Use - 6 Circuit • Snaps to wireways of powered panels • Receptacle includes one 20-amp simplex and one 15-amp simplex • 4I, 5I and 6I circuit receptacles are stamped with orange triangle • Bezel is pre-specified within beltway tile • For use at beltway only; raceway receptacles are listed separately	Circuit 1	UET6820R.1	☐	1.0#	\$	52
		Circuit 2	UET6820R.2	☐	1.0#		52
		Circuit 3	UET6820R.3	☐	1.0#		52
		Circuit 4	UET6820R.4I	☐	1.0#		52
		Circuit 5	UET6820R.5I	☐	1.0#		52
		Circuit 6	UET6820R.6I	☐	1.0#		52

A

B

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
MODEL		L	Basic Model	Trim Color	
	Base Infeed with Bezel for Raceway Base - 6 Circuit - Infeed is non-handed - Includes bezel with filler plate which can be removed to accept "modular furniture knockouts" for data plates - For use with standard or tile to floor bases only	72"	UET6RBFU	☐ ☐	Approx. Packaged Weight: 7.0#
					Delivered Pricing: \$ 204
HRDPT					
	Base Infeed for Elevated Base - 6 Circuit - Infeed is non-handed - For use with elevated base only - Infeed connects to rigid wireway at beltway	72"	UET6LBFU	☐ ☐	Approx. Packaged Weight: 7.0#
					Delivered Pricing: \$ 204
HRDPT					
			A	B	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	PANEL WIDTH	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
			Basic Model	Power Option	Trim Color		
 UETF	Top Feed with 7-Foot Pole and Top Cap - 6 Circuit	XX"	UETF0706	☐	☐	6.7#	\$ 191
		24"	UETF0724	☐	☐	7.3#	308
	• Topfeed must be specified by length of top cap	30"	UETF0730	☐	☐	7.4#	416
	• For use at top of panel only	36"	UETF0736	☐	☐	7.6#	418
	• When powered, infeed connects to either end of rigid wireway at base or beltway	42"	UETF0742	☐	☐	7.8#	427
		48"	UETF0748	☐	☐	8.0#	429
	• Does not occupy space for duplex receptacles	54"	UETF0754	☐	☐	8.2#	430
	• Includes aluminum topfeed power pole, ceiling trim, top cap, and infeed when powered	60"	UETF0760	☐	☐	8.4#	432
		72"	UETF0772	☐	☐	8.8#	458
	• Infeed length 144" adds 14lbs to ship weight						
	• UETFXX06.X.XX is only used in combination with Glass Divider Screens (UNGDS). Divider to be 6" undersized of nominal base panel.						
 UETF	Top Feed with 10-foot Pole and Top Cap - 6 Circuit	XX"	UETF1006	☐	☐	9.0#	\$ 240
		24"	UETF1024	☐	☐	9.6#	508
	• Topfeed must be specified by length of top cap	30"	UETF1030	☐	☐	9.8#	525
	• For use at top of panel only	36"	UETF1036	☐	☐	10.0#	529
	• When powered, infeed connects to either end of rigid wireway at base or beltway	42"	UETF1042	☐	☐	10.2#	542
		48"	UETF1048	☐	☐	10.4#	543
	• Does not occupy space for duplex receptacles	54"	UETF1054	☐	☐	10.6#	546
	• Includes aluminum topfeed power pole, ceiling trim, top cap, and infeed when powered	60"	UETF1060	☐	☐	10.8#	547
		72"	UETF1072	☐	☐	11.2#	571
	• Infeed length 216" adds 19lbs to ship weight						
	• UETFXX06.X.XX is only used in combination with Glass Divider Screens (UNGDS). Divider to be 6" undersized of nominal base panel.						
			A	B	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select power.
- | | |
|----------|--|
| N | - No power; for hardwire (Chicago) installations |
| 4 | - 442 power infeed; add \$204 |
| 6 | - 622 power infeed; add \$204 |
- Note: For Chicago and New York electrical requirements, contact your Customer Service Representative.
- C** Select trim color. Refer to the **Product Color Options** page in this price list. Metallic finish not available.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	PANEL WIDTH	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model			
 HRDPT	Rigid Wireway - 4 Circuit - Distributes 10-wire power and allows receptacle mounting - Non-directional - Wireway can be mounted inside the base raceway or at beltway behind tile - Accommodates two duplex receptacles per side. Maximum of four per wireway - Receptacles purchased separately - Beltway power requires UETBWM for mounting	24"	UET4WW.24		2.0#	\$ 129
		30"	UET4WW.30		2.0#	133
		36"	UET4WW.36		3.0#	139
		42"	UET4WW.42		3.0#	144
		48"	UET4WW.48		3.0#	151
		54"	UET4WW.54		3.0#	156
		60"	UET4WW.60		4.0#	158
		72"	UET4WW.72		4.0#	164
 HRDPT	Raceway Cable Trough - 4 Circuit Steel trough manages cords at raceway	24"	UETRT.24		0.9#	\$ 14
		30"	UETRT.30		1.1#	15
		36"	UETRT.36		1.3#	19
		42"	UETRT.42		1.4#	22
		48"	UETRT.48		1.6#	23
		54"	UETRT.54		1.8#	25
		60"	UETRT.60		2.0#	28
		72"	UETRT.72		2.3#	32
 HRDPT	Beltway-Height Harness Mounting Kit - 4 Circuit - Allows harness to mount at beltway height - Includes mounting brackets and hardware		UETBWM		1.3#	\$ 48
 HRDPT	Beltway Cable Trough - 4 Circuit - Steel trough manages cords at beltway - Requires UETBWM for mounting	24"	UETBT.24		0.6#	\$ 14
		30"	UETBT.30		0.8#	15
		36"	UETBT.36		0.9#	19
		42"	UETBT.42		1.1#	22
		48"	UETBT.48		1.3#	23
		54"	UETBT.54		1.5#	25
		60"	UETBT.60		1.6#	28
		72"	UETBT.72		1.9#	32

A

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	PANEL WIDTH	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model			
 HRDPT	Harness/Power Pass Through - 4 Circuit • Distributes 10-wire power • Non-directional • Connects to adjacent Rigid Wireway or another Harness/Pass Through • Receptacle access is not provided • Length is same as corresponding Rigid Wireway • Pass through requires panel-to-panel jumpers (ordered separately)	24"	UET4PP,24		1.0#	\$ 150
		30"	UET4PP,30		2.0#	157
		36"	UET4PP,36		2.0#	157
		42"	UET4PP,42		2.0#	157
		48"	UET4PP,48		2.0#	164
		54"	UET4PP,54		3.0#	164
		60"	UET4PP,60		3.0#	164
		72"	UET4PP,72		3.0#	164
 HRDPT	In-Line Panel Jumper - 4 Circuit • Used for in-line intersections • Non-directional	12" Length	UET4PJINL		1.0#	\$ 66
 HRDPT	Intersection Panel Jumper - 4 Circuit • Used for intersections • Non-directional	15-1/2" Length	UET4PJINT		1.0#	\$ 73
 HRDPT	Vertical Jumper - 4 Circuit • Jumps power from base raceway to beltway • Non-directional	38-1/2" Length	UET4VJ		2.0#	\$ 114

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking




With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	Features	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing	
			Basic Model	Trim Color			
 HRDPT	15-Amp Duplex Receptacle with Bezel for Raceway Use - 4 Circuit • Snaps to wireways of powered panels • Includes bezel with filler plate which can be removed to accept standard "modular furniture knockouts" or data plates • Receptacle color matches bezel color for circuits 1 and 2 • 3I and 4I circuit receptacles are stamped with orange triangle	Circuit 1	UET4RRC.1	☐	1.0#	\$ 39	
		Circuit 2	UET4RRC.2	☐	1.0#	39	
		Circuit 3	UET4RRC.3I	☐	1.0#	39	
		Circuit 4	UET4RRC.4I	☐	1.0#	39	
 HRDPT	15-Amp Duplex Controlled Receptacle with Bezel for Raceway Use - 4 Circuit • Marked receptacles are to be used with a customer supplied sensor or timer at the infeed to conserve energy • Not for use for continuous power draw applications • Snaps to wireways of powered panels • Includes bezel with filler plate which can be removed to accept standard "modular furniture knockouts" or data plates • Receptacle color matches bezel color	Circuit 1	UET4RRC.1C	☐	1.0#	\$ 39	
		Circuit 2	UET4RRC.2C	☐	1.0#	39	
 HRDPT	20-Amp Receptacle with Bezel for Raceway Use - 4 Circuit • Snaps to wireways of powered panels • Receptacle includes one 20 amp simplex and one 15 amp simplex • Occupies space of one duplex receptacle • Includes bezel with filler plate which can be removed to accept standard "modular furniture knockouts" or data plates • Receptacle color matches bezel color for circuits 1 and 2 • 4I circuit receptacles are stamped with orange triangle	Circuit 1	UET4R20R.1	☐	1.0#	\$ 55	
		Circuit 2	UET4R20R.2	☐	1.0#	55	
		Circuit 4	UET4R20R.4I	☐	1.0#	55	
			A	B			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER						
		Basic Model	Trim Color					
MODEL		Features			Approx. Packaged Weight	Delivered Pricing		
 HRDPT	15-Amp Duplex Receptacle for Beltway Use - 4 Circuit • Snaps to wireways of powered panels • Receptacle color is specified only for circuits 1 and 2 • 3l and 4l circuit receptacles are stamped with orange triangle • Bezel is pre-specified within beltway tile • For use at beltway only; raceway receptacles are listed separately	Circuit 1	UET4BRC.1	☐	1.0#	\$	32	
		Circuit 2	UET4BRC.2	☐	1.0#		32	
		Circuit 3	UET4BRC.3l	☐	1.0#		32	
		Circuit 4	UET4BRC.4l	☐	1.0#		32	
 HRDPT	15-Amp Duplex Controlled Receptacle for Beltway Use - 4 Circuit • Marked receptacles are to be used with a customer supplied sensor or timer at the infeed to conserve energy • Not for use for continuous power draw applications • Snaps to wireways of powered panels • Bezel is pre-specified within beltway tile • For use at beltway only; raceway receptacles are listed separately	Circuit 1	UET4BRC.1C	☐	1.0#	\$	32	
		Circuit 2	UET4BRC.2C	☐	1.0#		32	
 HRDPT	20-Amp Receptacle for Beltway Use - 4 Circuit • Snaps to wireways of powered panels • Receptacle includes one 20-amp simplex and one 15-amp simplex • 4l circuit receptacle is stamped with orange triangle • Bezel is pre-specified within beltway tile • For use at beltway only; raceway receptacles are listed separately	Circuit 1	UET4B20R.1	☐	1.0#	\$	52	
		Circuit 2	UET4B20R.2	☐	1.0#		52	
		Circuit 4	UET4B20R.4l	☐	1.0#		52	

A **B**

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER				
MODEL		L	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
	Base Infeed with Bezel for Raceway Base - 4 Circuit - Infeed is non-handed - Includes bezel with filler plate which can be removed to accept "modular furniture knockouts" for data plates - For use with standard or tile to floor bases only	72"	UET4RBFU	☐ ☐	7.0#	\$ 204
HRDPT						
	Base Infeed for Elevated Base - 4 Circuit - Infeed is non-handed - For use with elevated base only - Infeed connects to rigid wireway at beltway	72"	UET4LBFU	☐ ☐	7.0#	\$ 204
HRDPT						
			A	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	PANEL WIDTH	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
			Basic Model	Power Option	Trim Color		
 UETF	Top Feed with 7-Foot Pole and Top Cap - 4 Circuit	XX"	UETF0706	☐	☐	6.7#	\$ 191
		24"	UETF0724	☐	☐	7.3#	308
	• Topfeed must be specified by length of top cap	30"	UETF0730	☐	☐	7.4#	416
	• For use at top of panel only	36"	UETF0736	☐	☐	7.6#	418
	• When powered, infeed connects to either end of rigid wireway at base or beltway	42"	UETF0742	☐	☐	7.8#	427
		48"	UETF0748	☐	☐	8.0#	429
	• Does not occupy space for duplex receptacles	54"	UETF0754	☐	☐	8.2#	430
	• Includes aluminum topfeed power pole, ceiling trim, top cap, and infeed when powered	60"	UETF0760	☐	☐	8.4#	432
		72"	UETF0772	☐	☐	8.8#	458
	• Infeed length 144" adds 14lbs to ship weight						
	• UETFXX06.X.XX is only used in combination with Glass Divider Screens (UNGDS). Divider to be 6" undersized of nominal base panel.						
 UETF	Top Feed with 10-foot Pole and Top Cap - 4 Circuit	XX"	UETF1006	☐	☐	9.0#	\$ 240
		24"	UETF1024	☐	☐	9.6#	508
	• Topfeed must be specified by length of top cap	30"	UETF1030	☐	☐	9.8#	525
	• For use at top of panel only	36"	UETF1036	☐	☐	10.0#	529
	• When powered, infeed connects to either end of rigid wireway at base or beltway	42"	UETF1042	☐	☐	10.2#	542
		48"	UETF1048	☐	☐	10.4#	543
	• Does not occupy space for duplex receptacles	54"	UETF1054	☐	☐	10.6#	546
	• Includes aluminum topfeed power pole, ceiling trim, top cap, and infeed when powered	60"	UETF1060	☐	☐	10.8#	547
		72"	UETF1072	☐	☐	11.2#	571
	• Infeed length 216" adds 19lbs to ship weight						
	• UETFXX06.X.XX is only used in combination with Glass Divider Screens (UNGDS). Divider to be 6" undersized of nominal base panel.						
			A	B	C		

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select power.
- | | |
|----------|--|
| N | - No power; for hardwire (Chicago) installations |
| 4 | - 442 power infeed; add \$204 |
| 6 | - 622 power infeed; add \$204 |
- Note: For Chicago and New York electrical requirements, contact your Customer Service Representative.
- C** Select trim color. Refer to the **Product Color Options** page in this price list. Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	MODEL NUMBER				Approx. Packaged Weight	Delivered Pricing
		Basic Model	Power Option	Trim Color	Whip Color		
 UENY HRDPT	New York Base Infeed with Race Way Cover - City of New York approved power entry box with panel to panel jumper - Infeed must be specified by width of panel - Infeed comes with painted steel raceway cover with entry hole and grommet for inlet - Can be used at base level only 72" whip is color matched to trim - Entry box is mounted to bottom horizontal and inlet whip enters one side of the panel - Panel jumper is hard wired to infeed box and plugs into wireway of adjacent panel - Infeed compatible with the 10-Wire System "810". Specify either 6 or 4 circuit	UETNYBF24	☐	☐	☐	12.3#	\$ 584
		UETNYBF30	☐	☐	☐	12.6#	586
		UETNYBF36	☐	☐	☐	12.8#	590
		UETNYBF42	☐	☐	☐	13.6#	594
		UETNYBF48	☐	☐	☐	13.8#	596
		UETNYBF54	☐	☐	☐	0.0#	614
		UETNYBF60	☐	☐	☐	14.5#	601
		UETNYBF72	☐	☐	☐	15.0#	607
 UENY HRDPT	New York Power Top Feed with 7-foot Pole and Top Cap - Topfeed must be specified by length of top cap - For use at top of panel only - Infeed connects at base raceway - Includes aluminum topfeed power pole, ceiling trim and infeed 216" of conduit provided - Top feed compatible with the 10-Wire System "810". Specify either 6 or 4 circuit	UETNYTF0730	☐	☐		31.4#	\$ 790
		UETNYTF0736	☐	☐		31.6#	796
		UETNYTF0742	☐	☐		32.3#	805
		UETNYTF0748	☐	☐		32.5#	807
		UETNYTF0754	☐	☐		0.0#	831
		UETNYTF0760	☐	☐		33.1#	809
		UETNYTF0772	☐	☐		33.5#	829
 UENY HRDPT	New York Power Top Feed with 10-foot Pole and Top Cap - Topfeed must be specified by length of top cap - For use at top of panel only - Infeed connects at base raceway - Includes aluminum topfeed power pole, ceiling trim and infeed 216" of conduit provided - Top feed compatible with the 10-Wire System "810". Specify either 6 or 4 circuit	UETNYTF1030	☐	☐		33.8#	\$ 828
		UETNYTF1036	☐	☐		34.0#	831
		UETNYTF1042	☐	☐		34.7#	836
		UETNYTF1048	☐	☐		34.9#	848
		UETNYTF1054	☐	☐		0.0#	872
		UETNYTF1060	☐	☐		35.5#	850
		UETNYTF1072	☐	☐		35.9#	875

A

B

C

D

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select power.
- | | |
|---|-------------|
| 4 | - 4 Circuit |
| 6 | - 6 Circuit |
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- D** Select whip color.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Worksurfaces
Rectangular

Worksurfaces
Rectangular

		MODEL NUMBER									
MODEL		A x B	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight		
										74P Edge (74P)	Knife Edge (KN)
 UWR	Rectangular Worksurfaces - 18" D • Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" • 60" and larger worksurfaces are reinforced • Grommet locations are shown	18 x 24"	UWR1824						17.0#	\$ 238	\$ 275
		18 x 30"	UWR1830						20.0#	266	300
		18 x 36"	UWR1836						24.0#	285	326
		18 x 42"	UWR1842						27.0#	334	381
		18 x 48"	UWR1848						30.0#	359	411
		18 x 54"	UWR1854						33.0#	375	428
		18 x 60"	UWR1860						38.0#	388	448
		18 x 66"	UWR1866						41.0#	404	459
	18 x 72"	UWR1872						44.0#	411	468	
UWR	Rectangular Worksurfaces - 22" D • 22" deep worksurfaces optimize alignment with U Series 22" storage elements • Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" • 60" and larger worksurfaces are reinforced • Grommet locations are shown	22 x 24"	UWR2224						20.0#	\$ 242	\$ 279
		22 x 30"	UWR2230						24.0#	271	307
		22 x 36"	UWR2236						28.0#	295	336
		22 x 42"	UWR2242						32.0#	348	397
		22 x 48"	UWR2248						36.0#	375	428
		22 x 54"	UWR2254						39.0#	397	453
		22 x 60"	UWR2260						45.0#	413	469
		22 x 66"	UWR2266						49.0#	425	483
		22 x 72"	UWR2272						53.0#	430	494
		22 x 84"	UWR2284						60.0#	461	527
	22 x 96"	UWR2296						68.0#	479	546	
UWR	Rectangular Worksurfaces - 24" D • Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" • 60" and larger worksurfaces are reinforced • Grommet locations are shown	24 x 24"	UWR2424						21.0#	\$ 242	\$ 279
		24 x 30"	UWR2430						26.0#	271	307
		24 x 36"	UWR2436						30.0#	295	336
		24 x 42"	UWR2442						34.0#	348	397
		24 x 48"	UWR2448						38.0#	375	428
		24 x 54"	UWR2454						43.0#	397	453
		24 x 60"	UWR2460						48.0#	413	469
		24 x 66"	UWR2466						53.0#	425	483
		24 x 72"	UWR2472						57.0#	430	494
		24 x 84"	UWR2484						65.0#	461	527
		24 x 96"	UWR2496						74.0#	479	546
					A	B	C	D	E	F	

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
KN - Knife edge
- C** Select grommet location.
N - Grommet: No grommet
L - Grommet: Left; add \$31
C - Grommet: Center; add \$31
R - Grommet: Right; add \$31
LR - Grommet: Left/right; add \$62
LC - Grommet: Left/center; add \$62
CR - Grommet: Center/right; add \$62
LCR - Grommet: Left/center/right; add \$91
- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
- F** Select grommet color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER						Approx. Packaged Weight		
MODEL	A x B	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color			
 UWR Rectangular Worksurfaces - 30" D • Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" • 60" and larger worksurfaces are reinforced • Grommet locations are shown	30 x 24	UWR3024	☐	☐	☐	☐	☐	26.0#	\$ 271	\$ 307
	30 x 30	UWR3030	☐	☐	☐	☐	☐	31.0#	295	336
	30 x 36	UWR3036	☐	☐	☐	☐	☐	36.0#	322	367
	30 x 42	UWR3042	☐	☐	☐	☐	☐	41.0#	370	421
	30 x 48	UWR3048	☐	☐	☐	☐	☐	47.0#	404	459
	30 x 54	UWR3054	☐	☐	☐	☐	☐	52.0#	418	477
	30 x 60	UWR3060	☐	☐	☐	☐	☐	59.0#	431	495
	30 x 66	UWR3066	☐	☐	☐	☐	☐	64.0#	453	517
	30 x 72	UWR3072	☐	☐	☐	☐	☐	69.0#	459	524
	30 x 84	UWR3084	☐	☐	☐	☐	☐	80.0#	524	596
	30 x 96	UWR3096	☐	☐	☐	☐	☐	90.0#	547	623
		A	B	C	D	E	F			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.

74P - 74P edge

KN - Knife edge
- C** Select grommet location.

N - Grommet: No grommet

L - Grommet: Left; add \$31

C - Grommet: Center; add \$31

R - Grommet: Right; add \$31

LR - Grommet: Left/right; add \$62

LC - Grommet: Left/center; add \$62

CR - Grommet: Center/right; add \$62

LCR - Grommet: Left/center/right; add \$91
- D** Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.
- E** Select edge color.

Refer to the **Product Color Options** page in this price list.
- F** Select grommet color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select edge style.

74P	- 74P edge
KN	- Knife edge

C Select grommet location.

N	- Grommet : No grommet
C	- Grommet : Center; add \$31

D Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

E Select edge color.

Refer to the **Product Color Options** page in this price list.

F Select grommet color.

Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	A x B x C x D	MODEL NUMBER						Approx. Packaged Weight		
			Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color			
	Extended Corner - 22"	22 x 60 x 36 x 22	UWEC22603622	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	53.0#	\$ 804	\$ 917
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"	22 x 72 x 36 x 22	UWEC22723622	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	60.0#	925	1055
	• 60" and larger worksurfaces are reinforced										
	• Grommet locations are shown										
UWC											
UWC	Extended Corner - 24"	24 x 60 x 36 x 24	UWEC24603624	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	55.0#	\$ 804	\$ 917
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"	24 x 72 x 36 x 24	UWEC24723624	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	62.0#	925	1055
	• 60" and larger worksurfaces are reinforced										
	• Grommet locations are shown										

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select edge style.

C Select grommet location.

D Select surface finish.
- E** Select edge color.

F Select grommet color.
- Refer to the **Product Color Options** page in this price list.

Refer to the **Product Color Options** page in this price list.
- 74P** - 74P edge

KN - Knife edge

N - Grommet: No grommet

L - Grommet: Left; add \$31

C - Grommet: Center; add \$31

R - Grommet: Right; add \$31

LR - Grommet: Left/right; add \$62

LC - Grommet: Left /center; add \$62

CR - Grommet: Center/right; add \$62

LCR - Grommet: Left/center/right; add \$91

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

	MODEL	A x B x C x D	MODEL NUMBER						Approx. Packaged Weight		
			Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color			
	Extended Corner - 22" • Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" • 60" and larger worksurfaces are reinforced • Grommet locations are shown	22 x 36 x 60 x 22	UWEC22366022	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	53.0#		
		22 x 36 x 72 x 22	UWEC22367222	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	60.0#		
UWC											
UWC	Extended Corner - 24" • Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" • 60" and larger worksurfaces are reinforced • Grommet locations are shown	24 x 36 x 60 x 24	UWEC24366024	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	55.0#		
		24 x 36 x 72 x 24	UWEC24367224	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	62.0#		
			A	B	C	D	E	F			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select edge style.

74P - 74P edge
KN - Knife edge

C Select grommet location.

N - Grommet : No grommet
L - Grommet : Left; add \$31
C - Grommet : Center; add \$31
R - Grommet : Right; add \$31
LR - Grommet : Left/right; add \$62
LC - Grommet : Left /center; add \$62
CR - Grommet : Center/right; add \$62
LCR - Grommet : Left/center/right; add \$91

D Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.
- E** Select edge color.

Refer to the **Product Color Options** page in this price list.

F Select grommet color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	A x B x C x D	MODEL NUMBER						Approx. Packaged Weight		
			Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color			
	Extended Corner Reduction - 18" • Brackets and/or supports are specified separately, three required • 60" and larger worksurfaces are reinforced • Grommet locations are shown	18 x 36 x 60 x 22	UWEC18366022	☐	☐	☐	☐	☐	51.0#	\$ 804	\$ 917
		18 x 36 x 60 x 24	UWEC18366024	☐	☐	☐	☐	☐	53.0#	804	917
		18 x 36 x 72 x 22	UWEC18367222	☐	☐	☐	☐	☐	58.0#	925	1055
		18 x 36 x 72 x 24	UWEC18367224	☐	☐	☐	☐	☐	60.0#	925	1055
UWC											
UWC	Extended Corner Reduction - 22" • Brackets and/or supports are specified separately, three required • Grommet locations are shown	22 x 36 x 60 x 18	UWEC22366018	☐	☐	☐	☐	☐	51.0#	\$ 804	\$ 917
		22 x 36 x 60 x 24	UWEC22366024	☐	☐	☐	☐	☐	51.0#	804	917
		22 x 36 x 72 x 18	UWEC22367218	☐	☐	☐	☐	☐	58.0#	925	1055
		22 x 36 x 72 x 24	UWEC22367224	☐	☐	☐	☐	☐	53.0#	925	1055
UWC	Extended Corner Reduction - 24" • Brackets and/or supports are specified separately, three required • 60" and larger worksurfaces are reinforced • Grommet locations are shown	24 x 36 x 60 x 18	UWEC24366018	☐	☐	☐	☐	☐	53.0#	\$ 804	\$ 917
		24 x 36 x 60 x 22	UWEC24366022	☐	☐	☐	☐	☐	55.0#	804	917
		24 x 36 x 72 x 18	UWEC24367218	☐	☐	☐	☐	☐	60.0#	925	1055
		24 x 36 x 72 x 22	UWEC24367222	☐	☐	☐	☐	☐	62.0#	925	1055
			A	B	C	D	E	F			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select edge style.

74P - 74P edge
KN - Knife edge
- C** Select grommet location.

N - Grommet: No grommet
L - Grommet: Left; add \$31
C - Grommet: Center; add \$31
R - Grommet: Right; add \$31
LR - Grommet: Left/right; add \$62
LC - Grommet: Left /center; add \$62
CR - Grommet: Center/right; add \$62
LCR - Grommet: Left/center/right; add \$91
- D** Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.
- E** Select edge color.

Refer to the **Product Color Options** page in this price list.
- F** Select grommet color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER								
		Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color			
MODEL	A x B x C x D							Approx. Packaged Weight		
	Extended Corner Reduction - 18" • Brackets and/or supports are specified separately, three required • 60" and larger worksurfaces are reinforced • Grommet locations are shown	18 x 60 x 36 x 22	UWEC18603622	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	51.0#	\$ 804	\$ 917
		18 x 60 x 36 x 24	UWEC18603624	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	53.0#	804	917
		18 x 72 x 36 x 22	UWEC18723622	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#	925	1055
		18 x 72 x 36 x 24	UWEC18723624	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	60.0#	925	1055
UWC										
UWC	Extended Corner Reduction - 22" • Brackets and/or supports are specified separately, three required • Grommet locations are shown	22 x 60 x 36 x 18	UWEC22603618	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	51.0#	\$ 804	\$ 917
		22 x 60 x 36 x 24	UWEC22603624	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#	804	917
		22 x 72 x 36 x 18	UWEC22723618	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	58.0#	925	1055
		22 x 72 x 36 x 24	UWEC22723624	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	60.0#	925	1055
UWC	Extended Corner Reduction - 24" • Brackets and/or supports are specified separately, three required • 60" and larger worksurfaces are reinforced • Grommet locations are shown	24 x 60 x 36 x 18	UWEC24603618	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	53.0#	\$ 804	\$ 917
		24 x 60 x 36 x 22	UWEC24603622	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	55.0#	804	917
		24 x 72 x 36 x 18	UWEC24723618	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	60.0#	925	1055
		24 x 72 x 36 x 22	UWEC24723622	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	62.0#	925	1055
				A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.

☐ **74P** - 74P edge

☐ **KN** - Knife edge
- C** Select grommet location.

☐ **N** - Grommet: No grommet

☐ **L** - Grommet: Left; add \$31

☐ **C** - Grommet: Center; add \$31

☐ **R** - Grommet: Right; add \$31

☐ **LR** - Grommet: Left/right; add \$62

☐ **LC** - Grommet: Left /center; add \$62

☐ **CR** - Grommet: Center/right; add \$62

☐ **LCR** - Grommet: Left/center/right; add \$91
- D** Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.
- E** Select edge color.

Refer to the **Product Color Options** page in this price list.
- F** Select grommet color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	A x B	MODEL NUMBER						Approx. Packaged Weight		
			Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color			
 UWP	Conference End	24 x 51	UWCE2451	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	45.0#	\$ 397	\$ 453
	• Brackets and/or supports are specified separately; requires two brackets and two post legs or two worksurface support legs	30 x 63	UWCE3063	☐ ☐ ☐	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	70.0#	453	517
	• Grommet location is shown										
			A	B	C	D	E	F			

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- | | |
|-----|--------------|
| 74P | - 74P edge |
| KN | - Knife edge |
- C** Select grommet location.
- | | |
|---|------------------------------|
| N | - Grommet : No grommet |
| C | - Grommet : Center; add \$31 |
- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
- F** Select grommet color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Tapered

Worksurfaces

Tapered

			MODEL NUMBER												
	MODEL	A x B x C	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight			74P Edge (74P)		Knife Edge (KN)	
 UWT	Tapered - 22"	22 x 48 x 30	UWT224830	☐	☐	☐	☐	☐	39.0#			\$ 649		\$ 745	
	• Tapered worksurfaces allow user to face out of the workstation	22 x 60 x 30	UWT226030	☐	☐	☐	☐	☐	49.0#			708		812	
	• 22" tapered worksurfaces align with U-Series tower depths	22 x 72 x 30	UWT227230	☐	☐	☐	☐	☐	58.0#			771		881	
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"	30 x 48 x 22	UWT304822	☐	☐	☐	☐	☐	39.0#			649		745	
		30 x 60 x 22	UWT306022	☐	☐	☐	☐	☐	49.0#			708		812	
		30 x 72 x 22	UWT307222	☐	☐	☐	☐	☐	58.0#			771		881	
	• 60" and larger worksurfaces are reinforced														
UWT	Tapered - 24"	24 x 48 x 30	UWT244830	☐	☐	☐	☐	☐	41.0#			\$ 649		\$ 745	
	• Tapered worksurfaces allow user to face out of the workstation	24 x 60 x 30	UWT246030	☐	☐	☐	☐	☐	51.0#			708		812	
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"	24 x 72 x 30	UWT247230	☐	☐	☐	☐	☐	60.0#			771		881	
		30 x 48 x 24	UWT304824	☐	☐	☐	☐	☐	41.0#			649		745	
		30 x 60 x 24	UWT306024	☐	☐	☐	☐	☐	51.0#			708		812	
		30 x 72 x 24	UWT307224	☐	☐	☐	☐	☐	61.0#			771		881	
	• 60" and larger worksurfaces are reinforced														
			A	B	C	D	E	F							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select edge style

74P - 74P edge

KN - Knife edge
- C** Select grommet location.

N - Grommet : No grommet

L - Grommet : Left; add \$31

C - Grommet : Center; add \$31

R - Grommet : Right; add \$31

LR - Grommet : Left/right; add \$62

LC - Grommet : Left /center; add \$62

CR - Grommet : Center/right; add \$62

LCR - Grommet : Left/center/right; add \$91
- D** Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.
- E** Select edge color.

Refer to the **Product Color Options** page in this price list.
- F** Select grommet color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Peninsula



Worksurfaces

Peninsula

			MODEL NUMBER									
MODEL			A x B x C x D	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight	 74P Edge (74P)	 Knife Edge (KN)
 UWP	Peninsula - 22" D • Peninsula worksurfaces allow user to face out of the workstation • 22" worksurfaces align with U-Series tower depths • Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" • 60" and larger worksurfaces are reinforced • Grommet locations are shown	16 x 48 x 72 x 22	UWP16487222	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	71.0#	\$ 812	\$ 882	
		16 x 54 x 72 x 22	UWP16547222	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	74.0#	869	1009	
		16 x 60 x 72 x 22	UWP16607222	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	78.0#	897	1040	
UWP	Peninsula - 24" D • Peninsula worksurfaces allow user to face out of the workstation • 22" worksurfaces align with U-Series tower depths • Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72" • 60" and larger worksurfaces are reinforced • Grommet locations are shown	16 x 48 x 72 x 24	UWP16487224	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	75.0#	\$ 812	\$ 882	
		16 x 54 x 72 x 24	UWP16547224	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	78.0#	869	1009	
		16 x 60 x 72 x 24	UWP16607224	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐	82.0#	897	1040	
			A	B	C	D	E	F				

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select edge style.
74P - 74P edge
KN - Knife edge

C Select grommet location.
N - Grommet : No grommet
L - Grommet : Left; add \$31
C - Grommet : Center; add \$31
R - Grommet : Right; add \$31
LR - Grommet : Left/right; add \$62
LC - Grommet : Left /center; add \$62
CR - Grommet : Center/right; add \$62
LCR - Grommet : Left/center/right; add \$91

D Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.

F Select grommet color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Worksurfaces

Peninsula



Worksurfaces

Peninsula

			MODEL NUMBER									
MODEL			A x B x C x D	Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color	Approx. Packaged Weight	 74P Edge (74P)	 Knife Edge (KN)
 UWP	Peninsula - 22" D	22 x 72 x 48 x 16	UWP22724816	☐	☐	☐	☐	☐		71.0#	\$ 812	\$ 882
	• Peninsula worksurfaces allow user to face out of the workstation	22 x 72 x 54 x 16	UWP22725416	☐	☐	☐	☐	☐		74.0#	869	1009
	• 22" worksurfaces align with U-Series tower depths	22 x 72 x 60 x 16	UWP22726016	☐	☐	☐	☐	☐		78.0#	897	1040
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"											
	• 60" and larger worksurfaces are reinforced											
UWP	• Grommet locations are shown											
	Peninsula - 24" D	24 x 72 x 48 x 16	UWP24724816	☐	☐	☐	☐	☐		75.0#	\$ 812	\$ 882
	• Peninsula worksurfaces allow user to face out of the workstation	24 x 72 x 54 x 16	UWP24725416	☐	☐	☐	☐	☐		78.0#	869	1009
	• 22" worksurfaces align with U-Series tower depths	24 x 72 x 60 x 16	UWP24726016	☐	☐	☐	☐	☐		82.0#	897	1040
	• Brackets and/or supports are specified separately, two required for 24"-72" and three required for larger than 72"											
UWP	• 60" and larger worksurfaces are reinforced											
	• Grommet locations are shown											
				A	B	C	D	E	F			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select edge style.

74P - 74P edge
KN - Knife edge
- C** Select grommet location.

N - Grommet : No grommet
L - Grommet : Left; add \$31
C - Grommet : Center; add \$31
R - Grommet : Right; add \$31
LR - Grommet : Left/right; add \$62
LC - Grommet : Left /center; add \$62
CR - Grommet : Center/right; add \$62
LCR - Grommet : Left/center/right; add \$91
- D** Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.
- E** Select edge color.

Refer to the **Product Color Options** page in this price list.
- F** Select grommet color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

	MODEL	A x B x C x D	MODEL NUMBER						Approx. Packaged Weight	 74P Edge (74P)	 Knife Edge (KN)
			Basic Model	Edge Style	Grommet Location	Surface Finish	Edge Color	Grommet Color			
 UWC	120° End Corner/60° User Edge - 22" • Brackets and/or supports are specified separately, two required • Grommet locations are shown	22 x 36 x 36 x 22	UW12022363622	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	43.0#	\$ 922	\$ 1068
		22 x 42 x 42 x 22	UW12022424222	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	50.0#	1133	1317
		22 x 48 x 48 x 22	UW12022484822	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	58.0#	1211	1405
UWC	120° End Corner/60° User Edge - 24" • Brackets and/or supports are specified separately, two required • Grommet locations are shown	24 x 36 x 36 x 24	UW12024363624	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	45.0#	\$ 922	\$ 1068
		24 x 42 x 42 x 24	UW12024424224	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	54.0#	1133	1317
		24 x 48 x 48 x 24	UW12024484824	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	62.0#	1211	1405
			A	B	C	D	E	F			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select edge style.

74P - 74P edge
KN - Knife edge

C Select grommet location.

N - Grommet: No grommet
L - Grommet: Left; add \$31
C - Grommet: Center; add \$31
R - Grommet: Right; add \$31
LR - Grommet: Left/right; add \$62
LC - Grommet: Left /center; add \$62
CR - Grommet: Center/right; add \$62
LCR - Grommet: Left/center/right; add \$91

D Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.
- E** Select edge color.

Refer to the **Product Color Options** page in this price list.

F Select grommet color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select edge style.

74P	- 74P edge
KN	- Knife edge

C Select grommet location.

N	- Grommet : No grommet
L	- Grommet : Left; add \$31
C	- Grommet : Center; add \$31
R	- Grommet : Right; add \$31
LR	- Grommet : Left/right; add \$62
LC	- Grommet : Left /center; add \$62
CR	- Grommet : Center/right; add \$62
LCR	- Grommet : Left/center/right; add \$91

③ Select edge color.
Refer to the **Product Color Options** page in this price list.

F Select grommet color.
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER									

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
74P - 74P edge
KN - Knife edge
- C** Select grommet location.
N - No grommet
L - Grommet : Left; add \$31
R - Grommet : Right; add \$31
LR - Grommet : Left/right; add \$62
- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
- F** Select grommet color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking


With specially marked information

N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, freight prepaid, Freight class 70.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER								
		Basic Model	Notch Location	Edge Style	Surface Finish	Edge Color	Bracket Finish	Approx. Packaged Weight		
MODEL	D x W								74P Edge (74P)	Knife Edge (KN)
 Notch locations shown	Straight Countertops, Standard Height	16 x 24	UWTR1624	☐	☐	☐	☐	15.7#	\$ 398	\$ 453
	• Includes cantilever support brackets and locking clips to prevent dislodgement	16 x 30	UWTR1630	☐	☐	☐	☐	19.0#	426	492
	• Notch is required when transaction counter is adjacent to end of run trim for change of height conditions	16 x 36	UWTR1636	☐	☐	☐	☐	22.3#	468	543
	• Countertops accept task lights	16 x 42	UWTR1642	☐	☐	☐	☐	25.7#	508	594
	• Transaction counters add 1-1/4" to finished panel heights	16 x 48	UWTR1648	☐	☐	☐	☐	29.0#	534	625
		16 x 54	UWTR1654	☐	☐	☐	☐	32.3#	556	650
		16 x 60	UWTR1660	☐	☐	☐	☐	35.7#	642	734
		16 x 66	UWTR1666	☐	☐	☐	☐	39.0#	712	827
		16 x 72	UWTR1672	☐	☐	☐	☐	42.3#	811	925
		16 x 78	UWTR1678	☐	☐	☐	☐	45.7#	924	1085
		16 x 84	UWTR1684	☐	☐	☐	☐	50.2#	991	1154
UWTR										
 Notch locations shown	Corner Countertops, Standard Height	16 x 24	UWTRC1624	☐	☐	☐	☐	21.1#	\$ 932	\$ 1076
	• Includes cantilever support brackets and locking clips to prevent dislodgement	16 x 30	UWTRC1630	☐	☐	☐	☐	27.8#	1011	1176
	• Notch is required when transaction counter is adjacent to end of run trim for change of height conditions	16 x 36	UWTRC1636	☐	☐	☐	☐	34.4#	1060	1240
	• Countertops accept task lights									
	• Transaction counters add 1-1/4" to finished panel heights									
UWTR										
			A	B	C	D	E	F		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to the **Product Color Options** page in this price list.

- A** Select basic model.
☐ **NN** - Standard
☐ **LN** - Left; add \$52
☐ **RN** - Right; add \$52
☐ **LRN** - Both; add \$103
- C** Select edge style.
☐ **74P** - 74P edge
☐ **KN** - Knife edge
- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
- F** Select bracket finish.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

price list.

- A** Select basic model.
- B** Select notch location.

☐ **NN** - Standard

☐ **LN** - Left; add \$52

☐ **RN** - Right; add \$52

☐ **LRN** - Both; add \$103
- C** Select edge style.

☐ **74P** - 74P edge
- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
- F** Select bracket finish.
Refer to the **Product Color Options** page in this

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER										
MODEL		D x W	Basic Model	Edge Style	Frame Color	Insert Type	Insert Color	Surface Finish	Edge Color	Approx. Packaged Weight		
	Freestanding Tables - Open Leg	24 x 48"	UTBLO2448	☐	☐			☐	☐	51.0#	\$ 864	\$ 920
	• Table includes base support and work-surface	24 x 60"	UTBLO2460	☐	☐			☐	☐	62.0#	1000	1146
	• Knife edge is featured on all four sides when specified	24 x 72"	UTBLO2472	☐	☐			☐	☐	74.0#	1013	1216
	• Support gusset extends 1-1/2" below work-surface on all sides	30 x 48"	UTBLO3048	☐	☐			☐	☐	71.0#	974	1035
	• 29" high table provides 26-1/4" clearance under gusset	30 x 60"	UTBLO3060	☐	☐			☐	☐	73.0#	1110	1224
		30 x 72"	UTBLO3072	☐	☐			☐	☐	83.0#	1106	1376
	Freestanding Tables - With Insert	24 x 48"	UTBLI2448	☐	☐	PS	☐	☐	☐	86.0#	\$ 1343	\$ 1224
	• Table includes base support and work-surface	24 x 60"	UTBLI2460	☐	☐	PS	☐	☐	☐	97.0#	1420	1507
	• Knife edge is featured on all four sides when specified	24 x 72"	UTBLI2472	☐	☐	PS	☐	☐	☐	109.0#	1499	1504
	• Support gusset extends 1-1/2" below work-surface on all sides	30 x 48"	UTBLI3048	☐	☐	PS	☐	☐	☐	97.0#	1421	1377
	• 29" high table provides 26-1/4" clearance under gusset	30 x 60"	UTBLI3060	☐	☐	PS	☐	☐	☐	108.0#	1533	1637
		30 x 72"	UTBLI3072	☐	☐	PS	☐	☐	☐	118.0#	1613	1676
			A	B	C	D	E	F	G			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are avail-able.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
KN - Knife edge
- C** Select frame color.
Refer to the **Product Color Options** page in this price list.
- D** Select insert type.
PS - Perforated steel
- E** Select insert color.
Refer to the **Product Color Options** page in this price list.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

G Select edge color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
MODEL		Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
 Left HRDPT	Standard Cantilever Bracket • Either left or right handed	UCANTST,R	☐	2.5#	\$ 37
		UCANTST,L	☐	2.5#	37
 Left HRDPT	Design Bracket - Worksurface Support Bracket • For 18" deep worksurface support only; may not be used in conjunction with overheads	UCANTD12,R	☐	2.0#	\$ 73
		UCANTD12,L	☐	2.0#	73
		A	B		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	H	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
			Basic Model	Edge Style	Trim Color		
 Rigid Orientation	Worksurface Edge Support with Lock • Optional support tying worksurface edge in to adjacent panel frame		UWSES.R	☐	☐	1.0#	\$ 40
			UWSES.L	☐	☐	1.0#	40
HRDPT							
	Splice Plate • For use with 24" and 30" deep worksurfaces		USPLPL			0.5#	\$ 9
HRDPT							
	Splice Plate - 22" Worksurface • For use with 22" deep worksurfaces		USPLPL.22			2.4#	\$ 30
HRDPT							
	Add-on Peninsula Attachment Plate • For use only with 74P worksurfaces		UPENPL24			3.8#	\$ 26
			UPENPL30			4.6#	30
HRDPT							
	Height Change Filler Plate for In-Line • Use when adapting heights of in-line worksurface conditions • Specify by worksurface depth • Edge style refers to worksurface that support is being attached to • Filler plate is intended for use between 26" and 29" worksurface heights, resulting gap between surfaces is 1-7/8"	18"	UCFPI18	☐	☐	2.6#	\$ 47
		22"	UCFPI22	☐	☐	3.1#	51
		24"	UCFPI24	☐	☐	3.4#	51
		30"	UCFPI30	☐	☐	4.3#	54
UCFP							
	Height Change Filler Plate for Corner • Use when adapting heights of corner worksurface conditions • Specify by worksurface depth • Edge style refers to worksurface that support is being attached to • Filler plate is intended for use between 26" and 29" worksurface heights, resulting gap between surfaces is 1-7/8"	18"	UCFPC18	☐	☐	2.7#	\$ 47
		22"	UCFPC22	☐	☐	3.3#	51
		24"	UCFPC24	☐	☐	3.5#	51
		30"	UCFPC30	☐	☐	4.3#	54
UCFP							
			A	B	C		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- | | |
|-----|--------------|
| 74P | - 74P edge |
| KN | - Knife edge |
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Worksurface Support

Post Leg



Worksurface Support

Post Leg

	MODEL	H	MODEL NUMBER		Approx. Packaged Weight		Delivered Pricing
			Basic Model	Frame Color			
 HRDPT	Post Leg Assembly - 27-3/4" Height • Supports standard 29" height worksurfaces	27-3/4"	UPL29	☐ ☐	5.5#		\$ 73
 HRDPT	Post Leg Assembly - 24-3/4" Height • Supports 26" height worksurfaces	24-3/4"	UPL26	☐ ☐	5.0#		\$ 73

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Support Leg
Non-Panel Mounted, Open



Support Leg
Non-Panel Mounted, Open

		MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
MODEL	W x H	Basic Model	Edge Style	Frame Color		
	Open Leg - 27-3/4" Height - Does not allow for panel attachment - Supports standard 29" perpendicular worksurface - Specify width by worksurface depth - Edge style refers to worksurface that support is being attached to	18 x 27-3/4"	UPNL01829	☐ ☐ ☐	12.5#	\$ 235
		22 x 27-3/4"	UPNL02229	☐ ☐ ☐	13.8#	240
		24 x 27-3/4"	UPNL02429	☐ ☐ ☐	14.4#	248
		30 x 27-3/4"	UPNL03029	☐ ☐ ☐	16.2#	271
USL						
	Open Leg - 24-3/4" Height - Does not allow for panel attachment - Supports standard 26" perpendicular worksurface - Specify width by worksurface depth - Edge style refers to worksurface that support is being attached to	18 x 24-3/4"	UPNL01826	☐ ☐ ☐	12.0#	\$ 232
		22 x 24-3/4"	UPNL02226	☐ ☐ ☐	13.2#	237
		24 x 24-3/4"	UPNL02426	☐ ☐ ☐	13.9#	241
		30 x 24-3/4"	UPNL03026	☐ ☐ ☐	15.7#	267
USL						
		A	B	C		

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
- | | |
|-----|--------------|
| 74P | - 74P edge |
| KN | - Knife edge |
- C** Select frame color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER							
MODEL		W x H	Basic Model	Edge Style	Frame Color	Insert Type	Insert Color	Approx. Packaged Weight	Delivered Pricing
	Insert Leg - 27-3/4" Height	18 x 27-3/4"	UPNLI1829	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	16.1#	\$ 367
	• Does not allow for panel attachment	22 x 27-3/4"	UPNLI2229	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	18.3#	384
	• Supports standard 29" perpendicular worksurface	24 x 27-3/4"	UPNLI2429	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	19.4#	402
	• Features perforated steel insert	30 x 27-3/4"	UPNLI3029	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	22.4#	444
	• Specify width by worksurface depth								
	• Steel insert paint color is specified separately from frame color								
USL	• Edge style refers to worksurface that support is being attached to								
	Insert Leg - 24-3/4" Height	18 x 24-3/4"	UPNLI1826	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	15.3#	\$ 362
	• Does not allow for panel attachment	22 x 24-3/4"	UPNLI2226	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	17.4#	382
	• Supports 26" perpendicular worksurface	24 x 24-3/4"	UPNLI2426	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	18.4#	397
	• Features perforated steel insert	30 x 24-3/4"	UPNLI3026	☐ ☐ ☐	☐ ☐	PS	☐ ☐ ☐	21.3#	438
	• Specify width by worksurface depth								
	• Steel insert paint color is specified separately from frame color								
USL	• Edge style refers to worksurface that support is being attached to								
			A	B	C	D	E		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.

74P

- 74P edge

KN

- Knife edge
- C** Select frame color.

Refer to the **Product Color Options** page in this price list.

Metallic finish not available.
- D** Select insert type.

PS

- Perforated steel
- E** Select insert color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Support Leg
Panel Mounted, Open



Support Leg
Panel Mounted, Open

		MODEL NUMBER							
MODEL		W x H	Basic Model	Left or Right Side	Edge Style	Frame Color	Approx. Packaged Weight		Delivered Pricing
	Open Leg - 27-3/4\" Height • Features bracketry to attach to panel frame • Left orientation shown in image • Specify width by worksurface depth • Edge style refers to worksurface that support is being attached to	18 x 27-3/4\"	UPSLO1829	☐	☐ ☐ ☐	☐	13.1#	\$	240
		22 x 27-3/4\"	UPSLO2229	☐	☐ ☐ ☐	☐	14.4#		248
		24 x 27-3/4\"	UPSLO2429	☐	☐ ☐ ☐	☐	15.0#		253
		30 x 27-3/4\"	UPSLO3029	☐	☐ ☐ ☐	☐	16.9#		275
		48 x 27-3/4\"	UPSLO4829	☐	☐ ☐ ☐	☐	25.2#		410
		54 x 27-3/4\"	UPSLO5429	☐	☐ ☐ ☐	☐	27.1#		411
		60 x 27-3/4\"	UPSLO6029	☐	☐ ☐ ☐	☐	29.0#		421
		72 x 27-3/4\"	UPSLO7229	☐	☐ ☐ ☐	☐	32.9#		457
	Open Leg - 24-3/4\" Height • Features bracketry to attach to panel frame • Left orientation shown in image • Specify width by worksurface depth • Edge style refers to worksurface that support is being attached to	18 x 24-3/4\"	UPSLO1826	☐	☐ ☐ ☐	☐	12.5#	\$	237
		22 x 24-3/4\"	UPSLO2226	☐	☐ ☐ ☐	☐	13.8#		241
		24 x 24-3/4\"	UPSLO2426	☐	☐ ☐ ☐	☐	14.4#		250
		30 x 24-3/4\"	UPSLO3026	☐	☐ ☐ ☐	☐	16.3#		272
		48 x 24-3/4\"	UPSLO4826	☐	☐ ☐ ☐	☐	24.6#		407
		54 x 24-3/4\"	UPSLO5426	☐	☐ ☐ ☐	☐	25.2#		408
		60 x 24-3/4\"	UPSLO6026	☐	☐ ☐ ☐	☐	28.4#		418
		72 x 24-3/4\"	UPSLO7226	☐	☐ ☐ ☐	☐	32.3#		454
			A	B	C	D			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select orientation.
- ☐ L - Left
- ☐ R - Right
- C** Select edge style.
- ☐ 74P - 74P edge
- ☐ KN - Knife edge
- D** Select frame color.
- Refer to the **Product Color Options** page in this price list.
- Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

Support Leg
Panel Mounted, Insert



Support Leg
Panel Mounted, Insert

		MODEL NUMBER								
MODEL		W x H	Basic Model	Left or Right Side	Edge Style	Frame Color	Insert Type	Insert Color	Approx. Packaged Weight	Delivered Pricing
	Insert Leg - 27-3/4" Height • Features bracketry to attach to panel frame • Specify width by worksurface depth • Left orientation shown in image • Edge style refers to worksurface that support is being attached to	18 x 27-3/4"	UPSLI1829	☐	☐ ☐ ☐ ☐	☐	☐	☐ ☐ ☐ ☐	16.8#	\$ 372
		22 x 27-3/4"	UPSLI2229	☐	☐ ☐ ☐ ☐	☐	☐	☐ ☐ ☐ ☐	18.9#	388
		24 x 27-3/4"	UPSLI2429	☐	☐ ☐ ☐ ☐	☐	☐	☐ ☐ ☐ ☐	20.0#	407
		30 x 27-3/4"	UPSLI3029	☐	☐ ☐ ☐ ☐	☐	☐	☐ ☐ ☐ ☐	23.0#	450
		48 x 27-3/4"	UPSLI4829	☐	☐ ☐ ☐ ☐	☐	☐	☐ ☐ ☐ ☐	35.3#	761
		54 x 27-3/4"	UPSLI5429	☐	☐ ☐ ☐ ☐	☐	☐	☐ ☐ ☐ ☐	38.6#	777
		60 x 27-3/4"	UPSLI6029	☐	☐ ☐ ☐ ☐	☐	☐	☐ ☐ ☐ ☐	41.8#	800
		72 x 27-3/4"	UPSLI7229	☐	☐ ☐ ☐ ☐	☐	☐	☐ ☐ ☐ ☐	48.3#	875
	Insert Leg - 24-3/4" Height • Features bracketry to attach to panel frame • Specify width by worksurface depth • Left orientation shown in image • Edge style refers to worksurface that support is being attached to	18 x 24-3/4"	UPSLI1826	☐	☐ ☐ ☐ ☐	☐	☐	☐ ☐ ☐ ☐	15.8#	\$ 367
		22 x 24-3/4"	UPSLI2226	☐	☐ ☐ ☐ ☐	☐	☐	☐ ☐ ☐ ☐	17.9#	385
		24 x 24-3/4"	UPSLI2426	☐	☐ ☐ ☐ ☐	☐	☐	☐ ☐ ☐ ☐	19.0#	402
		30 x 24-3/4"	UPSLI3026	☐	☐ ☐ ☐ ☐	☐	☐	☐ ☐ ☐ ☐	21.9#	444
		48 x 24-3/4"	UPSLI4826	☐	☐ ☐ ☐ ☐	☐	☐	☐ ☐ ☐ ☐	33.8#	758
		54 x 24-3/4"	UPSLI5426	☐	☐ ☐ ☐ ☐	☐	☐	☐ ☐ ☐ ☐	35.6#	772
		60 x 24-3/4"	UPSLI6026	☐	☐ ☐ ☐ ☐	☐	☐	☐ ☐ ☐ ☐	40.0#	795
		72 x 24-3/4"	UPSLI7226	☐	☐ ☐ ☐ ☐	☐	☐	☐ ☐ ☐ ☐	46.2#	869
		A	B	C	D	E	F			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select orientation:

☐ L - Left

☐ R - Right
- C** Select edge style.

☐ 74P - 74P edge

☐ KN - Knife edge
- D** Select frame color.

Refer to the **Product Color Options** page in this price list.

Metallic finish not available.
- E** Select insert type.

☐ PS - Perforated steel
- F** Select insert color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER						
MODEL		W x H	Basic Model	Left or Right Side	Edge Style	Frame Color	Approx. Packaged Weight	Delivered Pricing
 USL	Center Leg (Open) - 27-3/4" Height	18 x 27-3/4"	UPSLC1829	☐	☐ ☐ ☐	☐	16.5#	\$ 281
	• Handedness of unit indicates placement of the visible portion of the locking plate	22 x 27-3/4"	UPSLC2229	☐	☐ ☐ ☐	☐	18.5#	287
	• Leg is non-handed. Leg is centered between joining worksurfaces. Right and Left selection indicate location of the locking bracket for preferred installation access. Teeth engage one vertical row of bracket slots and cover the adjacent row	24 x 27-3/4"	UPSLC2429	☐	☐ ☐ ☐	☐	19.4#	295
	• Attaches to panel frame to join two worksurfaces	30 x 27-3/4"	UPSLC3029	☐	☐ ☐ ☐	☐	22.2#	317
	• Specify width by worksurface depth							
	• Leg is non-handed, leg is centered between joining worksurfaces and connects to left hand panel slotting and also covers adjacent right hand slotting							
	• Edge style refers to worksurface that support is being attached to							
 USL	Center Leg (Open) - 24-3/4" Height	18 x 24-3/4"	UPSLC1826	☐	☐ ☐ ☐	☐	15.9#	\$ 276
	• Handedness of unit indicates placement of the visible portion of the locking plate	22 x 24-3/4"	UPSLC2226	☐	☐ ☐ ☐	☐	17.9#	283
	• Leg is non-handed. Leg is centered between joining worksurfaces. Right and Left selection indicate location of the locking bracket for preferred installation access. Teeth engage one vertical row of bracket slots and cover the adjacent row	24 x 24-3/4"	UPSLC2426	☐	☐ ☐ ☐	☐	18.8#	288
	• Attaches to panel frame to join two worksurfaces	30 x 24-3/4"	UPSLC3026	☐	☐ ☐ ☐	☐	21.6#	312
	• Specify width by worksurface depth							
	• Edge style refers to worksurface that support is being attached to							

A

B

C

D

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.

- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

A Select basic model.

B Select orientation.

L	- Left
R	- Right

C Select edge style.

74P	- 74P edge
KN	- Knife edge

D Select frame color.

Refer to the **Product Color Options** page in this price list.

Metallic finish not available.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL	W x H x D	MODEL NUMBER								Metallic Paint add to list price
				Basic Model	Assembly	Paint Color	Lock Option	Lock Color				
 PRDS	Steel Door Overhead Cabinet-On-Module - On-Module overheads (PM) mount into slots in vertical posts. Overheads must be the same width as panel mounted to - Allows for vertical adjustment in 1" increments - Includes mounting brackets - Steel bottom and top shelf, end panels and front with powder-coated finish - Accepts shelf divider - Door stores recessed with exposed plastic trim handle - Double bit lock is included - Shelf depth is 13-1/4"	24 x 16-1/2 x 14-1/2"	PRDS24/UN/PM	☐	☐	☐	☐	32.0#	\$ 597	\$ 102		
		30 x 16-1/2 x 14-1/2"	PRDS30/UN/PM	☐	☐	☐	☐	36.0#	658	111		
		36 x 16-1/2 x 14-1/2"	PRDS36/UN/PM	☐	☐	☐	☐	40.0#	667	112		
		42 x 16-1/2 x 14-1/2"	PRDS42/UN/PM	☐	☐	☐	☐	44.0#	713	123		
		48 x 16-1/2 x 14-1/2"	PRDS48/UN/PM	☐	☐	☐	☐	49.0#	754	130		
		54 x 16-1/2 x 14-1/2"	PRDS54/UN/PM	☐	☐	☐	☐	54.0#	849	135		
		60 x 16-1/2 x 14-1/2"	PRDS60/UN/PM	☐	☐	☐	☐	57.0#	920	158		
 PRDS	Steel Door Overhead Cabinet-Load Bar Mount - Load Bar mount overheads (LB) hang from an externally mounted load bar - Load Bar purchased separately - Includes mounting brackets - Steel bottom and top shelf, end panels and front with powder-coated finish - Accepts shelf divider - Door stores recessed with exposed plastic trim handle - Double bit lock is included - Shelf depth is 13-1/4"	24 x 16-1/2 x 14-1/2"	PRDS24/UN/LB	☐	☐	☐	☐	32.0#	\$ 708	\$ 102		
		30 x 16-1/2 x 14-1/2"	PRDS30/UN/LB	☐	☐	☐	☐	36.0#	761	111		
		36 x 16-1/2 x 14-1/2"	PRDS36/UN/LB	☐	☐	☐	☐	40.0#	771	112		
		42 x 16-1/2 x 14-1/2"	PRDS42/UN/LB	☐	☐	☐	☐	44.0#	819	123		
		48 x 16-1/2 x 14-1/2"	PRDS48/UN/LB	☐	☐	☐	☐	49.0#	862	130		
		54 x 16-1/2 x 14-1/2"	PRDS54/UN/LB	☐	☐	☐	☐	54.0#	954	135		
		60 x 16-1/2 x 14-1/2"	PRDS60/UN/LB	☐	☐	☐	☐	57.0#	1030	158		
 PRDS	Steel Door Overhead Cabinet-Upmount - On a 48" panel, clearance between the Universal overhead and 29" high worksurface is 18.85" - On a 56" panel, clearance between the Universal overhead and 29" high worksurface is 26.85" - Includes mounting brackets - Steel bottom and top shelf, end panels and front with powder-coated finish - Accepts shelf divider - Door stores recessed with exposed plastic trim handle - Double bit lock is included - Shelf depth is 13-1/4"	24 x 16-1/2 x 14-1/2"	PRDS24/UN/UM	☐	☐	☐	☐	32.0#	\$ 761	\$ 102		
		30 x 16-1/2 x 14-1/2"	PRDS30/UN/UM	☐	☐	☐	☐	36.0#	820	111		
		36 x 16-1/2 x 14-1/2"	PRDS36/UN/UM	☐	☐	☐	☐	40.0#	830	112		
		42 x 16-1/2 x 14-1/2"	PRDS42/UN/UM	☐	☐	☐	☐	44.0#	874	123		
		48 x 16-1/2 x 14-1/2"	PRDS48/UN/UM	☐	☐	☐	☐	49.0#	917	130		
		54 x 16-1/2 x 14-1/2"	PRDS54/UN/UM	☐	☐	☐	☐	54.0#	1016	135		
		60 x 16-1/2 x 14-1/2"	PRDS60/UN/UM	☐	☐	☐	☐	57.0#	1089	158		
			A	B	C	D	E					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select assembly.
- | | |
|----------|------------------------------|
| F | - Fully Assembled; add \$179 |
| U | - Unassembled |
- C** Select paint color.
- Refer to the **Product Color Options** page in this price list.
- D** Select lock option.
- | | |
|------------|----------------|
| KA | - Key alike |
| KS | - Key standard |
| NLC | - No lock core |
- E** Select lock color.
- Refer to the **Product Color Options** page in this price list.

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select assembly.
- | | |
|---|------------------------------|
| F | - Fully Assembled; add \$179 |
| U | - Unassembled |
- C** Select paint color.
Refer to the **Product Color Options** page in this price list.
- D** Select fabric color.
Refer to ki.com/fabrics
- E** Select lock option.
- | | |
|-----|----------------|
| KA | - Key alike |
| KS | - Key standard |
| NLC | - No lock core |
- F** Select lock color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	W x H x D	MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price
			Basic Model	Assembly	Paint Color	Laminate Color	Lock Option	Lock Color			
 PRDL	Laminate Door Overhead Cabinet-On-Module (PM) - On-Module overheads mount into slots in vertical posts. Overheads must be same width as panel mounted to. Allows for vertical adjustment in 1" increments - Includes mounting brackets - Steel bottom and top shelf, end panels and front with powder-coated finish - Accepts shelf divider - Door stores recessed with exposed plastic trim handle - Double bit lock is included - Shelf depth is 13-1/4"	24 x 16-1/2 x 14-1/2"	PRDL24/UN/PM	☐	☐	☐	☐	☐	32.0#	\$ 807	\$ 102
		30 x 16-1/2 x 14-1/2"	PRDL30/UN/PM	☐	☐	☐	☐	☐	36.0#	886	111
		36 x 16-1/2 x 14-1/2"	PRDL36/UN/PM	☐	☐	☐	☐	☐	40.0#	902	112
		42 x 16-1/2 x 14-1/2"	PRDL42/UN/PM	☐	☐	☐	☐	☐	44.0#	960	123
		48 x 16-1/2 x 14-1/2"	PRDL48/UN/PM	☐	☐	☐	☐	☐	48.0#	1020	130
		54 x 16-1/2 x 14-1/2"	PRDL54/UN/PM	☐	☐	☐	☐	☐	53.0#	1074	135
		60 x 16-1/2 x 14-1/2"	PRDL60/UN/PM	☐	☐	☐	☐	☐	57.0#	1250	158
 PRDL	Laminate Door Overhead Cabinet-Load Bar Mount (LB) - Load Bar mount overheads (LB) hang from an externally mounted load bar - Load Bar purchased separately - Includes mounting brackets - Steel bottom and top shelf, end panels and front with powder-coated finish - Accepts shelf divider - Door stores recessed with exposed plastic trim handle - Double bit lock is included - Shelf depth is 13-1/4"	24 x 16-1/2 x 14-1/2"	PRDL24/UN/LB	☐	☐	☐	☐	☐	32.0#	\$ 914	\$ 102
		30 x 16-1/2 x 14-1/2"	PRDL30/UN/LB	☐	☐	☐	☐	☐	36.0#	990	111
		36 x 16-1/2 x 14-1/2"	PRDL36/UN/LB	☐	☐	☐	☐	☐	40.0#	1012	112
		42 x 16-1/2 x 14-1/2"	PRDL42/UN/LB	☐	☐	☐	☐	☐	44.0#	1067	123
		48 x 16-1/2 x 14-1/2"	PRDL48/UN/LB	☐	☐	☐	☐	☐	48.0#	1127	130
		54 x 16-1/2 x 14-1/2"	PRDL54/UN/LB	☐	☐	☐	☐	☐	53.0#	1259	135
		60 x 16-1/2 x 14-1/2"	PRDL60/UN/LB	☐	☐	☐	☐	☐	57.0#	1353	158
 PRDL	Laminate Door Overhead Cabinet-Up-mount - On a 48" panel, clearance between the Universal overhead and 29" high worksurface is 18.85" - On a 56" panel, clearance between the Universal overhead and 29" high worksurface is 26.85" - Includes mounting brackets - Steel bottom and top shelf, end panels and front with powder-coated finish - Accepts shelf divider - Door stores recessed with exposed plastic trim handle - Double bit lock is included - Shelf depth is 13-1/4"	24 x 16-1/2 x 14-1/2"	PRDL24/UN/UM	☐	☐	☐	☐	☐	32.0#	\$ 971	\$ 102
		30 x 16-1/2 x 14-1/2"	PRDL30/UN/UM	☐	☐	☐	☐	☐	36.0#	1049	111
		36 x 16-1/2 x 14-1/2"	PRDL36/UN/UM	☐	☐	☐	☐	☐	40.0#	1064	112
		42 x 16-1/2 x 14-1/2"	PRDL42/UN/UM	☐	☐	☐	☐	☐	44.0#	1126	123
		48 x 16-1/2 x 14-1/2"	PRDL48/UN/UM	☐	☐	☐	☐	☐	48.0#	1183	130
		54 x 16-1/2 x 14-1/2"	PRDL54/UN/UM	☐	☐	☐	☐	☐	53.0#	1314	135
		60 x 16-1/2 x 14-1/2"	PRDL60/UN/UM	☐	☐	☐	☐	☐	57.0#	1412	158
			A	B	C	D	E	F			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select assembly.
- | | |
|----------|------------------------------|
| F | - Fully Assembled; add \$179 |
| U | - Unassembled |
- C** Select paint color.
Refer to the **Product Color Options** page in this price list.
- D** Select laminate color.
Refer to the **Product Color Options** page in this price list.
- E** Select lock option.
- | | |
|------------|----------------|
| KA | - Key aka |
| KS | - Key standard |
| NLC | - No lock core |
- F** Select lock color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



Universal Storage and Accessories

Overhead Storage



Universal Storage and Accessories

Overhead Storage

	MODEL	W x H x D	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price
			Basic Model	Paint Color			
 ULSR	Low Shelf-On-Module On-Module shelves (PM) mount into slots in vertical posts. Shelves must be same width as panel mounted to. Allows for vertical adjustment in 1" increments	24 x 10-1/2 x 13-1/4"	ULSR24/UN/PM	☐	14.0#	\$ 260	\$ 102
		30 x 10-1/2 x 13-1/4"	ULSR30/UN/PM	☐	16.0#	270	111
		36 x 10-1/2 x 13-1/4"	ULSR36/UN/PM	☐	17.0#	284	112
		42 x 10-1/2 x 13-1/4"	ULSR42/UN/PM	☐	19.0#	295	123
		48 x 10-1/2 x 13-1/4"	ULSR48/UN/PM	☐	20.0#	300	130
		54 x 10-1/2 x 13-1/4"	ULSR54/UN/PM	☐	22.0#	320	135
		60 x 10-1/2 x 13-1/4"	ULSR60/UN/PM	☐	24.0#	329	158
 ULSR	Low Shelf-Load Bar Mount - Load Bar mount overheads (LB) hang from an externally mounted load bar - Load Bar purchased separately	24 x 10-1/2 x 13-1/4"	ULSR24/UN/LB	☐	14.0#	\$ 365	\$ 102
		30 x 10-1/2 x 13-1/4"	ULSR30/UN/LB	☐	16.0#	377	111
		36 x 10-1/2 x 13-1/4"	ULSR36/UN/LB	☐	17.0#	389	112
		42 x 10-1/2 x 13-1/4"	ULSR42/UN/LB	☐	19.0#	402	123
		48 x 10-1/2 x 13-1/4"	ULSR48/UN/LB	☐	20.0#	406	130
		54 x 10-1/2 x 13-1/4"	ULSR54/UN/LB	☐	22.0#	433	135
		60 x 10-1/2 x 13-1/4"	ULSR60/UN/LB	☐	24.0#	435	158
 ULSR	Low Shelf-Upmount - On a 48" panel, clearance between the Universal overhead and 29" high worksurface is 18.85" - On a 56" panel, clearance between the Universal overhead and 29" high worksurface is 26.85"	24 x 10-1/2 x 13-1/4"	ULSR24/UN/UM	☐	14.0#	\$ 424	\$ 102
		30 x 10-1/2 x 13-1/4"	ULSR30/UN/UM	☐	16.0#	432	111
		36 x 10-1/2 x 13-1/4"	ULSR36/UN/UM	☐	17.0#	447	112
		42 x 10-1/2 x 13-1/4"	ULSR42/UN/UM	☐	19.0#	461	123
		48 x 10-1/2 x 13-1/4"	ULSR48/UN/UM	☐	20.0#	465	130
		54 x 10-1/2 x 13-1/4"	ULSR54/UN/UM	☐	22.0#	489	135
		60 x 10-1/2 x 13-1/4"	ULSR60/UN/UM	☐	24.0#	497	158
			A	B			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

Includes 10-1/2" high back
Accepts shelf dividers
Shelves shipped assembled

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


Universal Storage and Accessories

Overhead Storage



Universal Storage and Accessories

Overhead Storage

	MODEL	W x H x D	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price
			Basic Model	Paint Color			
 URSR	Regular Shelf-On-Module On-Module shelves mount into slots in vertical posts. Shelves must be same width as panel mounted to. Allows for vertical adjustment in 1" increments	24 x 16-1/2 x 13-1/4"	URSR24/UN/PM	☐	19.0#	\$ 280	\$ 102
		30 x 16-1/2 x 13-1/4"	URSR30/UN/PM	☐	20.0#	291	111
		36 x 16-1/2 x 13-1/4"	URSR36/UN/PM	☐	22.0#	300	112
		42 x 16-1/2 x 13-1/4"	URSR42/UN/PM	☐	23.0#	309	123
		48 x 16-1/2 x 13-1/4"	URSR48/UN/PM	☐	25.0#	323	130
		54 x 16-1/2 x 13-1/4"	URSR54/UN/PM	☐	27.0#	339	135
		60 x 16-1/2 x 13-1/4"	URSR60/UN/PM	☐	28.0#	350	158
 URSR	Regular Shelf-Load Bar Mount - Load Bar mount overheads (LB) hang from an externally mounted load bar - Load Bar purchased separately	24 x 16-1/2 x 13-1/4"	URSR24/UN/LB	☐	19.0#	\$ 386	\$ 102
		30 x 16-1/2 x 13-1/4"	URSR30/UN/LB	☐	20.0#	398	111
		36 x 16-1/2 x 13-1/4"	URSR36/UN/LB	☐	22.0#	406	112
		42 x 16-1/2 x 13-1/4"	URSR42/UN/LB	☐	23.0#	420	123
		48 x 16-1/2 x 13-1/4"	URSR48/UN/LB	☐	25.0#	428	130
		54 x 16-1/2 x 13-1/4"	URSR54/UN/LB	☐	27.0#	444	135
		60 x 16-1/2 x 13-1/4"	URSR60/UN/LB	☐	28.0#	458	158
 URSR	Regular Shelf-Upmount - On a 48" panel, clearance between the Universal overhead and 29" high worksurface is 18.85" - On a 56" panel, clearance between the Universal overhead and 29" high worksurface is 26.85"	24 x 16-1/2 x 13-1/4"	URSR24/UN/UM	☐	19.0#	\$ 442	\$ 102
		30 x 16-1/2 x 13-1/4"	URSR30/UN/UM	☐	20.0#	457	111
		36 x 16-1/2 x 13-1/4"	URSR36/UN/UM	☐	22.0#	465	112
		42 x 16-1/2 x 13-1/4"	URSR42/UN/UM	☐	23.0#	473	123
		48 x 16-1/2 x 13-1/4"	URSR48/UN/UM	☐	25.0#	485	130
		54 x 16-1/2 x 13-1/4"	URSR54/UN/UM	☐	27.0#	505	135
		60 x 16-1/2 x 13-1/4"	URSR60/UN/UM	☐	28.0#	513	158
			A	B			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color. Refer to the **Product Color Options** page in this price list.

INFORMATION

Includes full back
Accepts shelf dividers
Shelves shipped assembled

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.


Universal Storage and Accessories

Overhead Accessories



Universal Storage and Accessories

Overhead Accessories

	MODEL	Features	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model	Trim Color		
 HRDPT	Universal Overhead On-Module Mounting Bracket - Sold in pairs / Black only - Mounts into slots in vertical posts - Allows for vertical adjustments in 1" increments - Only necessary to order if changing mounting style		48.0261.SET		1.0#	\$ 52
 HRDPT	Load Bar Brackets - Load Bar mount overheads hang from an externally mounted load bar - Load Bar purchased separately, Sold in pairs		46.2103	☐	1.0#	\$ 158
 HRDPT	Upmount Brackets - On a 48" panel, clearance between the Universal overhead and 29" high worksurface is 18.85" - On a 56" panel, clearance between the Universal overhead and 29" high worksurface is 26.85" - Sold in pairs		46.2299	☐	1.0#	\$ 197
HRDPT	P-Series Keys - Double bit design - Range of 200 different core/key numbers available - Must specify lock number(s) requested when ordering cut key or lock core/key sets	Lock Core/2 Key Set - Satin Chrome	2.KP20522.SC		0.4#	\$ 15
		Lock Core/2 Key Set - Black	2.KP20522		0.4#	15
		Master Key	2.KP20550		0.2#	11
		Extractor Key	2.KP20551		0.2#	11
		Blank Key	2.KP20552		0.2#	3
		Cut Key	2.KP20557		0.2#	4

A

B

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

Universal Storage and Accessories

Overhead Accessories



Universal Storage and Accessories

Overhead Accessories

		MODEL NUMBER																
MODEL		W x H	Basic Model	Trim Color	Mounting	Fabric Color	Approx. Packaged Weight	Delivered Pricing		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2				
	Universal Shelf Dividers • Steel shelf dividers with powder-coated finish • Fits on all shelves and cabinets	7-1/4 x 11-1/2"	NSD	☐			1.0#	\$	35									
HRDPT																		
	Wall Mounted Load Bar • Supports overhead storage on drywall or other non-panel applications	24"	SWLB.24	☐			5.0#	\$	151									
		30"	SWLB.30	☐			6.0#		161									
		36"	SWLB.36	☐			7.0#		164									
		42"	SWLB.42	☐			8.0#		182									
		48"	SWLB.48	☐			10.0#		187									
		54"	SWLB.54	☐			13.0#		222									
		60"	SWLB.60	☐			12.0#		223									
		66"	SWLB.66	☐			13.0#		226									
		72"	SWLB.72	☐			14.0#		234									
		84"	SWLB.84	☐			17.0#		362									
HRDPT																		
		96"	SWLB.96	☐			19.0#		381									
	Overhead Taskboard • Hangs from bottom of overhead cabinet or shelf • Includes mounting brackets in black only	24 x 12"	PTB02412	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	3.0#	N/A	\$	184	\$	189	\$	192	\$	201	\$	212
		30 x 12"	PTB03012	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	3.0#	N/A		202		205		208		221		231
		36 x 12"	PTB03612	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	3.0#	N/A		223		228		230		236		250
		42 x 12"	PTB04212	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	4.0#	N/A		229		233		236		243		261
		48 x 12"	PTB04812	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	4.0#	N/A		232		236		239		250		265
		54 x 12"	PTB05412	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	4.0#	N/A		265		272		278		286		301
		60 x 12"	PTB06012	☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	4.0#	N/A		276		283		285		297		311
PTB0																		
			A	B	C	D												

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

• The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.
- C** Select mounting.
NLBM - Not load bar mounted
YLBM - Load bar mounted
- D** Select fabric color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	W	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model			
 HRDPT	Single Unit - Overhead LED Task Light	12"	LEDTK.12.SGL.GN		1.2#	\$ 147
	• Attaches to the bottom of overhead storage cabinets or shelving	17"	LEDTK.17.SGL.GN		1.6#	188
	• Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" at bottom of price list page for sizing chart.	31"	LEDTK.31.SGL.GN		2.1#	230
	• Slim profile mounts effortlessly via magnets or screw-in bracket	44"	LEDTK.44.SGL.GN		2.3#	264
	• Attachment hardware included					
 HRDPT	Starter Unit - Overhead LED Task Light	12"	LEDTK.12.DCP.GN		1.2#	\$ 192
	• Attaches to the bottom of overhead storage cabinets or shelving	17"	LEDTK.17.DCP.GN		1.6#	240
	• Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.	31"	LEDTK.31.DCP.GN		2.1#	283
	• Slim profile mounts effortlessly via magnets or screw-in bracket	44"	LEDTK.44.DCP.GN		2.3#	321
	• Attachment hardware included					

A

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

LED TASK LIGHT CABINET WIDTH	
Cabinet Width	Light Width
24"	12" or 17"
30"	17"
36"	17"
42"	31"
48"	31"
54"	44"
60"	44"
66"	44"
72"	44"

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS (DAISY CHAIN)

# of 12"	# of 17"	# of 31"	# of 44"
6	0	0	0
5	1	0	0
5	0	0	0
4	2	0	0
4	1	0	0
4	0	1	0
4	0	0	0
3	2	0	0
3	1	1	0
3	1	0	0
3	0	1	0
3	0	0	1
3	0	0	0
2	3	0	0
2	2	1	0
2	1	1	0
2	0	2	0
2	0	0	1

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS (cont.) (DAISY CHAIN)

# of 12"	# of 17"	# of 31"	# of 44"
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	W	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model			
 HRDPT	Adder Unit - Overhead LED Task Light	12"	LEDTK.12.DCA.GN		1.2#	\$ 95
	• Attaches to the bottom of overhead storage cabinets or shelving	17"	LEDTK.17.DCA.GN		1.6#	109
	• Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.	31"	LEDTK.31.DCA.GN		2.1#	152
	• Slim profile mounts effortlessly via magnets or screw-in bracket	44"	LEDTK.44.DCA.GN		2.3#	188
	• Attachment hardware included					
	• Touch and hold dimmability with last-state memory					
	• Silver anodized aluminum body/black plastic end caps					
	• Daisy chain with Starter units					
	• 18' jumper cord and connect to starter unit					
	• Includes 2 cord managers					
	• Does not include power supply; must purchase starter unit with power supply					
	• Controlled by the on/off/dimmer of the starter unit					
	• Refer to Interlinking Combination table below for optimal performance of daisy chained fixtures.					

A

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

LED TASK LIGHT CABINET WIDTH	
Cabinet Width	Light Width
24"	12" or 17"
30"	17"
36"	17"
42"	31"
48"	31"
54"	44"
60"	44"
66"	44"
72"	44"

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS (DAISY CHAIN)			
# of 12"	# of 17"	# of 31"	# of 44"
6	0	0	0
5	1	0	0
5	0	0	0
4	2	0	0
4	1	0	0
4	0	1	0
4	0	0	0
3	2	0	0
3	1	1	0
3	1	0	0
3	0	1	0
3	0	0	1
3	0	0	0
2	3	0	0
2	2	1	0
2	1	1	0
2	0	2	0
2	0	0	1

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS (cont.) (DAISY CHAIN)			
# of 12"	# of 17"	# of 31"	# of 44"
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, FOB Manitowoc, WI 54220, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER						
	MODEL	W x H x D	Basic Model	Cabinet Paint Color	Upper Door Solid Color	Lock Option	Lock Color	Approx. Packaged Weight	Delivered Pricing
 80H	Balance® Overhead Cabinet-Solid Color Upper Door-On Module (PM)	30 x 17 x 19-1/4"	BLCS30/UN/PM	☐	☐	☐	☐	46.0#	\$ 1243
		36 x 17 x 19-1/4"	BLCS36/UN/PM	☐	☐	☐	☐	52.0#	1323
	• Colored or translucent extruded polypropylene door	42 x 17 x 19-1/4"	BLCS42/UN/PM	☐	☐	☐	☐	58.0#	1393
	• On-Module overheads mount into slots in vertical posts. Overheads must be same width as panel mounted to. Allows for vertical adjustment in 1" increments	48 x 17 x 19-1/4"	BLCS48/UN/PM	☐	☐	☐	☐	64.0#	1441
		54 x 17 x 19-1/4"	BLCS54/UN/PM	☐	☐	☐	☐	72.0#	1523
		60 x 17 x 19-1/4"	BLCS60/UN/PM	☐	☐	☐	☐	78.0#	1606
 80H	Balance® Overhead Cabinet-Solid Color Upper Door-Load Bar Mount	30 x 17 x 19-1/4"	BLCS30/UN/LB	☐	☐	☐	☐	46.0#	\$ 1437
		36 x 17 x 19-1/4"	BLCS36/UN/LB	☐	☐	☐	☐	52.0#	1519
	• Colored or translucent extruded polypropylene door	42 x 17 x 19-1/4"	BLCS42/UN/LB	☐	☐	☐	☐	58.0#	1583
	• Load Bar Mount overheads hang from an externally mounted load bar	48 x 17 x 19-1/4"	BLCS48/UN/LB	☐	☐	☐	☐	64.0#	1632
		54 x 17 x 19-1/4"	BLCS54/UN/LB	☐	☐	☐	☐	72.0#	1714
	• Load Bar purchased separately	60 x 17 x 19-1/4"	BLCS60/UN/LB	☐	☐	☐	☐	78.0#	1798
 80H	Balance® Overhead Cabinet-Solid Color Upper Door-Upmount	30 x 17 x 19-1/4"	BLCS30/UN/UM	☐	☐	☐	☐	46.0#	\$ 1344
		36 x 17 x 19-1/4"	BLCS36/UN/UM	☐	☐	☐	☐	52.0#	1424
	• Colored or translucent extruded polypropylene door	42 x 17 x 19-1/4"	BLCS42/UN/UM	☐	☐	☐	☐	58.0#	1493
	• Upmount brackets raise the storage 12"	48 x 17 x 19-1/4"	BLCS48/UN/UM	☐	☐	☐	☐	64.0#	1541
	• On a 48" panel, clearance between the Balance overhead and 29" high worksurface is 18.85"	54 x 17 x 19-1/4"	BLCS54/UN/UM	☐	☐	☐	☐	72.0#	1615
	• On a 56" panel, clearance between the Balance overhead and 29" high worksurface is 26.85"	60 x 17 x 19-1/4"	BLCS60/UN/UM	☐	☐	☐	☐	78.0#	1710
			A	B	C	D	E		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select cabinet paint color.
Refer to the **Product Color Options** page in this price list.
- C** Select upper door color.
Refer to the **Product Color Options** page in this price list.
- D** Select lock option.
- | | |
|-----|----------------|
| KA | - Key alike |
| KS | - Key standard |
| NLC | - No lock core |
- E** Select lock color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

Painted cabinet and lower door
Shelf dividers available separately
Cabinet is fully assembled
Door stores above top of cabinet
Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.

Specifications and prices are subject to change without prior notice.



	MODEL	W x H x D	MODEL NUMBER					Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
			Basic Model	Cabinet Paint Color	Fabric Color	Lock Option	Lock Color						
 BOH	Balance® Overhead Cabinet-Fabric Upper Door-On-Module - On-Module overheads (PM) mount into slots in vertical posts - Overheads must be same width as panel mounted to - Allows for vertical adjustment in 1" increments.	30 x 17 x 19-1/4"	BLCF30/UN/PM	☐	☐	☐	☐	46.0#	\$ 1342	\$ 1354	\$ 1370	\$ 1370	\$ 1376
		36 x 17 x 19-1/4"	BLCF36/UN/PM	☐	☐	☐	☐	52.0#	1429	1442	1460	1460	1466
		42 x 17 x 19-1/4"	BLCF42/UN/PM	☐	☐	☐	☐	58.0#	1501	1518	1533	1533	1540
		48 x 17 x 19-1/4"	BLCF48/UN/PM	☐	☐	☐	☐	64.0#	1557	1570	1584	1584	1591
		54 x 17 x 19-1/4"	BLCF54/UN/PM	☐	☐	☐	☐	71.0#	1643	1655	1676	1676	1683
		60 x 17 x 19-1/4"	BLCF60/UN/PM	☐	☐	☐	☐	78.0#	1736	1750	1773	1773	1780
 BOH	Balance® Overhead Cabinet-Fabric Upper Door-Load Bar Mount - Load Bar Mount overheads (LB) hang from an externally mounted load bar - Load Bar purchased separately	30 x 17 x 19-1/4"	BLCF30/UN/LB	☐	☐	☐	☐	46.0#	\$ 1533	\$ 1545	\$ 1562	\$ 1562	\$ 1568
		36 x 17 x 19-1/4"	BLCF36/UN/LB	☐	☐	☐	☐	52.0#	1624	1634	1654	1654	1659
		42 x 17 x 19-1/4"	BLCF42/UN/LB	☐	☐	☐	☐	58.0#	1695	1710	1728	1728	1735
		48 x 17 x 19-1/4"	BLCF48/UN/LB	☐	☐	☐	☐	64.0#	1742	1757	1780	1780	1788
		54 x 17 x 19-1/4"	BLCF54/UN/LB	☐	☐	☐	☐	71.0#	1824	1836	1858	1858	1865
		60 x 17 x 19-1/4"	BLCF60/UN/LB	☐	☐	☐	☐	78.0#	1926	1941	1962	1962	1971
 BOH	Balance® Overhead Cabinet-Fabric Upper Door-Upmount - Upmount brackets raise the storage component 12" - On a 48" panel, clearance between the Balance overhead and 29" high worksurface is 18.85" - On a 56" panel, clearance between the Balance overhead and 29" high worksurface is 26.85"	30 x 17 x 19-1/4"	BLCF30/UN/UM	☐	☐	☐	☐	46.0#	\$ 1445	\$ 1455	\$ 1475	\$ 1475	\$ 1479
		36 x 17 x 19-1/4"	BLCF36/UN/UM	☐	☐	☐	☐	52.0#	1529	1542	1562	1562	1568
		42 x 17 x 19-1/4"	BLCF42/UN/UM	☐	☐	☐	☐	58.0#	1605	1617	1634	1634	1641
		48 x 17 x 19-1/4"	BLCF48/UN/UM	☐	☐	☐	☐	64.0#	1655	1671	1686	1686	1695
		54 x 17 x 19-1/4"	BLCF54/UN/UM	☐	☐	☐	☐	71.0#	1740	1753	1775	1775	1776
		60 x 17 x 19-1/4"	BLCF60/UN/UM	☐	☐	☐	☐	78.0#	1832	1852	1870	1870	1877
			A	B	C	D	E						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select cabinet paint color.
Refer to the **Product Color Options** page in this price list.
- C** Select upper door color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)
- D** Select lock option.
- | | |
|-----|----------------|
| KA | - Key alike |
| KS | - Key standard |
| NLC | - No lock core |
- E** Select lock color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

Painted cabinet and lower door
Shelf dividers available separately
Cabinet is fully assembled
Door stores above top of cabinet
Will accept hanging tool rail and tackboards
(Attachment bar ordered separately)

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER								
			Basic Model	Cabinet Paint Color	Laminate Color	Laminate Door Edge Color	Key Option	Lock Color			
MODEL			W x H x D							Approx. Packaged Weight	Delivered Pricing
 BOH	Balance® Overhead Cabinet-Laminate Upper Door-On-Module - On-Module overheads (PM) mount into slots in vertical posts. Overheads must be the same width as panel mounted to - Allows for vertical adjustment in 1" increments.	30 x 17 x 19-1/4"	BLCL30/UN/PM	☐	☐	☐	☐	☐	46.0#	\$ 1524	
		36 x 17 x 19-1/4"	BLCL36/UN/PM	☐	☐	☐	☐	☐	52.0#	1570	
		42 x 17 x 19-1/4"	BLCL42/UN/PM	☐	☐	☐	☐	☐	58.0#	1674	
		48 x 17 x 19-1/4"	BLCL48/UN/PM	☐	☐	☐	☐	☐	64.0#	1790	
		54 x 17 x 19-1/4"	BLCL54/UN/PM	☐	☐	☐	☐	☐	71.0#	1903	
		60 x 17 x 19-1/4"	BLCL60/UN/PM	☐	☐	☐	☐	☐	78.0#	2015	
 BOH	Balance® Overhead Cabinet-Laminate Upper Door-Load Bar Mount - Load Bar Mount overheads (LB) hang from an externally mounted load bar - Load Bar purchased separately.	30 x 17 x 19-1/4"	BLCL30/UN/LB	☐	☐	☐	☐	☐	46.0#	\$ 1716	
		36 x 17 x 19-1/4"	BLCL36/UN/LB	☐	☐	☐	☐	☐	52.0#	1757	
		42 x 17 x 19-1/4"	BLCL42/UN/LB	☐	☐	☐	☐	☐	58.0#	1865	
		48 x 17 x 19-1/4"	BLCL48/UN/LB	☐	☐	☐	☐	☐	64.0#	1981	
		54 x 17 x 19-1/4"	BLCL54/UN/LB	☐	☐	☐	☐	☐	71.0#	2103	
		60 x 17 x 19-1/4"	BLCL60/UN/LB	☐	☐	☐	☐	☐	78.0#	2209	
 BOH	Balance® Overhead Cabinet-Laminate Upper Door-Upmount - Upmount brackets raise the storage component 12" - On a 48" panel, clearance between the Balance overhead and 29" high work surface is 18.85" - On a 56" panel, clearance between the Balance overhead and 29" high work surface is 26.85"	30 x 17 x 19-1/4"	BLCL30/UN/UM	☐	☐	☐	☐	☐	46.0#	\$ 1628	
		36 x 17 x 19-1/4"	BLCL36/UN/UM	☐	☐	☐	☐	☐	52.0#	1672	
		42 x 17 x 19-1/4"	BLCL42/UN/UM	☐	☐	☐	☐	☐	58.0#	1777	
		48 x 17 x 19-1/4"	BLCL48/UN/UM	☐	☐	☐	☐	☐	64.0#	1890	
		54 x 17 x 19-1/4"	BLCL54/UN/UM	☐	☐	☐	☐	☐	71.0#	2045	
		60 x 17 x 19-1/4"	BLCL60/UN/UM	☐	☐	☐	☐	☐	78.0#	2118	
				A	B	C	D	E	F		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select cabinet paint color.
Refer to the **Product Color Options** page in this price list.
- C** Select upper door laminate color.
Refer to the **Product Color Options** page in this price list.
- D** Select laminate door edge color.
Refer to the **Product Color Options** page in this price list.
- E** Select lock option.
KA - Key aka
KS - Key standard
NLC - No lock core
- F** Select lock color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

Painted cabinet and lower door
Shelf dividers available separately
Cabinet is fully assembled
Door stores above top of cabinet
Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

FINISH INFORMATION

Additional Laminate Offering
Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern.
Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request.
Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.

Specifications and prices are subject to change without prior notice.



	MODEL	W	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model	Paint Color		
 BOA	Balance® Overhead On-Module Mounting Bracket • Sold in pairs • Mounts into slots in vertical posts • Black only		BOA/UN/PM		5.0#	\$ 210
 BOA	Load Bar Brackets • Load Bar mount overheads (LB) hang from an externally mounted load bar • Load Bar purchased separately • Sold in pairs		BOA/UN/LB	☐	5.0#	\$ 264
 BOA	Upmount Brackets • On a 48" panel, clearance between the Balance® overhead and 29" high work-surface is 18.85" • On a 56" panel, clearance between the Balance® overhead and 29" high work-surface is 26.85" • Sold in pairs		BOA/UN/UM	☐	5.0#	\$ 325
 HRDPT	Shelf Dividers • Steel shelf dividers with powder coat finish • Fits on all shelves and cabinets	7-1/4 x 11-1/2"	NSD	☐	1.0#	\$ 35
 HRDPT	Wall Mounted Load Bar	24"	SWLB.24	☐	5.0#	\$ 151
		30"	SWLB.30	☐	6.0#	161
		36"	SWLB.36	☐	7.0#	164
		42"	SWLB.42	☐	8.0#	182
		48"	SWLB.48	☐	10.0#	187
		54"	SWLB.54	☐	13.0#	222
		60"	SWLB.60	☐	12.0#	223
		66"	SWLB.66	☐	13.0#	226
		72"	SWLB.72	☐	14.0#	234
		84"	SWLB.84	☐	17.0#	362
		96"	SWLB.96	☐	19.0#	381

A B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	Features	W x H	MODEL NUMBER				Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
				Basic Model	Trim Color	Mounting	Fabric Color							
 PTB0	Overhead Tackboard - Hangs from bottom of flipper door cabinet or shelf - When hanging from Balance® overhead or U-Series™ sliding overhead, specify attachment bar BMB (purchase separately) and a /YLBM mounting option - Includes mounting brackets in black only		24 x 12"	PTB02412	☐	☐	☐	3.0#	N/A	\$ 184	\$ 189	\$ 192	\$ 201	\$ 212
			30 x 12"	PTB03012	☐	☐	☐	3.0#	N/A	202	205	208	221	231
			36 x 12"	PTB03612	☐	☐	☐	3.0#	N/A	223	228	230	236	250
			42 x 12"	PTB04212	☐	☐	☐	4.0#	N/A	229	233	236	243	261
			48 x 12"	PTB04812	☐	☐	☐	4.0#	N/A	232	236	239	250	265
			54 x 12"	PTB05412	☐	☐	☐	4.0#	N/A	265	272	278	286	301
			60 x 12"	PTB06012	☐	☐	☐	4.0#	N/A	276	283	285	297	311
			24 x 16"	PTB02416	☐	☐	☐	3.0#	N/A	264	271	276	284	301
			30 x 16"	PTB03016	☐	☐	☐	4.0#	N/A	272	280	285	293	315
			36 x 16"	PTB03616	☐	☐	☐	4.0#	N/A	279	285	291	300	322
			42 x 16"	PTB04216	☐	☐	☐	5.0#	N/A	284	291	297	306	325
			48 x 16"	PTB04816	☐	☐	☐	5.0#	N/A	297	306	311	322	344
			54 x 16"	PTB05416	☐	☐	☐	6.0#	N/A	309	321	325	335	357
			60 x 16"	PTB06016	☐	☐	☐	6.0#	N/A	324	331	340	350	376
 BOA	Tackboard/Tool Rail Attachment Bar - Attachment bracket that attaches to the bottom of a Balance® overhead or U-Series™ sliding overhead to accept overhead tackboard - Order same size as overhead cabinet 18-gauge steel - Black only		30"	BMB30	☐			3.0#	\$ 52					
			36"	BMB36	☐			3.0#	52					
			42"	BMB42	☐			3.0#	53					
			48"	BMB48	☐			4.0#	62					
			54"	BMB54	☐			4.0#	63					
			60"	BMB60	☐			4.0#	67					
HRDPT	P-Series Keys - Double bit design - Range of 200 different core/key numbers available - Must specify lock number(s) requested when ordering cut key or lock core/key sets	Lock Core/2 Key Set - Satin Chrome	2.KP20522.SC				0.4#	\$ 15						
		Lock Core/2 Key Set - Black	2.KP20522				0.4#	15						
		Master Key	2.KP20550				0.2#	11						
		Extractor Key	2.KP20551				0.2#	11						
		Blank Key	2.KP20552				0.2#	3						
		Cut Key	2.KP20557				0.2#	4						
				A	B	C	D							

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.
- C** Select mounting.
NLBM - Not load bar mounted
YLBM - Load bar mounted
- D** Select fabric color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid, Freight class 70.

Specifications and prices are subject to change without prior notice.

U-Series™ Pedestals

Mobile



U-Series™ Pedestals

Mobile

	MODEL	Features	W x D x H	MODEL NUMBER					Approx. Packaged Weight	Delivered Pricing	Whites & All Metallics Upcharge
				Basic Model	Unit Color	Lock Option	Lock Color	Pull Style			
 USLP	Pedestal - MBF • One 6" box drawer • One 12" file drawer • 5th wheel eliminates need for counter-balance weight • Optional dividers sold separately	Mobile	15 x 17-5/8" x 21-3/4"	ULP20MBF	☐	☐	☐	☐	38.0#	\$ 428	\$ 80
		Mobile	15 x 21-5/8" x 21-3/4"	ULP24MBF	☐	☐	☐	☐	42.0#	453	80
 USLP	Pedestal - BBF • Two 6" box drawers • One 12" file drawer • 5th wheel eliminates need for counter-balance weight • Optional dividers sold separately	Mobile	15 x 17-5/8" x 27-5/8"	ULP20MBBF	☐	☐	☐	☐	49.0#	\$ 512	\$ 80
		Mobile	15 x 21-5/8" x 27-5/8"	ULP24MBBF	☐	☐	☐	☐	51.0#	536	80
 USLP	Pedestal - FF • Two 12" file drawers • Counterbalance weight included • Optional dividers sold separately	Mobile	15 x 17-5/8" x 27-5/8"	ULP20MFF	☐	☐	☐	☐	79.0#	\$ 613	\$ 80
		Mobile	15 x 21-5/8" x 27-5/8"	ULP24MFF	☐	☐	☐	☐	71.0#	618	80
				A	B	C	D	E			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select unit and drawer color.
Refer to the **Product Color Options** page in this price list.
- C** Select lock option.

KS

- Key standard

NLC

- No lock core

KA

- Key alike
- D** Select lock color.
Refer to the **Product Color Options** page in this price list.
- E** Select pull style.

USP

- U-Series pull (standard)

CZP

- Connection Zone pull

INFORMATION

Height
Mobile pedestal include 2-5/16" allowance for casters.

Accessories
See accessory section for accessories that can be ordered separately.

Weights
Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid, Freight class 70.

Specifications and prices are subject to change without prior notice.

U-Series™ Pedestals

Freestanding



U-Series™ Pedestals

Freestanding

				MODEL NUMBER							
				Basic Model	Unit Color	Lock Option	Lock Color	Pull Style	Approx. Packaged Weight	Delivered Pricing	Whites & All Metallics Upcharge
	Pedestal - BBF • Features 2-5/8" non-adjustable glides • Two 6" box drawers • One 12" file drawer • Center caster eliminates need for counterbalance weight • Optional dividers sold separately	Freestanding	15 x 17-5/8" x 27-5/8"	ULP20FBBF	☐	☐	☐	☐	49.0#	\$ 545	\$ 80
		Freestanding	15 x 21-5/8" x 27-5/8"	ULP24FBBF	☐	☐	☐	☐	51.0#	579	80
USLP											
	Pedestal - FF • Features 2-5/8" non-adjustable glides • Two 12" file drawers • Counterbalance is included • Optional dividers sold separately	Freestanding	15 x 17-5/8" x 27-5/8"	ULP20FFF	☐	☐	☐	☐	79.0#	\$ 640	\$ 80
		Freestanding	15 x 21-5/8" x 27-5/8"	ULP24FFF	☐	☐	☐	☐	71.0#	649	80
USLP											
				A	B	C	D	E			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select unit and drawer color.
Refer to the **Product Color Options** page in this price list.
- C** Select lock option.

KS

- Key standard

NLC

- No lock core

KA

- Key alike
- D** Select lock color.
Refer to the **Product Color Options** page in this price list.
- E** Select pull style.

USP

- U-Series pull (standard)

CZP

- Connection Zone pull

INFORMATION

Height
All freestanding pedestals include 1/4" allowance for glides in recessed position.

Accessories
See accessory section for accessories that can be ordered separately.

Weights
Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid, Freight class 70.

Specifications and prices are subject to change without prior notice.

U-Series™ Pedestals
Worksurface Supporting



U-Series™ Pedestals
Worksurface Supporting

	Features	W x D x H	MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing	Counter- balance Weight add to list price	Whites & All Metallics Upcharge
			Basic Model	Unit Color	Bracket	Lock Option	Lock Color	Pull Style				
 USLP Pedestal - Box/Box/File • Two 6" box drawers • One 12" file drawer • Includes four leveling glides • Pedestal ships fully assembled • Bracket, if ordered, ships with unit • Optional dividers sold separately	Worksurface Supporting	15 x 17-5/8 x 27-7/8"	ULP20WB8F	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	47.0#	\$ 531	N/A	\$ 80
	Worksurface Supporting	15 x 21-5/8 x 27-7/8"	ULP24WB8F	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	52.0#	562	N/A	80
 USLP Pedestal - File/File • Two 12" file drawers • Includes four leveling glides • Pedestal ships fully assembled • Bracket, if ordered, ships with unit • Optional dividers sold separately	Worksurface Supporting	15 x 17-5/8 x 27-7/8"	ULP20WFF	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	43.0#	\$ 476	\$ 104	\$ 80
	Worksurface Supporting	15 x 21-5/8 x 27-7/8"	ULP24WFF	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	48.0#	497	104	80
			A	B	C	D	E	F				

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

• The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select unit color.
Refer to the **Product Color Options** page in this price list.
All white and metallic paints require an up-charge. Please see upcharge column.
- C** Select bracket.
NB - No Bracket
3K24 - 24" Worksurface; add \$104
3K30 - 30" Worksurface; add \$104
SW24 - 24" Worksurface; add \$104
SW30 - 30" Worksurface; add \$104
UN22 - 22" Worksurface; add \$104
UN24 - 24" Worksurface; add \$104
UN24KN - 24" Worksurface w/knife edge; add \$104
UN30 - 30" Worksurface; add \$104
UN30KN - 30" Worksurface w/knife edge; add \$104
WW24 - 24" Worksurface; add \$104
WW30 - 30" Worksurface; add \$104
- When ordering:
3K for System 3000
SW for Studio Works
UN for Unite
WW for WireWorks
If ped is not replacing return, no bracket is required.
- D** Select lock option.
KS - Key standard
NLC - No lock core
KA - Key alike
- E** Select lock color.
Refer to the **Product Color Options** page in this price list.
- F** Select pull style.
USP - U-Series pull (standard)
CZP - Connection Zone pull

INFORMATION

- Accessories**
See accessory section for accessories that can be ordered separately.
- Weights**
Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

U-Series™ Double Pedestals

Worksurface Supporting



U-Series™ Double Pedestals

Worksurface Supporting

	MODEL	W x D x H	MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing	Whites & All Metallics Upcharge
			Basic Model	Unit Color	Bracket	Lock Option	Lock Color	Pull Style			
 PUSP	30" Wide, 2 High - Two 12" drawers with side-to-side hanging folder bars - For use within panel systems* planning only, may not be planned free standing	30 x 22 x 27-3/4"	UDP302D	☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	88.0#	\$ 1021	\$ 80
			A	B	C	D	E	F			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select unit color.
Refer to the **Product Color Options** page in this price list.
All white and metallic paints require an up-charge. Please see upcharge column.

C Select bracket.
NB - No Bracket
3K24 - 24" Worksurface; add \$101
3K30 - 30" Worksurface; add \$109
SW24 - 24" Worksurface; add \$130
SW30 - 30" Worksurface; add \$135
UN22 - 22" Worksurface; add \$101
UN24 - 24" Worksurface; add \$101
UN24KN - 24" Worksurface w/knife edge; add \$101
UN30 - 30" Worksurface; add \$101
UN30KN - 30" Worksurface w/knife edge; add \$101
WW24 - 24" Worksurface; add \$94
WW30 - 30" Worksurface; add \$99

When ordering:
3K for System 3000
SW for Studio Works
UN for Unite
WW for WireWorks
If ped is not replacing return, no bracket is required.

D Select lock option.
KS - Key standard
NLC - No lock core
KA - Key alike

E Select lock color.
Refer to the **Product Color Options** page in this price list.

F Select pull style.
USP - U-Series pull (standard)
CZP - Connection Zone pull

INFORMATION

Accessories
See accessory section for accessories that can be ordered separately.

Height
Height shown is with glides in fully recessed position. Maximum height is 28-1/2".

Weights
Figures provided are approximate and reflect packaged product without additional accessories.

Folder Bars
Files are configured for side-to-side media storage.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping
Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid, Freight class 70.

Specifications and prices are subject to change without prior notice.

U-Series™ Wardrobe Towers
48" High Cabinet



U-Series™ Wardrobe Towers
48" High Cabinet

	MODEL	Features	W x D x H	MODEL NUMBER					Approx. Packaged Weight	Delivered Pricing	Whites & All Metallics Upcharge
				Basic Model	Unit Color	Lock Option	Lock Color	Pull Style			
 left shown	Wardrobe/Cabinet - File/File	Left	24 x 22 x 48"	UWFFC48L	☐	☐	☐	☐	122.0#	\$ 1900	\$ 128
	• Wardrobe and cabinet lock independently	Right	24 x 22 x 48"	UWFFC48R	☐	☐	☐	☐	122.0#	1900	128
	• Pedestal features two 12" drawers and locks independently of wardrobe										
	• Includes four leveling glides										
	• Cabinet features adjustable shelf										
 left shown	Wardrobe/Cabinet - Box/Box/File	Left	24 x 22 x 48"	UWBBFC48L	☐	☐	☐	☐	127.0#	\$ 1979	\$ 128
	• Wardrobe and cabinet lock independently	Right	24 x 22 x 48"	UWBBFC48R	☐	☐	☐	☐	127.0#	1979	128
	• Pedestal features two 6" box drawers and one 12" file drawer										
	• Includes four leveling glides										
	• Cabinet features adjustable shelf										
				A	B	C	D	E			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select unit color.
Refer to the **Product Color Options** page in this price list.
All white and metallic paints require an upcharge. Please see upcharge column.
- C** Select lock option.
- | | |
|-----|----------------|
| KS | - Key standard |
| NLC | - No lock core |
| KA | - Key alike |
- D** Select lock color.
Refer to the **Product Color Options** page in this price list.
- E** Select pull style.
- | | |
|-----|----------------------------|
| USP | - U-Series pull (standard) |
| CZP | - Connection Zone pull |

INFORMATION

Accessories
See accessory section for accessories that can be ordered separately.

Weights
Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid, Freight class 70.

Specifications and prices are subject to change without prior notice.

U-Series™ Wardrobe Towers
64" High Cabinet



U-Series™ Wardrobe Towers
64" High Cabinet

	MODEL	Features	W x D x H	MODEL NUMBER					Approx. Packaged Weight	Delivered Pricing	Whites & All Metallics Upcharge
				Basic Model	Unit Color	Lock Option	Lock Color	Pull Style			
 left shown	Wardrobe/Cabinet - File/File	Left	24 x 22 x 64"	UWFFC64L	☐	☐	☐	☐	152.0#	\$ 1993	\$ 191
	• Wardrobe and cabinet lock independent-ly	Right	24 x 22 x 64"	UWFFC64R	☐	☐	☐	☐	152.0#	1993	191
	• Pedestal features two 12" drawers and locks independently of wardrobe										
	• Includes four leveling glides										
	• Cabinet features adjustable shelf										
	• Units ship fully assembled										
PUSW											
 left shown	Wardrobe/Cabinet - Box/Box/File	Left	24 x 22 x 64"	UWBBFC64L	☐	☐	☐	☐	157.0#	\$ 2042	\$ 191
	• Wardrobe and cabinet lock independent-ly	Right	24 x 22 x 64"	UWBBFC64R	☐	☐	☐	☐	157.0#	2042	191
	• Pedestal features two 6" box drawers and one 12" file drawer										
	• Includes four leveling glides										
	• Cabinet features adjustable shelf										
	• Units ship fully assembled										
PUSW											
				A	B	C	D	E			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select unit color.
Refer to the **Product Color Options** page in this price list.
All white and metallic paints require an up-charge. Please see upcharge column.
- C** Select lock option.
KS - Key standard
NLC - No lock core
KA - Key alike
- D** Select lock color.
Refer to the **Product Color Options** page in this price list.
- E** Select pull style:
USP - U-Series pull (standard)
CZP - Connection Zone pull

INFORMATION

Accessories
See accessory section for accessories that can be ordered separately.

Weights
Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid, Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER										
		MODEL	Features	W x D x H	Basic Model	Unit Color	Lock Option	Lock Color	Pull Style	Approx. Packaged Weight	Delivered Pricing	Whites & All Metallics Upcharge
 left shown	Wardrobe/Side Access Bookcase - File/File	Left	24 x 22 x 48"	UWFFB48L	☐	☐	☐	☐		120.0#	\$ 1851	\$ 128
		Right	24 x 22 x 48"	UWFFB48R	☐	☐	☐	☐		120.0#	1851	128
	• Pedestal features two 12" drawers and locks independently of wardrobe • Includes four leveling glides • Cabinet features adjustable shelf • Units ship fully assembled • 48" Tower does not include adjustable shelf											
PU5W												
 left shown	Wardrobe/Side Access Bookcase - Box/Box/File	Left	24 x 22 x 48"	UWB8FB48L	☐	☐	☐	☐		125.0#	\$ 1873	\$ 128
		Right	24 x 22 x 48"	UWB8FB48R	☐	☐	☐	☐		125.0#	1873	128
	• Pedestal features two 6" box drawers and one 12" file drawer • Includes four leveling glides • Cabinet features adjustable shelf • Units ship fully assembled • 48" Tower does not include adjustable shelf											
PU5W												
					A	B	C	D	E			

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select unit color.
Refer to the **Product Color Options** page in this price list.
All white and metallic paints require an up-charge. Please see upcharge column.

C Select lock option.

KS	- Key standard
NLC	- No lock core
KA	- Key alike

D Select lock color.
Refer to the **Product Color Options** page in this price list.

E Select pull style.

USP	- U-Series pull (standard)
CZP	- Connection Zone pull

Accessories
See accessory section for accessories that can be ordered separately.

Figures provided are approximate and reflect packaged product without additional accessories.

Special Carton Marking

With specially marked information N/C

Ships assembled, FOB Pembroke, ON K&A 0E1,
freight prepaid, Freight class 70.

Specifications and prices are subject to change without prior notice.

U-Series™ Wardrobe Towers
64" High Side Access Bookcase



U-Series™ Wardrobe Towers
64" High Side Access Bookcase

	MODEL	Features	W x D x H	MODEL NUMBER					Approx. Packaged Weight	Delivered Pricing	Whites & All Metallics Upcharge
				Basic Model	Unit Color	Lock Option	Lock Color	Pull Style			
 left shown	Wardrobe/Side Access Bookcase - File/ File	Left Right	24 x 22 x 64" 24 x 22 x 64"	UWFFB64L UWFFB64R	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	155.0# 155.0#	\$ 2042 2042	\$ 191 191
	• Pedestal features two 12" drawers and locks independently of wardrobe										
	• Includes four leveling glides										
	• Cabinet features adjustable shelf										
	• Units ship fully assembled										
PUSW											
 left shown	Wardrobe/Side Access Bookcase - Box/ Box/File	Left Right	24 x 22 x 64" 24 x 22 x 64"	UWB6FB64L UWB6FB64R	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	160.0# 160.0#	\$ 2072 2072	\$ 191 191
	• Pedestal features two 6" box drawers and one 12" file drawer										
	• Includes four leveling glides										
	• Cabinet features adjustable shelf										
	• Units ship fully assembled										
PUSW											
				A	B	C	D	E			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select unit color.
Refer to the **Product Color Options** page in this price list.
All white and metallic paints require an up-charge. Please see upcharge column.
- C** Select lock option.
KS - Key standard
NLC - No lock core
KA - Key alike
- D** Select lock color.
Refer to the **Product Color Options** page in this price list.
- E** Select pull style.
USP - U-Series pull (standard)
CZP - Connection Zone pull

INFORMATION

Accessories
See accessory section for accessories that can be ordered separately.

Weights
Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid, Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	W x D x H	MODEL NUMBER					Approx. Packaged Weight	Delivered Pricing	Whites & All Metallics Upcharge
			Basic Model	Bracket	Unit Color	Lock Option	Lock Color			
 USSDQ	Sliding Door Overhead	35-3/4 x 14-3/8 x 14-7/16	USSDH36	☐ ☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	38.0#	\$ 683	\$ 80
	• Lockable sliding door extends slightly beyond the center of overhead	41-3/4 x 14-3/8 x 14-7/16	USSDH42	☐ ☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	42.0#	730	80
	• Overhead accommodates standard binders	47-3/4 x 14-3/8 x 14-7/16	USSDH48	☐ ☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	47.0#	775	80
		53-3/4 x 14-3/8 x 14-7/16	USSDH54	☐ ☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	52.0#	887	80
		59-3/4 x 14-3/8 x 14-7/16	USSDH60	☐ ☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	57.0#	949	80
		71-3/4 x 14-3/8 x 14-7/16	USSDH72	☐ ☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	67.0#	1120	80
				A	B	C	D	E		

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select bracket type.
- | | |
|-------|-----------------------|
| LB | - Mounted on load bar |
| UN | - Unite mounted |
| UN/UM | - Unite upmount |
- C** Select unit color.
- Refer to the **Product Color Options** page in this price list.
- All white and metallic paints require an upcharge. Please see upcharge column.
- D** Select lock option.
- | | |
|-----|----------------|
| KS | - Key standard |
| NLC | - No lock core |
| KA | - Key alike |
- E** Select lock color.
- Refer to the **Product Color Options** page in this price list.

INFORMATION

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid, Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
--	--	--	--------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select placement of leg.

L

- Left

R

- Right
- C** Select unit color.

Refer to the **Product Color Options** page in this price list.

All white and metallic paints require an up-charge. Please see upcharge column.
- D** Select lock option.

KS

- Key standard

KA

- Key alike

NLC

- No lock core
- E** Select lock color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Manitowoc, WI 54220, freight prepaid, Freight class 70.

Specifications and prices are subject to change without prior notice.


U-Series™ Storage and Accessories

Overhead Accessories



U-Series™ Storage and Accessories

Overhead Accessories

	MODEL	L	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model	Trim Color		
 HRDPT	U-Series® Overhead On-Module Mounting Bracket for Unite • Sold in pairs • Mounts into slots in frame • Black only • Allows for vertical adjustment in 1" increment		48.0222.SET		5.0#	\$ 210
 HRDPT	U-Series® Overhead On-Module Single Mounting Bracket for Unite • Single bracket must be specified with overhead bracket set 48.022.SET • For use supporting a U-Series overhead that spans two Unite panels		48.0222.R.BL		2.5#	\$ 107
 HRDPT	U-Series® Overhead Upmount Brackets for Unite • Sold in pairs • Mounts into slots in frame • Uses 8" of slot space at top of panel • Overhead extends 15" above top cap • Fasteners and allen wrench included		48.0236.12.S	☐	7.0#	\$ 355
 HRDPT	U-Series® Overhead Load Bar Brackets for Unite • Sold in pairs • Load Bar Brackets attach to an externally mounted load bar • Load Bar purchased separately		46.8186.SET	☐	5.0#	\$ 264
			A	B		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Manitowoc, WI 54220, freight prepaid, Freight class 70.

Specifications and prices are subject to change without prior notice.

U-Series™ Storage and Accessories

Overhead Accessories



U-Series™ Storage and Accessories

Overhead Accessories

			MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model	Trim Color		
 HRDPT	MODEL	L				
	Wall Mounted Load Bar for Unite	24"	SWLB.24	☐ ☐	5.0#	\$ 151
	• Supports overhead storage on drywall or other non-panel application	30"	SWLB.30	☐ ☐	6.0#	161
	• Requires Load Bar brackets to support storage unit-sold separately	36"	SWLB.36	☐ ☐	7.0#	164
		42"	SWLB.42	☐ ☐	8.0#	182
		48"	SWLB.48	☐ ☐	10.0#	187
		54"	SWLB.54	☐ ☐	13.0#	222
		60"	SWLB.60	☐ ☐	12.0#	223
		66"	SWLB.66	☐ ☐	13.0#	226
		72"	SWLB.72	☐ ☐	14.0#	234
		84"	SWLB.84	☐ ☐	17.0#	362
		96"	SWLB.96	☐ ☐	19.0#	381
			A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Manitowoc, WI 54220, freight prepaid, Freight class 70.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER		Approx. Packaged Weight		Delivered Pricing
			Basic Model	Paint Color			
 USPA	MODEL	Features					
	Pedestal Bracket	System 3000® 24" deep worksurface	3K24	☐	6.0#		\$ 104
	• Graphic represents bracket used with a 24" deep pedestal on a 24" deep worksurface	System 3000® 30" deep worksurface	3K30	☐	10.0#		104
	• Bracket is intended to fill the space between back of pedestal and panel	StudioWorks® 24" deep worksurface	SW24	☐	6.0#		104
	• Bracket provides support for extended runs and screws with trim to outside back of pedestal for added support on extended panel runs	StudioWorks® 30" deep worksurface	SW30	☐	10.0#		104
	• Bracket depth varies by pedestal model	Unite® 22" deep worksurface	UN22	☐	6.0#		104
	24" worksurface	Unite® 24" deep worksurface	UN24	☐	6.0#		104
	- 20" pedestal = approx. 6-1/4"	Unite® 24" deep knife edge worksurface	UN24KN	☐	10.0#		104
	- 24" pedestal = approx. 2-1/4"	Unite® 30" deep worksurface	UN30	☐	6.0#		104
	30" worksurface	Unite® 30" deep knife edge worksurface	UN30KN	☐	10.0#		104
	- 20" pedestal = approx. 12-1/4"	WireWorks® 24" deep worksurface	WW24	☐	6.0#		104
	- 24" pedestal = approx. 6-1/4"	WireWorks® 30" deep worksurface	WW30	☐	10.0#		104
			A	B			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Pembroke, ON K8A 0E1**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

U-Series™ Accessories

Pedestal Accessories



U-Series™ Accessories

Pedestal Accessories

			MODEL NUMBER												
	MODEL	W x D x H	Basic Model	Trim Color	Upholstery Color	Approx. Packaged Weight	Delivered Pricing C.O.M.	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
 PDCU	Cushioned Seat for Mobile Pedestal	15 x 17 x 1-7/8"	PDCU/17	☐	☐ ☐ ☐ ☐	5.0#	\$ 209	\$ 209	\$ 238	\$ 251	\$ 264	\$ 279	\$ 295	\$ 329	\$ 337
	• 17"D used with 17-5/8"D (20"D nominal) mobile pedestal	15 x 20 x 1-7/8"	PDCU/20	☐	☐ ☐ ☐ ☐	6.0#	228	228	250	269	278	292	308	344	353
	• 20"D used with 21-5/8"D or 27-5/8"D (24" or 30"D nominal) mobile pedestal														
	• Adds 2-1/4" to pedestal height														
	• Fabric runs side to side														
	• Lip height is 3-1/4"														
			A	B	C										

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
- C** Select upholstery color.
Refer to [ki.com/fabrics](#)
For specific fabric availability on cushioned seats, please refer to E-Spec.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Green Bay, WI 54302, freight prepaid, Freight class 100.

Specifications and prices are subject to change without prior notice.



	MODEL	Features	W x D x H	MODEL NUMBER	Approx. Packaged Weight	Delivered Pricing
				Basic Model		
 USPA	Counterbalance Weight • Required for conversion for 24" deep mobile and freestanding to file/file units.	24"D Units	12-1/2 x 2 x 18"	USPCBW25	25.0#	\$ 118
 USPA	Counterbalance Weight • Required for conversion for 20" deep mobile and freestanding to file/file units. • Two required, sold in pairs	For 20" D Units	7-1/2 x 3/4 x 16"	USPCBW36	36.0#	\$ 232
HRDPT	P-Series Keys • Double bit design • Range of 200 different core/key numbers available • Must specify lock number(s) requested when ordering cut key or lock core/key sets	Lock Core/2 Key Set - Satin Chrome		2.KP20522.SC	0.4#	\$ 15
		Lock Core/2 Key Set - Black		2.KP20522	0.4#	15
		Master Key		2.KP20550	0.2#	11
		Extractor Key		2.KP20551	0.2#	11
		Blank Key		2.KP20552	0.2#	3
		Cut Key		2.KP20557	0.2#	4
 USPA	Caster Kit • Converts freestanding pedestals to mobile units • Finished height consistent with free-standing pedestal • File/file units require counterbalance weights • 4 casters and a 5th wheel per kit		2-5/8"	USPCK	1.0#	\$ 92
 USPA	Glide Kit • Converts mobile pedestal to freestanding • File/file units require counterbalance weights • Finished height consistent with mobile pedestal • 4 glides and a center wheel per kit		2-5/8"	USPGK	1.0#	\$ 92

A

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid, Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	W x D x H	MODEL NUMBER	Approx. Packaged Weight	Delivered Pricing
			Basic Model		
 PDACU	Pencil Tray • For 6" box drawers • Black finish only	12-1/8 x 4 x 1"	S7P/PENTRAY	1.0#	\$ 10
 PDACU	6" Partition • For 6" box drawers • Black finish only • Priced each	12-1/8 x 4-5/8"	S7P/D6	1.0#	\$ 6
 PDACU	Hanging Folder Partition • For 12" file drawers • Black finish only • Priced each	12-1/8 x 9-5/8"	S7P/D12	1.0#	\$ 10

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Pembroke, ON K8A 0E1**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	W x H	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model			
 HRDPT	Acoustic Septum Kit	24 x 32"	UNRC.2432		5.1#	\$ 66
	• 2" thick fiberglass sheet is field installed inside frame structure	30 x 32"	UNRC.3032		6.0#	77
	• When used with Unite® tiles, kit provides .70NRC / .70SAA per ASTM C423-09a	36 x 32"	UNRC.3632		6.9#	111
	• Acoustic septum kit may be specified with any Unite® base style	42 x 32"	UNRC.4232		7.8#	129
	• Specify by panel size (72" panels include 2-36" kits)	48 x 32"	UNRC.4832		8.8#	154
	• Septums may be field-trimmed to allow clearance for beltway power	60 x 32"	UNRC.6032		10.6#	154
		72 x 32"	UNRC.7232		11.6#	224
		24 x 40"	UNRC.2440		6.1#	110
		30 x 40"	UNRC.3040		7.4#	111
		36 x 40"	UNRC.3640		8.7#	219
		42 x 40"	UNRC.4240		10.0#	219
		48 x 40"	UNRC.4840		11.2#	219
		60 x 40"	UNRC.6040		13.8#	219
		72 x 40"	UNRC.7240		15.2#	428
		24 x 48"	UNRC.2448		7.2#	84
		30 x 48"	UNRC.3048		8.8#	129
		36 x 48"	UNRC.3648		10.5#	219
		42 x 48"	UNRC.4248		12.1#	254
		48 x 48"	UNRC.4848		13.7#	254
		60 x 48"	UNRC.6048		17.0#	254
		72 x 48"	UNRC.7248		18.7#	428
		24 x 56"	UNRC.2456		8.3#	129
		30 x 56"	UNRC.3056		10.3#	164
		36 x 56"	UNRC.3656		12.2#	219
		42 x 56"	UNRC.4256		14.2#	254
		48 x 56"	UNRC.4856		16.2#	325
		60 x 56"	UNRC.6056		20.2#	325
		72 x 56"	UNRC.7256		22.3#	431
		24 x 64"	UNRC.2464		9.3#	129
		30 x 64"	UNRC.3064		11.7#	191
		36 x 64"	UNRC.3664		14.0#	219
		42 x 64"	UNRC.4264		16.3#	254
		48 x 64"	UNRC.4864		18.7#	325
		60 x 64"	UNRC.6064		25.5#	375
		72 x 64"	UNRC.7264		25.8#	431



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select glass color.
- | | |
|-----|-----------------------|
| GLA | - Clear |
| GLV | - Satin etch one side |
- C** Select trim color.
- Refer to the **Product Color Options** page in this price list.
- Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

Accessories

Frameless Modesty Panel with Acrylic Insert



Accessories

Frameless Modesty Panel with Acrylic Insert

	MODEL	W x H	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model	Acrylic		
 UMOD	Frameless Modesty Panel	24 x 10	UMODA24	☐ ☐ ☐	7.0#	\$ 142
	• Metal attachment to worksurface under-side acrylic panel	30 x 10	UMODA30	☐ ☐ ☐	8.0#	176
	• Dimension listed refers to the worksurface width; actual width is approximately 6" undersized	36 x 10	UMODA36	☐ ☐ ☐	9.0#	223
		42 x 10	UMODA42	☐ ☐ ☐	11.0#	253
		48 x 10	UMODA48	☐ ☐ ☐	13.0#	307
		54 x 10	UMODA54	☐ ☐ ☐	14.0#	318
		60 x 10	UMODA60	☐ ☐ ☐	16.0#	543
		66 x 10	UMODA66	☐ ☐ ☐	18.0#	549
		72 x 10	UMODA72	☐ ☐ ☐	19.0#	564
			A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select acrylic color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.

⑧

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

B Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
		Basic Model			
 HRDPT	Round Power Module-Dual Receptacles • Round module with sleeves fits into Unite® grommet cutout • Provides two receptacles • Cord length is 6 feet • Black	UNPWUP		2.0#	\$ 363
 HRDPT	Round Power Module-Receptacle and Data • Round module with sleeves fits into Unite® grommet cutout • Provides one receptacle and one data port • Black	UNPWUD		2.0#	\$ 363

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



Accessories

Bracket Assembly Kit/Receptacle Kit



Accessories

Bracket Assembly Kit/Receptacle Kit

		MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
		Basic Model	Bezel Color		
 HRDPT	Chicago Mounting Bracket Assembly Kit • Steel construction • Accepts Chicago Code Receptacle Kit (see below) • Specify one assembly per panel, for use on base raceway only • Associated panels must be specified with Chicago power option in order to accept assembly • Includes mounting hardware • Assembly is not size-specific or handed	UCEM		1.5#	\$ 99
 HRDPT	Chicago Code Receptacle Kit • Includes all components required to mount one hardwired receptacle to a mounting bracket assembly (see below) • Receptacle is provided by customer • Up to two receptacles may be specified on a 24" panel, one per side; up to four receptacles may be mounted on all other panels, two per side	URK.HW	☐	1.4#	\$ 98
		A	B		

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select bezel color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	Features	W x H	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
				Basic Model			
 HRDPT	Markerboards - No Frame • White "dry erase" painted steel • "No frame" construction of 22 gauge steel with honeycomb core adhered to back of tile to dampen sound. • Includes magnetic removable 16" x 2-1/2" tray with markers and eraser • Includes black mounting brackets	On-Module	36 x 30"	UNDEMB.PM3630		25.0#	\$ 367
		On-Module	42 x 30"	UNDEMB.PM4230		21.0#	381
		On-Module	48 x 30"	UNDEMB.PM4830		23.0#	395
		On-Module	54 X 30"	UNDEMB.PM5430		27.0#	482
		On-Module	60 x 30"	UNDEMB.PM6030		30.0#	536
 HRDPT	Markerboards • White porcelain painted steel surface with matching white trim • Includes magnetic removable 16" x 2-1/2" tray with markers and eraser • Includes black mounting brackets	On-Module	30 x 32"	UNMB.PM.3032		11.0#	\$ 657
		On-Module	36 x 32"	UNMB.PM.3632		13.0#	689
		On-Module	42 x 32"	UNMB.PM.4232		15.0#	765
		On-Module	48 x 32"	UNMB.PM.4832		17.0#	783
		On-Module	54 X 32"	UNMB.PM.5432		20.0#	855
		On-Module	60 x 32"	UNMB.PM.6032		22.0#	895
 HRDPT	Magnetic Tray		16 x 2-1/2"	MB.TRAY		1.0#	\$ 52
HRDPT	Tray/Eraser/4 Markers			MB.MARKERKIT		1.0#	\$ 125
HRDPT							

A

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



				MODEL NUMBER							
MODEL		Features	W x H	Basic Model	Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
 UTB	Tackboard	On-Module	24 x 12"	UNTB2412/PM		3.0#	\$ 173	\$ 178	\$ 183	\$ 186	\$ 199
	• Tackboards are constructed of 3/4" tackable core and covered with fabric	On-Module	30 x 12"	UNTB3012/PM		3.0#	191	196	198	204	219
	• Includes black mounting brackets	On-Module	36 x 12"	UNTB3612/PM		4.0#	205	216	218	224	235
	• Not available with countertops	On-Module	42 x 12"	UNTB4212/PM		4.0#	217	222	224	230	243
		On-Module	48 x 12"	UNTB4812/PM		5.0#	221	224	227	234	251
		On-Module	54 x 12	UNTB5412/PM		0.0#	250	258	261	270	283
		On-Module	60 x 12"	UNTB6012/PM		6.0#	261	267	270	279	295
		On-Module	24 x 16"	UNTB2416/PM		4.0#	178	183	186	191	204
		On-Module	30 x 16"	UNTB3016/PM		4.0#	191	196	198	204	219
		On-Module	36 x 16"	UNTB3616/PM		5.0#	195	198	200	206	222
		On-Module	42 x 16"	UNTB4216/PM		5.0#	218	223	226	234	248
		On-Module	48 x 16"	UNTB4816/PM		6.0#	226	229	234	242	257
		On-Module	54 x 16	UNTB5416/PM		0.0#	264	272	275	284	296
		On-Module	60 x 16"	UNTB6016/PM		7.0#	275	281	285	298	311
		On-Module	24 x 20"	UNTB2420/PM		4.0#	262	271	274	281	298
		On-Module	30 x 20"	UNTB3020/PM		5.0#	281	290	295	305	319
		On-Module	36 x 20"	UNTB3620/PM		6.0#	300	307	312	325	342
		On-Module	42 x 20"	UNTB4220/PM		7.0#	308	317	325	334	352
		On-Module	48 x 20"	UNTB4820/PM		8.0#	370	381	386	398	421
		On-Module	54 x 20	UNTB5420/PM		0.0#	382	397	405	415	438
		On-Module	60 x 20"	UNTB6020/PM		10.0#	377	392	398	411	429
		On-Module	24 x 30"	UNTB2430/PM		6.0#	283	294	300	307	328
		On-Module	30 x 30"	UNTB3030/PM		7.0#	352	361	370	381	402
		On-Module	36 x 30"	UNTB3630/PM		8.0#	372	382	392	404	425
		On-Module	42 x 30"	UNTB4230/PM		10.0#	395	407	417	426	451
		On-Module	48 x 30"	UNTB4830/PM		11.0#	417	425	432	450	471
		On-Module	54 x 30	UNTB5430/PM		0.0#	444	462	468	480	502
		On-Module	60 x 30"	UNTB6030/PM		14.0#	452	466	472	487	515
		On-Module	24 x 48"	UNTB2448/PM		9.0#	362	372	382	394	416
		On-Module	30 x 48"	UNTB3048/PM		11.0#	420	427	438	452	477
		On-Module	36 x 48"	UNTB3648/PM		13.0#	477	482	503	515	543
		On-Module	42 x 48"	UNTB4248/PM		15.0#	492	505	519	529	559
		On-Module	48 x 48"	UNTB4848/PM		17.0#	521	538	549	564	595
				A	B						

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select fabric color.
Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
		Basic Model	Trim Color		
 HRDPT	Tackboard On-Module Bracket • Order one kit for 12" and 16" high tackboards • Order two kits for 20" and 30" high tackboards • Order three kits for 48" high tackboards • Not used on Overhead Tackboards • Only necessary to order if changing mounting style • Black only	48.0262.TB.KIT	☐	1.0#	\$ 36
 HRDPT	Markerboard On-Module Bracket • Pair of brackets • Order one kit for all heights • Includes mounting hardware • Only necessary to order if changing mounting style • Black only	48.0262.MB.KIT	☐	1.0#	\$ 62

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER				
MODEL		H x W x D	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
 UTR	On-Module Tool Rail	24 x 4-1/2"	UPMTR24	☐	3.0#	\$ 143
	• Accomodates paper management components	30 x 4-1/2"	UPMTR30	☐	4.0#	151
	• Attaches to panels "on" module	36 x 4-1/2"	UPMTR36	☐	5.0#	157
	• Field installable	42 x 4-1/2"	UPMTR42	☐	6.0#	165
	• Painted aluminum construction	48 x 4-1/2"	UPMTR48	☐	6.0#	175
	• Consists of four slots to accept components	54 X 4-1/2"	UPMTR54	☐	7.0#	208
		60 x 4-1/2"	UPMTR60	☐	7.0#	223
		72 x 4-1/2"	UPMTR72	☐	8.0#	243
 HRDPT	Plastic Paper Tray Unit	2 x 9-1/2 x 14"	PPLL	☐	1.0#	\$ 52
	• Plastic construction					
	• Accepts letter and legal-size paper					
	• Suspends from Tool Rail					
 HRDPT	Plastic Diagonal Storage Unit	2-1/2 x 7 x 12-1/2"	PPDS	☐	4.0#	\$ 52
	• Plastic construction					
	• Three slanted partitions per unit with dividers					
	• Suspends from Tool Rail					
			A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



	MODEL	H x W x D	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model	Trim Color		
	Accessory Tray • Injection-molded plastic • Stores stamps, tape dispenser, post-it pads and paper clips • Suspends from Tool Rail	2 x 9 1/2 x 10"	PPAT	☐ ☐	6.0#	\$ 43
HRDPT						
	Pencil Cup • Injection-molded plastic • Suspends from Tool Rail	4 x 4 x 3 1/2"	PPPC	☐ ☐	0.3#	\$ 43
HRDPT						
			A	B		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select trim color.
Refer to the **Product Color Options** page in this price list.
Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**, Freight class 70.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2024 Krueger International, Inc. All Rights Reserved